CINE WORLD



DECEMBER 1950

ONE SHILLING

THE EXPERTS ALL SAY...

"It's simply marvellous!"



Head Office 167 169 WARDOUR STREET, LONDON, W.I. Here we have the NEW LIGHTWEIGHT

Stylist

16mm. SOUND PROJECTOR

- FOR EDUCATION
- FOR ENTERTAINMENT
- LIGHTWEIGHT AND STREAMLINED
- WONDERFULLY QUIET OPERATION
- SUPERB SOUND
- e LOW PRICE

The last word in 16mm. Sound (and Silent) Projectors. It's streamlined, lightweight and compact in one case, 750 or 1,000 wattillumination.

Price: £157.10.0

New streamlined Mains Transformer £10.10.0

See your AMPRO dealer NOW!

You will be amazed and delighted with the Ampro "Srylist" projector. Built to last a lifetime.

Illustrated literature on request

SIMPLEX-AMPRO LTD

Sales Department: 17/28 SOHO SQUARE, LONDON, W.I.



HEATON ACE

127, NEW BOND STREET, LONDON, W.I



G.B. BELL & HOWELL CAMERAS, PROJECTORS AND ACCESSORIES

A complete range in stock Model '60! 'Sound Proj. 2237 10 0 60! Compact Sound Proj. 2210 10 602 16mm. Silent Proj. 4105 10 613 16mm. Proj., 800' arms 4105 10 606 8mm. Projector ... £5 609 16mm. Arc Proj. ... £68 605 8mm. Sportster Camera . £57 0 .£650 0

6048mm/16mm. Splicer 45 5 0 612 16mm. 2,000 rewinder 28 15 7 4 Portable Proj. Stand 610 10 0 Belmont high level Stand 615 15 0 Crystal hand microphone 66 17 610 Record Player 227 1 10 Mixer unit for mic. & gram. 45 5 Power speaker with booster 500 WMAT TO

VHAT TO BUY HIM?

Wakefield Title Maker 49 17 6
Wakefield Title Maker 49 17 6
Weston Cine Exposure Meter 49 15
Haynor Animated Viewer 46 6
Marguet Tri-Film Splicer 20 15 0
Movitex Title Letter Set 22 2
Movitex Title Letter Set 31 5 0
M.P.P. Cine Tripod 41 4 8 10 M.P.P. Cine Tripod ... £14 8 10 Yade Animated Viewer, 16mm. £25 Premier 16mm. Rewinder £4 4 0 al Splicer remier 16mm. Diagonal

Projector Service Kit ... 7 9
Magnetic Titler Set ... 67 10 0
Lumapfak Bead Screen 40 x 30 63 3
Avo Exposure Meter ... 69 13 6
Ensign Universal Splicer 65 5
Zell-Em Plastic Letter Set 62 0
Cooke 13" telephoto for "Sportster

Cooke 3° tele. for 16mm. £34 8 Kodak I6mm, rewinder

SECONDHAND CAMERAS AND PROJECTORS' ill carefully overhauled an tested by experts All

Cested by experience of the control 645 625 Dekko Standard, f/2.5 ... £14 16 Pathescope Motocamera H, f/2.5 £17 16 Dekko Lux Motocamera, 1/2.5 Dekko Lux Motocamera, 1/2.5 21 10 0
Dekko 104, 1/1.5, 50' ... £22 10 0
Dekko 104, 1/1.9 ... £25 10 0
Ditmar, 1/2.8, 2 speeds ... £26 10 0
P.\$mm. Projectors
Pathescope Lux, 100w ... £15 10 0
Pathescope H, 100w lamp £17 19 0
Pathescope Gem, latest model
Pathescope Vox Talkie, 200w lamp, complete with speaker and transformer ... £47 16 0 ... 647 10 former Nodas en 17.7 1en and photo lens 16mm. Projectors
Kodascope C, 100w lamp
Kodascope A, 200w lamp
Ensign Silent 16, 250 w. ... 412 0 415 0 417 10 Ensign Silent 16, 250 w... Bolex G, 250w lamp Kodascope D, 300w lamp Agfa Super 16, 250w lamp Specto Standard, as new Eumig Super, 250w lamp... Kodascope B, 250w lamp £25 0 £27 10 £30 0 £30 0 £30 0



THE NEW LIGHTWEIGHT
AMPRO 'STYLIST'
Idmm. Sound Projector
Here we have a lightweight compact
projector; ideal for home talkins, in
one case. Seing unusually quiet in
operation it is excellent for use in
small rooms but is also suitable large
rooms as well. Brilliant illumination
is provided by a 750 watt famp, the
reel capacity is 2,000 ft., and there
is ample sound volume for a large
sudience. Price, only ...£157 18 0
Transformer for 200/250v. A/C
£18 18 0
Available on Easy Payments.

Available Deposit £42 and Easy Payments. 12 monthly payments of £11 3 or 24 monthly payments of £5 18

RING MAY, 7511 for all your Movie queries

NEW PROJECTORS

9.5mm. Pathescope ACE with motor £10 10 Specto Standard AC model £37 10 Pathescope Gem for AC £37 10 Specto Educational 250 wasts £48 16mm.

Specto Standard AC mo Pathescope Gem, 100w. 12v. Specto Educational 250 watta 448
Dekko 126A 500 watta lamp 648
Eumig Super ... 465 11 6
Ampro Imperial 750w lamp 699 10

XMAS? TRY OUR LIBRARY. FILMS FOR



Weight only 12 lbs

MODEL L.S CINE

for 8mm, films. 25ft. Double run with YVAR 12.5mm. f/2.8 lens in focusing mount. Weight only

Price ... 659 17 &



PRICE £68

the FIRST

really NEW 8mm. Projector

- Automatic loop former exclusive new film protection.
- Brilliant illumination through new colour correcting condensing system.
- New type film sprockets for easiest threading.
- New type claw mechanism assures rock steadiness, eliminates noise.
- New single switch control prevents accidental turning on of the projector bulb when blower system is not in operation.
- New remote control outlet built into projector for floor lamp. Floor lamp automatically goes out when projector lamp goes on.
- Direct motor drive is silent running. Noisy gears eliminated.
- Hinged aperture plate permits easy access to gate for cleaning.
- Special Kern-Paillard 20mm. f/1.6 lens gives big brilliant pictures with short projection throw.
- New audible siren gives warning when projector is running too slowly.

SWISS PRECISION BUILT

Bolex M-8-R

See this brilliant NEW Bolex at your cine dealers or write for full details to sole U.K. Distributors :-

CINEX LTD

9/10 North Audley Street, Grosvenor Square, London, W.I.

Telephone: GROsvenor 6546



WALLACE HEATON L

47 BERKELEY STREET, W.I.

YOUR HOME MOVIE ENTERTAINMENT BEGINS HERE ! ! !

(2000 2000 2000 2000 2000	-	_
Specto 9.5mm, 100w A/C projector £36		ğ
Specto 9.5mm. 100w AC/DC projector £39		
Dekko 8mm. 500w proj., inbuilt resistance 439		1
G.B. & H. 8mm. 400w proj., inbuilt resist'ce 457		1
G.B. & H. 16mm. 750w proj., inbuilt res'ce £100		1
Ampro 16mm, 750w projector£100		1
Dekko lémm. 500w projector £48		١

Bell-Howell Gaumont 16mm. sound projector "Compact" one case, complete with Transformer ... £210 IDEAL for the Home

Amprosound Premier 20 Projector with transformer, 2,000' reel arms—15 watts output ... £213 6 8

16mm. MOVIE PAK FILMS for projection available either in sound or silent, titles include:

"Big Bad Wolf," "Sinbad the Sailor," "Baby Prince Charles," "Surf Riding."

8mm. MOVIE PAK CARTOONS, titles include:

"Mickey's Service Station," "Puppy Love,"

"Mickey's Steam Roller," "Gulliver Mickey,"

etc. Lists on application.

9.5mm. Pathescope Film 5/-, 9/6, £1/12/6

£2/10/
Sound £3/2/6 per 300ft.

9.5mm. CINE USERS III Now available 9.5mm. DEKKO PROJEC-TOR 500w £48 10 0

SPLICERS
Ensign Universal £5 5 0. Ensign Popular £1 17 6

* SPECIAL OFFER *

8mm. UNIVERSAL PROJECTOR, 500
WATT LAMP & RESISTANCE. A FEW
ONLY, EXCELLENT CONDITION, £32 10

All types of SCREENS available from stock.

EASY PAYMENTS

Take advantage of our easy payment plan to obtain any new equipment over £10. ‡ DOWN —REPAYMENT 12 or 24 MONTHS

166 VICTORIA STREET, S.W.I (VIC. 1121)

ė			-	
	CAMERAS AND PROJECTORS			
	16mm. Paillard Bolex & 3 lenses	£155	0	0
	16mm. Bell & Howell 70 D.A. f/1.5		- 13	
	Cooke (Turret) and Case. (New)			- 6
	16mm. Bell & Howell "Autoload"			
		£128	0	0
	16mm. Cine Kodak B.B1/3.5			0
	9.5mm. Pathe Motocamera 1/3.5	€12	12	0
	9.5mm. Eumig f/2.8	618	18	0
	9.5mm. Pathe H f/1.9 (New)	634	13	5
	8mm. Emel (Turret-Head) f/1.9 and			
	Telephoto	£49	10	0
	8mm. G.B. Bell & Howell Projector	457		0
	8mm. Kodascope 46	433	0	0
	8mm. Specto Projector	€34		
	8mm. Kodascope 8/30 (100w)	£14	10	0
	8mm. Kodascope 50 R. (200w)	€22	10	
	9.5mm. Pathe "Gem" Projector (New)	€37	10	0
	9.5mm. Specto (New)	636	0	
	9.5mm. Pathe 200-8 Projector	£27	10	
	9.5mm, Pathe "Ace" Projector (New)	45	10	0
	16mm. Specto Projector (New)	£36		
	16mm. Pathe "Gem" (New)	640	0	0
	16mm. G.B. Belf & Howell (750w)			
		£100	10	
	16mm. G.B. Bell & Howell 601 Sound			
		6237	10	
	16mm. G.B. Bell & Howell 601 Sound			
	(Compact)	£210		
	16mm. Victor Sound	£165		0

CATALOGUE

Send stamp for our 48 PAGE FULLY-ILLUS-TRATED CATALOGUE CONTAINING DETAILS of CAMERAS, PROJECTORS and ALL ACCESSORIES

FILMS FOR SALE

FREE LISTS of 8mm., 9.5mm. and 16mm.
FILMS.
POST ENQUIRIES & MAIL ORDERS to :—
M.O. DEPT..
166 VICTORIA STREET, 5.W.1

EASY PAYMENTS

ARRANGED ON ALL APPARATUS VALUE £10 OR OVER—NEW OR SECONDHAND DEPT. "E.P."

166 VICTORIA STREET, LONDON, S.W.I (Opp. Victoria Underground Arcade).

FILM - CAMEOS

A Series of 16mm. Silent Films specially produced by our 16mm. Film Unit for Purchase Outright. AT YOUR PRICE!

(I reel)

"THE BAD TEMPER"

150ft. of rib-tickling comedy featuring SAMMY THE POLTERGEIST-a little sprite who is out to cure bad habits.

(2 reels)

"THE CLUMSY COPPER"

Another 16mm. Comedy featuring SAMMY, the mischievous sprite, in 12 minutes of loud laughter with the law.

FILM CAMEO No. 1 FILM CAMEO No. 2 FILM CAMEO No. 3

"ON THE TRACK "

The most thrilling Model Railway film ever made. Six minutes of unusual and interesting entertainment. A must for all owners

The above titles represent "REEL" value for Christmas entertainment.

150 ft.

ATTRACTIVELY SPOOLED AND PACKED

39/6

PER REEL


BMM. VERSIONS AVAILABLE AT 22/6 PER REEL

EXCLUSIVELY OBTAINABLE FROM FILM SALES DEPT.

BIRMINGHAM COMMERCIAL FILMS LTD


CAMERA HOUSE, 8, LOZELLS ROAD, BIRMINGHAM, 19

PHONE NOR 3090 -



SOUTHERN FILM SERVICES LTD., SLOUGH, BUCKS.

Direct
'Stills'
from
your films



It is no longer necessary to make a negative before you enlarge from any cine frame. Gevaert Diaversal paper is specially designed to give you direct enlargements. Requirements: Diaversal paper, developer, transfer bath, Vittol toner.

Diaversal Paper



From your dealer, but demand is limiting supplies.

ACTON LANE HARLESDEN N.W.10.





··· TO CINÉ ENTHUSIASTS!

Are your cine films better than you think?

Do they possess unrevealed qualities? Would they be clearer — brighter — steadier — altogether more enjoyable, if they were shown on the finest projector in the world?

We suggest that you may be missing a lot cause your films are not projected as

because your films are not projected as
well as they deserve—and we challenge
you to let us prove it! Why not accept
our invitation to call on your nearest
G.B.-Bell & Howell Dealer with your
favourite film (8mm. or 16mm.) to see it
screened by the latest model in the famous

range of G.B.-Bell & Howell Projectors?

Absolutely no strings attached—whether or not you are convinced that your films are better than you think! It will be an interesting experiment.



G.B.-Bell & Howell

Delay a service of a service to suit your convenience without obligation

G.B.-Bell & Howell, G.B. Equipments, Ltd., Mortimer House, 37/41 Mortimer Street, London, W.1. I would like to see one of my films screened by a new G.B.-Bell & Howell Projector at my nearest Dealer's on the strict understanding that I should be under no obligation to the Dealer.

My films are 8mm.-16mm. I would like to take one along at o'clock on (date). Please ask the Dealer to confirm this appointment.

NAME ...

ADDRESS

Issued on behalf of G.B.-Bell & Howell Equipment Dealers by G.B. Equipments Ltd. A Company within the J. Arthur Rank Organisation. ACW/S

Wilton

A SOUND PROJECTOR FOR CHRISTMAS

The new "Autocrat One" 16mm.
Sound and Silent projector costs only
£127 10 0 complete

8 Watts undistorted sound

6 foot picture from brilliant illumination 2,000 foot film capacity.

Illustrated leaflets on request—can be yours immediately for £32 0 0 deposit. We have a number of second hand silent projectors in stock—send for our lists.

From stock-New 9.	.5mm.	Title	is:
300 foot reels	(2	10	0 each
200 foot reels	(1	12	6 each
300fc.		-	
Joseph Sold By His I	Brethr	en	2 reels
Daughters of the Rh	one	***	2
The Marathon Runn	iers		4
Royal Silver Weddi	ng		
Robinson Crusoe		***	
Alaskan Incident			*
	***	***	
Review Year, 1949			
Boys Will Be Boys	(Laure		
Hardy)	***	***	1 ,,
200ft.			
Seasons Greeting	***		1
Skyway Masters	***	***	
Wild Elephinks	***	***	1
I Ski, Love Ski, You	Ski	***	1
Brotherly Love	***	***	1
I Wanna Be A Life (Guard	***	1
Morning, Noon and	Night		1
Sock A Bye Baby	***	***	

Obtainable from :-

HAROLD MORRIS (Cameras) Limited

21 Kingsland High Street, London, E.S. Clissold 3431-3432

Plus Numerous Other Titles.



CINE SOUNDMASTER
CLIFTON TAPE RECORDER
SCOPHONY BAIRD HOME
TAPE RECORDER
WIREK WIRE RECORDER

Demonstration models on the premises. Expert advice available. You can come with confidence to:

S. I. SHOOT & CO., LTD.

CINE STOCKISTS, SPARES & SERVICE, SOUND RECORDING EQUIPMENT SPECIALISTS 247 WEST END LANE, WEST HAMPSTEAD, LONDON, N.W.6. HAMPSTEAD 1485 and 0293 Open all day Saturday

VAUXHALL FILM HIRE

CLASSIC 16T

16m MODERN

PLENTY of FILMS for CHRISTMAS HIRE.

LONDON'S LARGEST and FOREMOST SILENT FILM LIBRARY

Send for full Descriptive Catalogue, Price 2/-.
Day hire rate—2/6 per reel.

SOUND FILMS FOR HIRE

List sent on application 6d.

SILENT I6mm. FILMS

From our Comprehensive stock. S.A.E. for lists.

Trade Enquiries Invited

16mm. SILENT AND SOUND WANTED

Exchanges arranged—Best prices paid.

MOBILE CINE SERVICE

Programmes from 3 gns. for Parties in the HOME or CLUB.

Please tell your friends

ENQUIRIES RING VICTORIA 5743
36 YAUXHALL BR. RD., LONDON, S.W.I.
Service and Satisfaction guaranteed



695

VICtoria 0669 GERrard 1432/2239

TEMple Bar 7165/9377

TEMple Bar 9773/9221 Brighton 28596

119, VICTORIA STREET, S.W.I

24, CHARING CROSS ROAD, W.C.2

81, STRAND, W.C.2 149, NORTH STREET, BRIGHTON




You may be too mature for Father Christmas

to bring you a Cine Outfit—but you are never too old to treat yourself and the whole family. Think of the pleasure it will bring to one and all! and what a Party!



SPECTO. The ideal projector for use with silent films and available in all of the 3 sizes, 8, 9.5 and 16 mm. Powerful light, steady projection and a really well constructed machine. Price complete with built-in transformer £36. Also available in DUAL sizes, 9.5 and 16mm. £43 10 0.







DEKKO. A very compact and efficient Projector. 500 watt coupled with 2" f/1.6 coated lens. Optical framing device which means the picture is always centred on the screen. Brilliant projection — silent operation. 9.5 or 16mm. Price £48. 8mm. £39 10 0.



8mm. FILMO SCREEN MASTER Model 606, 400 watt lamp, all-gear drive, A.C. or D.C., £57.

FILM LIBRARIES. We have a really fine LIBRARY of both SILENT and SOUND FILMS. Every film is carefully checked before despatch. 8mm. Silent; 9.5mm. Silent; 16mm. Sound. Catalogues free except Comprehensive SOUND. Catalogue price 1/3 post free. Please state clearly which size of films, and whether silent, sound or both.

SHEFFIELD PHOTO Co.Ltd. 6 Norfolk Row (farcate) Sheffield

Established over 60 years.

'Phone 22079.

The Sheffield Photo Co. Ltd. says-

THERE'S NO NEED TO HESITATE!

AS TO WHICH IS THE BEST SOUND PROJECTOR

THE ONLY WAY-is to see and hear several of the best at the same time.

We will gladly demonstrate several to you at our address here or our "Mobile Unit" will come to any part of the Country and demonstrate on your premises under actual working conditions.

If you want to arrange immediately for our Mobile Unit to come and see you please use a "PERSONAL" phone call and ask for "SOUND" Dept.








For those who only require a really fine 16mm. Silent Projector, there is none better than the G.B.-Bell Howell Model "602". All-gear drive, 750 wattismp. Price complete with transformer ... £100 10 0

This is the New Model AMPRO STYLIST Idmm. Sound Pro-Jector, 750 watt lamp. Price complete with transformer

If you prefer a good used Sound Projector in guaranteed good condition here are just a few



16mm. Secondhand Sound Projectors

16mm. Bolex Sound Projector, 750 watt lamp, complete with speaker and transformer NOT a Conversion ...£135 0 0

L.516 GeBescope, 500 watt, complete with speaker and resistance, in very good order £100 0 6

16mm. Secondhand Silent Projectors

Bell & Howell Model 57, 4 amp, 200 watt lamp, complete with resistance and case £29 0 0 Ampro Model K.D., 750 watt lamp, forward and reverse, transformer ... £40 0 0 7.5mm. Pathescope Gem
complete with transformer
as new ... £33 0 0

Model D Kodascope, 300 watt lamp, complete with resistance, for A.C. or D.C. ... 627 0 0

SHEFFIELD SHEFFIELD NORFOLK BOW PHOTO CO LTD


SAVILLE OF YORK

A FIRST CLASS SELECTION OF USED PROJECTORS, ETC.

ALL GUARANTEED FOR SIX MONTHS AND SUPPLIED ON EXTENDING TERMS IF REQUIRED.

SOUND PROJECTORS 8.T.H. Type 301 with 500 watt 8.T.H. Type 301, with 750 watt Is Late Model watt lamp. Perit 9 0 0 1155 0 0 120. Amprosound £135 0 0 Very little used ... GeBescope L516. model. V.G. order ... £84 10 0 model. V.G. order. 9.5mm Pathescope 667 10 0

SILENT PROJECTORS 9.5mm & 16mm Pathescope "200-8" Plus ... £35 0 8 €35 0 16mm. Siemens Standard, Smm Specto. 200 watt lamp. umm specco. 200 watt lamp. Used 4 times enly ... \$32 10 6 6 mm Kodascope 8-45 £25 0 6 8 mm Kodascope 8-45 with special 400ft. arms. As new £25 0 0 9.5mm Pathescope 'H.' £19 10 0



B.T.H. MODEL 301 SOUND PROJECTORS With Blimp Case, 750 watt Lamp and brilliant sound, £220 0 0 or Deposit of £35 and 16 payments of £10 4 0.
Model 301 with Compact Source
Lamp, £264 0 0 or Deposit of
£66 and 18 payments of £12 4 9

PROJECTION LENSES

3in. Dalimeyer. Coated for Filmo or 601, etc. ... 49 5 6

3in. Pulkino. Coated for above 49 15 0 I jin. Dallmeyer for Ampro

24in. Dallmeyer. Coated for 67 15 0 above 2jin. Simplex Ampro for above 66 15 3in. Simplex Ampro for above

One only slightly OLKA Animated with rewind arms viewer with rewit

USED CINE CAMERAS 16mm Cine-"Kodak" BB Junior, 1/3.5 Lens, "Case ... 432 0 0 16mm Magazine Cine-"Kodak," Lens, Case. As new

JOHN SAVILLE & SONS, 4 GOODRAMGATE, YORK. Tel. 2700



PREMIER 16mm. DIAGONAL **IOINER**

This precision engineered joiner, specially manufactured for ofessionals favouring diagonal splicers, embodies these

Modelled on the 35mm. Joiner now in constant use in over 2,000 Cinemas, and similar in design to the Universal Joiner.

In design to the Universal Joiner. Ingenious Combined Rotary Cutter and Scraper that works with amazing ease to make a perfectly aligned 3/32" splice. Applies automatic pressure; is kept rigid by rubber feet or by bolting to rewind board and is attractively finished.

The cheapest and best precision diagonal joiner made, only £4-17-6

(Trade and Export Enquiries invited for this and other Equipment)

nutracturers of Standard & Sub-Standard Cinematograph Equipment

> 16mm, REWINDER 44 - 4 - 0

16mm, FILM EDITOR 45 - 15 - 0

ROBERT RIGBY LTD. PREMIER WORKS NORTHINGTON ST.

LONDON, W.C.I. Tel: Holborn 2944 (2 Lines)

Renters Studios & Laboratories 16mm., 9.5mm. & 8mm.

As used by the leading Cinemas

UNIVERSAL FILM JOINER (Similarly designed to the diagonal)

£4 - 17 - 6

SAVILLE OF YORK

We do not think you will find a better service. We stock all the latest and best apparatus and accessories, we offer convenient hire purchase terms and we are perfectly sincere in our desire to assist you in every possible way.



BELL & HOWELL-GAUMONT TYPE 401 PROJECTORS

Compact Model with built-in speaker 210 10 0 or Deposit of £52 7 6 and 18 payments of £14 3 4. Standard Model with 12" Speaker 2337 10 0 or Deposit of £59 7 6 and 18 payments of £15 19 2

SPECTO PROJECTORS

The full range in stock. 9.5mm. or 16mm. Standard Model with 100 watt lamp. £36 or Deposit of £9 and 12 payments of £2 9 6. 9.5mm. or 16mm. Educational Model with 250 watt lamp. £48 10 0 or Deposit of £12 2 6 and 12 payments of £3 6 9. New Dual Model for 9.5mm. and 16mm. with 250 watt lamp, £56 or Deposit of £14 and 12 payments of £3 15 3.

of £3 15 3.

Smm. Model with 200 watt lamp
£36 or Deposit of £9 and 12
payments of £2 9 6.



GAUMONT TYPE 612

With 750 watt lamp, 800ft, spool arms, stills and reverse. Complete with Transformer £100 10 0 or Deposit of £25 2 6 and 12 payments of £6 18 1.

SCOPHONY - BAIRD Home Tape Recorders An ideal instrument for providing running commentaries and background music. Complete with Microphone and reel of Tape ... £45 0 0

Movie pakes

Many new titles now available from stock. Send for list. 8mm. 23 10 0; 16mm. Silent £6 10 0; 16mm. Sound £7 10 0.

BELL & HOWELL-GAUMONT Smm. APPARATUS

Precision built to give years of trouble-free service.

8mm. Sportster Camera with 1/2.5 Mytal Lens, 4-speeds and exposure guide, £57 9 3 or Deposit of £14 7 3 and 12 payments of £3 17 3.

Model 606 8mm. Projector with 400 watt lamp, 400fc. spool arms, built-in resistance £62 or Deposit of £15 19 0 and 12 payments of £4 3 4

EDITING EQUIPMENT
Ensign Universal Splicer 43 \$ 0
Ensign Junior Splicers, 8mm,
9.5mm, or 16mm, ... £1 17 6
B.H.-G. Diagonal Splicer £5 5 0
Haynor Viewers. All sizes
G.I.C. Animated Viewer

Bell & Howell Filmotion Viewer with Splicer and Rewind Arms 1,600ft. Rewinds on Baseboard

Cinecraft Felt Letters
Ditto with backgrounds
10 6
Kay's Plastic Letters, jin and
jin. ... 15 0
Wondersign Magnetic Letters
with backgrounds ... 27 10 0
Graforel Cork Letter Sets

Crowtown Junior Titlers

66 6 6

Combi Universal Titlers 69 10 6

G.B.-BELL HOWELL
ACCESSORIES
Belmont High Level Stands

Record Players ... £27 i 0 Change-over Units for 2 Type 60! Projectors ... £21 0 0 Canvas Covers for Projector, etc.



NEW AMPRO LIGHTWEIGHT. STYLIST PROJECTOR

With 750 or 1,000 watt lamp. Streamlined, lightweight and compact in one case. Complete with Transformer. 4168 0 0. From stock or Deposit of 42 0 0 and 18 payments of 47 15 7.

BOLEX 8mm. Apparatus

Model L8 Cameras with 1/2.5
Yvar Lenses and 4-speeds.
Fitted masks for Telephoto
Lenses. Complete with
Purse Case. £59 17 6 or
Deposit of £15 and 12 payments of £4 1 7.
Model M.R.8 Projectors with
500 wast lamps, 20mm. lens,
built-in resistance. £68 0 0
or Deposit of £17 0 0 and
12 payments of £4 11 5
ALL THE ABOVE FROM
STOCK

PAILLARD - BOLEX H.16 CAMERAS—FROM STOCK

Model H.16 with 1/1.4 Switzr Lens 4 10 Model H.16 with 1/1.5 Cooke Kinic Lens 8

CINESMITH SOUND CON-VERSIONS FOR 9.5mm. GEM PROJECTORS

Very efficient in operation and easily attached ... 647 0 0

JOHN SAVILLE & SONS, 4, GOODRAMGATE, YORK. 141, 2700

THIS CHRISTMAS-PUT LIFE AND

The Trix Twin-turntable Gramophone, manufactured by the makers of the well known Trix Public Address Equipment, has been specially developed for the cine user. It is fitted with fiding, mixing and tone controls that enable the

amateur to obtain professional musical and sound effects from records. Two Garrard Gramophone units with magnetic pick-ups, and complete with plifier, are contained in a compact, portable case The 10" loudspeaker is mounted in the detachable lid and can be placed some distance from the turntable Ample volume for all domestic requirements rovided. Send for fully illustrated leaflet.

INTO YOUR HOME MOVIES





Price Complete II Gns. Plus Purchase Tex.



TWIN-TURNTABLE AMPLIFIED GRAMOPHONE

The Trix Electrical Co., Ltd., I-S, Maple Place, Tottenham Court Rd.; London, W.I.

Tel. HUSeum 5817



ASSOCIATED CINE EQUIPMENTS LTD.

353, BEXLEY ROAD, ERITH, KENT

Phone, Telegram : Bexleyheath 3062, Erith 2543

USED PROJECTOR SELECTION

16mm. Bell Howell "T38", sound ...£102 10
16mm. Bell Howell "T38", sound ...£102 10
16mm. Cess liton, 500 watt, excellent ... £32 10
16mm. Kodak "EE", 500 watt, as new ... £47 0
16mm. Kodak "EE", 500 watt, as new ... £48 10
9.5/16mm. Ditmar "Duo", as new ... £42 0
9.5mm. Eumig, reverse, still, etc. ... £32 0
5.mm. Rodak Eight/35, as new ... £41 10 617 10 0

SPOOLS, each
Special Clearance Offer: 16mm. 400t.
SPOOLS WITH CANS, each 1/11; 1/9 each
per 6; 1/6 each per 50; 1/4 each per 100;
1/2 each per 250.
1/2 each per 350; 1/4 each per 100;

900ft. EXTENSION ARMS for all SPECTOS Cast alloy, Specto type finish, fitted in 2 mins, complete with belts, etc ... 19 6

ALL CINE ACCESSORIES, Lamps, Screens, Splicers, etc. Send Id. stamp for 14 page catalogue. ENLARGED 9.5mm. SOUND FILM LIBRARY 3/- per ree! per two days. Catalogue 3d.

Book your films for Christmas

NOW!

16mm. Sound-two day rate for the period

9.5mm. Sound — 3/- per reel 9.5mm. Silent - 2/6 per reel

Catalogues: 16mm. price 1/-95mm. price 3d.

Home movie Experts

Wellstead & Son

12 Madeira Rd., Bournemouth

Tel. Bournemouth 1500

CINE MART

(Proprietor : T. CASSIDY)

	ACCESSORIES
G.B. Bell & Howell 601, 16mm., in one	Dekko 16mm. I,600ft. Rewind arms, per
case, with transformer, new	pair Dekke 400ft, Rewind arms, 8, 9.5 or
recently overhauled 675 0 0	16mm., each £1 4
Ace Sound Unit for 9.5mm. Specto, with	Cinecraft Universal Rewinder (2 15
speaker, new 439 12 0	Ensign 'Popular' splicer, any one size £1 17
Ace Sound Unit for 9.5mm. Gem, com-	Ensign Universal splicer, s/h \Q 5
plete with speaker, new £44 2 8 As above, demonstration model £37 10 0	Harguet Tri-film splicer (3 IS
	Projector transformer, output 110 volts,
ISMM. SILENT PROJECTORS	350 watt 64 10
Siemens Superfux, 400 watt, 800ft.	16mm. Haynor animated viewer 45 12
arms, case, excellent condition £35 0 0 Ensign, 100 watt, transformer, case,	Weston Cine Exposure meter 49 15
reconditioned 417 10 0	Leather case for above 16
Kaylee, 300 watt, case, used E35 W W	WHEN ORDERING BY POST PLEASE ALLOW
Pathe "Gem", 900ft, arms, new £40 8 8	EXTRA AMOUNT FOR CARRIAGE OR POST.
Specto, standard model, 100w., 400ft. 634 0 0	EATRA AMOUNT FOR CARRIAGE OR FOST.
Or with 900ft, arms	Illuminated Inspection Viewer (2 12
9.5mm. SILENT PROJECTORS Pathe "Gem", 100 w., 900ft. arms, used £38 6 6	Photax Collapsible Projector stand (3 3
Pathe "Gem", 100 w., 900ft. arms, used £38 8 8	Premier projector stand ; very strong,
Reystone, 100w., 100ff. arms, used Eld. 0 0	4ft. high, suitable for 16mm, sound
Specto, standard model, 400ft, arms £36 0 0	machine 43 IS Motor, pulley and beit for Pathe "Ace" 43 0
Pathe "Ace", 400ft. arms, latest model 65 17 6	
8mm. PROJECTORS	Ace 900ft. Extension arms for Specto 19
G.B. Bell & Howell 606, 400 watt, new 637 0 0	All types and sizes of new and used screens in stor
Meopta "Atom", 200 watt, case, new £21 0 0	
Specto, 200 watt, new	TO ALL 9.5mm. "GEM" OWNERS
Kodascope 8/46, 200 watt, case, new £36 11 8	Why not add an ACE Sound Unit to your
	projector, and have REAL home movies?
DUAL GAUGE PROJECTORS Ditmar Duo, 8 and 9.5mm., 300w., case 655 0 0	We thoroughly recommend this outfit, and will gladly send full details. Price, complete with
Dual Specto, 9.5 and 16mm., 100w.,	speaker £44 0 0
900ft, arms, new £45 15 0	**************************************
Dual Specto, 9.5 and 16mm., 900ft., used £35 0 @	BOOKS
	Manual of Sub-Standard Cinematography 21
WE WILL DEMONSTRATE ANY PROJECTOR	FOCAL CINE BOOKS :
In our showroom, or in your home if you prefer. All equipment, new and used, carries our	How to Film; How to Script; How to Direct How to Project; How to Title; How to Process
guarantee. HIRE PURCHASE terms, available	How to Use Colour ; all 6/- each.
on any amount of £15 or over, gladly quoted	Making Lantern Plates and Filmstrips 9/6.
on request.	Filmstrip and Slide Projection 7/6. FOUNTAIN PRESS 'CINEFACT' BOOKS:
CAMERAS	The Cine Camera and how to use it; Cine File
16mm. Magazine Kodak, f/1.9 lens, leather case, condition perfect 465 0 0	and how to expose it; Family Movies Outdoors Travel with a Cine Camera; Filming Indoors
leather case, condition perfect 445 0 0 9.5mm. Pathe-Webo, f/l.9 lens, takes	Editing and Titling; all 2/- each.
SOME film in maravine new #43 0 0	coming and mixing (an a)- each
9.5mm. Dekko, (72.5, 3 speeds, as new £25 0 0 9.5mm. Pathe "H", 1/2.5, case, used £16 10 0 9.5mm. Miller, f/1.9, 4 speeds, used £18 10 0	FILM LIBRARY
9.5mm. Pathe "H", 1/2.5, case, used £16 10 0	We have a good selection of 9.5mm, and 16mm.
9.5mm. Miller, f/1.9, 4 speeds, used £18 10 0	silent films for hire. Many new films added
9.5mm. Eurnig, coupled photo-cell, f/2.8	this season. Available to callers only.
lens, leather case, used	FILM STRIP PROJECTORS
8mm. Paillard-Bolex L.S, f/2.8 lens, 4	Aldis Universal Projector (for slides),
speeds, zip case, new 459 17 6	250 watts 419 19
8mm. Dekko, f/2.5 lens, 4 speeds, makers	Filmstrip Carrier for above 63 15
guarantee, shop soiled (list £45) £38 10 0	Dufay Filmstrip projector, 250 watts £18 10
WE BUY and PART-EXCHANGE all cine films	FILMS FOR SALE
and equipment. We will quote cash price or	We stock all gauges of film, sound and silent.
allowance. Let us have details of what is for	Send S.A.E. for list, stating size of films used,
sale, also your requirements, and we will	and whether sound or silent. If you have good-
make an offer by return. We particularly want	condition films you do not want we may be
projectors and good-condition films.	able to exchange for new ones.
	The same and the same and the same and the same and

7, The Boulevard, Balham High Road, London, S.W.17

Telephone: BALham 2303

= PROFFITTS

The Leading Cine

We extend the sincere wish to our for a very HAPPY [MOVIE] XMAS, and thank

SENSATIONAL NEWS FOR ALL CINE ENTHUSIASTS!

OUR XMAS GIFT TO YOU! AT LAST EASY TERMS TO SUIT YOUR POCKET... INTRODUCING OUR "MAINTAINED HIRE PURCHASE"

For many years we have offered most generous Easy Payment Terms to all customers, but we have felt that possibly these were not quite elastic or comprel these were not quite elastic or comprehensive enough to appeal to everyone. Therefore with these factors in our minds, we have devised our UNIQUE "ALL-IN" Maintained H.P., salient features of which are: Therefore with these factors foremost

- Sth deposit of retail price only
- TWO years credit LOW interest charges
- Projector maintained in perfect condition, FREE, over full 2 years
- FREE comprehensive insurance on goods whilst under H.P.
- FREE replacements of faulty components including valves, P.E. cells, exciter lamps, and any component part of the amplifier and projector mechanism
 TWO additional FREE lamps given with each projector

A perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will, we feel sure, convince you of the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will be advantaged by the advantages of our "ALL-IN" Maintained Plan.

The perusal of the above will be advantaged by the advantage of the adv

Our scheme applies to ALL NEW projectors which are stocked and recommended by us.

WE HAVE CONFIDENCE IN THE GOODS WE SELL—WE ARE CONFIDENT ALSO THAT NOWHERE IN THE COUNTRY ARE SUCH GENEROUS TERMS OFFERED SPECIALLY COMPILED TO HELP YOU! SHARE THAT CONFIDENCE WITH US.

Send for details today-just fill in your name and address below-leave the rest to us !



Announcing the Ampro "STYLIST" Projector - AN IDEAL XMAS BOX!

We have pleasure in introducing a new LIGHTWEIGHT 16mm. sound projector at a modest price.

- For education For entertainment
- Lightweight and streamlined
- Amazingly quiet in operation Superb picture and sound Suitable for 750 or 1,000 watt lamp

We are "thrilled to bits" with this unique projector. Superbly finished, Projector and speaker form one unit, transformer the other. Total weight ONLY 33 ib., PROJECTOR ONLY 34 ib., PROJECTOR ONLY 35 ib., PROJE

SIMPLEX AMPRO STYLIST 16mm, SOUND PROJECTOR. Price £157 10 0 (Street transformer price £10 10 extra) (Streamlined

------UNDER OUR MAINTAINED H.P. PLAN £34 DEPOSIT SECURES, BALANCE OVER 24 MONTHS, £6 9 6 PER MONTH, LITERATURE ON REQUEST. TO R. W. PROFFITT, Ltd., 49-51 KNOWSLEY St., BOLTON, Lance,

BOLTON

pecialists in the country

1

sustomers and friends throughout the country hem for their past and continued support.

EASIER EASY TERMS TO SUIT ALL POCKETS: 1/5th DEPOSIT SECURES PRACTICALLY ALL GOODS, NEW AND SECOND-HAND. DETAILS AND PROPOSAL FORM WITH PLEASURE. REMEMBER ALL OUR HIRE PURCHASE IS SELF-FINANCED—YOU ARE NOT DEALING WITH A THIRD PARTY—UTMOST PRIVACY AND MINIMUM OF DELAY AND NO FUSS ASSURED.



MAGNETIC TAPE RECORDERS

Apart from CINE we can't imagine anything more pleasurable than the possession of a recorder, and, after all, the two go "hand in hand". For recording commentaries to your personal films, storing for ever the kiddles' voices, recording your favourite radio programme, teaching of music, elecution and for general pleasure and business use, the We have good stocks at the Recorder stands supreme. moment but we strongly advise you to place your order early to avoid disappointment.

SOUNDMIRROR TAPE RECORDER

Handsome in appearance, reproduction of both speech and music is superb. Provision is made for gram., mike and radio inputs and a special control panel is provided. Magic Eye modulation indicator. One reel of tape plays or records for 35 mins. Price complete with one reel of tape and crystal omni-directional mike £68 16 6. Deposit £13 15 3, Portable Model £81 16 6. Deposit £16 7 3.


HOME RECORDER

A most compact and reputable instrument at a modest price. Output 10 watts, fast rewind, twin motors, modulation indicator, simple threading, smart appearance, easily transported. 30 mins, playing time. Price 645, or deposit £9.

or deposit 17.

WIREK WIRE RECORDER

A truly versatile instrument using wire as a recording medium. Playing time one hour. Pick-up also provided for playing records at 78 R.P.M.; recording can be accomplished at same time. Provision for extension speaker. Very portable. Price 476 10 0 including wire, mike and pick-up. £15 6 0 deposit secures.



LAST LOOK AROUND—New Arrivals
P. ILLARD-BOLEX M8 PROJECTOR
A precision-built machine, 500 watt lamp, 400ft, spool arm, beautifully quiet, amazingly light output. £68 or £13 12 8 deposit.

SOFIL MINOR 16mm. SOUND A single case, low priced projector, 1,600ft, capacity, sound


and silent speeds, no larger or heavier than a portable type-writer. Price 199. Deposit 119 16 0.

DEKKO 16mm. SILENT MODEL 126
AC/DC, very quiet running, 500 watt output, extremely compact, highly recommended (see A.C.W., November issue).

rice 648. Deposit 49 6 0.

Price 648. Deposit 69 6 0.

Large stocks of all the popular projectors, including G.B. Bell Howell 601 6237 10 0; Amprosound £213 0 0; B.T.H. 301 6220 0 0; ACE-GEM Sound Unit, specially "tailored" for your GEM projector, 9.5mm. model 648 10 0; ACE Sound units for the Specto projector, Specto Standard 9.5, 8 and 16 mm. 636 0 0; Educational models 648 10 0; dual model 9.5/16mm. also available; Pathe GEM 9.5mm. £37 10 0; Pathe ACE (motor driven) 9.5mm. £40 1 4; Model 613 16mm. (800ft. capacity) 6100 10 0; ATOM 8mm. £25 0 0 (with case); etc., etc. 1/5th DEPOSIT SECURES ANY OF THE ABOVE



er 3,000 reels—8mm., 9.5mm., 16mm. SILENT—also 9.5mm. and 16mm. SOUND. Catalogues: SILENT 10d.; 16mm. SOUND 6d.; 9.5mm. SOUND 8d.; CINE Our Library now extends to over 3,000 reels-TIP-TOP features available. Cat CATALOGUE 6d. (all post free).

. PROFFIT

Mail Order Dept. A.C.W.

KNOWSLEY STREET, Tel.: Bolton 4422 (3 lines)

Established 1924 BOLTON

'Grams: " Electro ", Bolton



Especially (may we say ?) to father !
One of our new or guaranteed reconditioned projectors is the ideal
gift to yourself. B.T.H. Standard or
Mercury Vapour, G.B.-Bell & Howell
all models, Ampro Premier and
Imperial, Victor Animatophone and
others.

EXCHANGES, ALLOWANCES AND H.P. TERMS A PLEASURE

Also early delivery of the marvellous SUPERSONIC TAPE RECORDER, the only recorder on the market giving the necessary fidelity for rerecording on disc.

HAVE YOU HAD OUR BARGAIN LIST

BALES AND BERVICE AGENTS FOR

B.T.H., G.B.-Bell & Howell, Victor Animatophone, Simplex Ampro and all good equipment-

ROYAL SUTCLIFFE CINE EQUIPMENTS

The Aural-Visual Specialists of the North 55-57 GODWIN STREET, BRADFORD Phones 22778 (2 lines) Grams "Cinequip"





Britain's Leading Photographic Dealers All goods may be purchased on 7 days' approval against full cash deposit.

Universal 8mm. Projector Fitted with f/2 coated lens of I" focus; condenser in removable mount; electro Rhodium Reflector adjustable for maximum nentector adjustable for maximum illumination; 110v. 500w. lamp. Light, compact and sturdily built, finished old gold crackle. Price (with transformer) £41 12 6 or £10 8 1 down and 12 monthly payments of £2 6 11.

Ensign Popular Film Splicer with an accurately ground and hardened steel scraper, film shearing lever and an efficient pressure pad. Supplied in three models: 16mm., 9.5mm. and 8mm. Price £1 17 6.

9.5mm. 16mm. Projector

For silent film, utilising a very robust lamp in conjunction with a optical superfine optical system, a brilliant picture is obtained in brilliant picture is obtained in transformer, it is designed for A.C. Mains 200/250v. This model can also be supplied for use with a 12 or 14v. supply. Price 16mm. Model £40 0 0 or £10 0 0 down and 12 monthly payments of £2 13 9; 9.5mm. Model £37 10 0 or £9 7 6 down and 12 monthly naments of and 12 monthly naments of and 12 monthly payments of £2 10 5.

Specto Iémm., 9.5mm. and 8mm. Projectors A precision built instrument, in

three sizes for silent films, 30v. 100w, pre-focus lamp of robust construction. with a special conconstruction, with a special con-denser and silver coated mirr, reflector (8mm. lamp is 10v, 200w.) Fitted with an automatic film rewind. Price A.C. Models 436 0 or 49 0 0 down and 12 monthly payments of 42 8 4; D.C. Models 439 0 or 49 15 0 down and of £2 12 5. 12 monthly payments

CINE PROJECTORS

B.T.H. Type 301, 16mm. Sound. Price 2220 or 435 down and 12 monthly payments of £14 15 7. B. & H.G. Model 601, 16mm. Sound. Price £237 10 0 or £59 8 0 down and 12 monthly payments of £15 19 1.

615 19 1.

8. å H.-G. Pfodel 601 Compact 16mm. Sound. Price 621 10 0 or 632 10 6 down and 12 monthly payments of 614 2 2.

Amprosound "Premier 20" 16mm. Sound. Price 6213 or 633 5 8 down and 12 monthly payments of 614 6 2.

"Premier 20" Single Case 16mm. Sound. Price 6179 or 649 15 0 down and 12 monthly payments of 613 5 10.

Victor "Greyline" 16mm. Sound. Price 6220 or 635 down and 12 monthly payments of 614 15 7.

8. å H.-G. Model 602 16mm. Slient. Price 6192 10 0 or 625 12 6 down and 12 monthly payments of 64 17 9.

Simplex Ampro 16mm. Slient. Price 639 10 0 or

Simplex Ampro 16mm. Silent. Price £99 10 0 or £24 17 6 down and 12 monthly payments of £6 13 9. Pathescope Gem 16mm. Silent. Price £40 or £18 down and 12 monthly payments of £2 13 9. Pathescope Gem 9.5mm. Silent. Price £37 10 0 or £9 7 6 down and 12 monthly payments of £2 10 5.

Master Meter Weston Exposure

A most attractive and extremely popular exposure meter, giving accurate readings in any climate or temperature. It covers all "I" stops and exposure times from 1/1,290th sec. to 90 secs. from 1/1,200th sec. to 90 secs. Can be used with either still or cine cameras. Price 49 15 0. Leather Case 16/6 or (Meter and Case) 62 12 4 down and 12 monthly payments of 14/3. Weston Master Cine Exposure Meter is available at the same price and terms as above.

Aidis Universal Film Strip Slide Projector
For film strips and 2" x 2" slides. 250v. 250w. pre-focus lamp fitted as standard. The lens is a 4" (3.2 Aidis hard coated lens in helical focusing lens. Heat resisting and absorbing Chance glass between lamp and concensers prevents damage to film or condensers. Price, with 2" x 2" slides £19 19 6 or £4 19 6 down and 12 monthly payments of and 12 monthly payments of £1 6 10; with carr or for film strips £22 16 0 or £3 14 6 down and 12 monthly payments of £1 10 7. Slide carrier 18/-.

Cinemaster II Dual 8mm. Cine Camera Takes both straight 8mm. and double 8mm. film; frames run at 16, 24 or 32 per second; excep-tionally clear viewfinder, built-in extinction type exposure meter; f/2.5 4" Univor lens. Price £40 I 8 or £10 I 8 down and 12 monthly payments of £2 I3 9.

Bell & Howell-Gaumont Film Splicers A quick action, professional type splicer for 16mm silent and sound, 8mm. film. Price £5 5 0.

Bell

limm. Sound Projector
Supplied with a standard 750 watt lamp. Magnalite condensor,

Magnalite condenser, patent cooling system, one hand tilt mechanism and 12° speaker. Operates on 200/250 volt A.C. with transformer, 110v. direct. Price 2237 10 0 or 439 8 0 down and

down and 12 monthly payments of £15 19 1

Calfix Screens

A precision screen, the construc-tion of which allows it to be release of a button. It is lowered after use by a couch and automatically locked. Portable in all

Crystal Glass Beaded Surface Surface 40" × 30" 411 7 6 49 7 . 52" × 40" 413 2 6 411 2 63" × 47" 418 19 9 415 17 80" × 60" 427 10 0 421 10




All apparatus over £10 0 0 in value may be purchased on our Easy Payment Terms: 25% down and the balance apread over 9, 12, or 24 months.

Tel. 22106



MAKE YOUR PARTY A BRILLIANT SUCCESS



A Quality Product from

with the

PATHÉSCOPE GEM'

PROJECTOR

A precision built machine designed to secure simplicity of operation with first-class performance. Utilising a high intensity lamp in conjunction with a superfine optical system a brilliant flickerless picture is obtained.

PATHÉSCOPE LTD., NORTH CIRCULAR ROAD, LONDON, N.W.2

DUAL PROJECTION



Educational Model

9.5 or 16mm


by a simple interchange

NO TOOL REQUIRED

Have your SPECTO

converted to the Dual pattern.

12v. BATTERY MODEL ALSO NOW AVAILABLE



Standard Model

DUAL PROJECTOR PRICES

... £43 10 0 Standard Educational ... £56 00

SPECTO LTD. Vale Rd Windsor

WONDERSIGN

MAGNETIC TITLING OUTFIT

Characters present a very attractive appearance, standing clearly and boldly from the background. The characters are stove enamelled in white and any colour wash can be applied for colour photography.

* A title can be composed in less than half the time it takes with other methods. These letters are just placed on the background and they adhere in any position.

MAKE ATTRACTIVE TITLES

OBTAINABLE FROM YOUR LOCAL DEALER or in case of difficulty write to the manufacturers a



Comprising

Selected font of §" magnetic letters and figures (150 in all). 3 coloured steel backgrounds each 12" x 9" and a fitted aluminium cabinet to hold letters and background.

Complete Outfit £7 10 0

I" characters are also available.

WONDERSIGNS LTD.

77, BOROUGH ROAD. LONDON, S.E.I

Proprietors : Charles Lette & Lid

* Tel.: HOP 3426/7/8/9

THEODORE PYKE

NEW CAMERAS AND PROJECTORS 8mm. B. & H.-Gaumont, f/2.5 coated lens, variable speeds ... £53 15 0 8mm. Paillard-Bolex L.8, f/2.8 "Yvar" lens, with leather pouch case ... 8mm. Meopta 'Atom', 200w., case ... 8mm. OP-8, 30 Lumens light, 400ft. reels, 8mm. OP-8, 30 Lumens light, Touris. 230 0 8mm. Kodascope 8-46, 200 watt 231 0 8mm. Dekke I I8A, 500 watt 237 0 8mm. B. & H.-Gaumont 606, 400 watt 257 0 8mm. Paillard-Bolex M.S.R, 500 watt 268 0 9.5mm. Pathe 'H', [/2.5] iens 268 13 9.5mm. Pathe 'Ace', I amp light 25 17 9.5mm. Standard Specto, 3 amp 236 0 9.5 mm. Pathe 'Gern', 900ft, arms 27 10 9.5 and I6mm. Dual Specte 243 10 14mm. Standard Specto, 3 amp 236 0 ... 636 0 ... 637 10 ... 643 10 ... 648 10 ... 648 10 ... 648 0 9.5mm. Pathe 'Pax', sound, 400 watt ... £168

BUY ON OUR EASY TERMS

Your present equipment taken in part exchange.
Full details on request.

OSED CAMERAS AND PROJE	-10	III.S	
8mm. Agfa Movex, f/2.8 lens, 4 m'zines	£18		
8mm. 'Home' Kodascope, 200w	619	10	
9.5mm. Dekko de Luxe, f/1.9 lens	419		
9.5mm. Pathe 'Webo', 50ft. mags., 1/1.9			
lens, as new	(33	0	0
9.5mm. Pathe 'H', 80v., 100 watt	615		
9.5mm. Pathe 200B, 200 watt	622		
9.5mm. Specto, 3 amp, 900ft. arms	623	10	
l6mm. Kodak 'B', f/1.9 lens, 100ft. spools, fitted case	645		
16mm. Magazine Kodak, f/1.9 lens, fitted			
Case	4.78	0	

ADD SOUND TO YOUR SPECTO
Ace Sound Unit and Speaker complete
or 9.5mm. Standard Specto ... 659 12
or 16mm. Standard Specto ... 661 17 For 16mm. Standard Specto For 9.5mm. Educational Specto 663 12 150 For 16mm. Educational Specto

FILM HIRE-I6mm. SOUND Book your films from our catalogue of nearly

89a, CLARENCE STREET, KINGSTON-ON-THAMES

(Entrance: Castle Street)

'Phone: Kingston 0723 (after 7 p.m. Derwent 6819)

Ervice ompany [th

14, HIGH HOLBORN, W.C.I (I min. Chancery Lane Tube) Phone: HOL. 1792 & 2193



NEWLY INSTALLED
OUR MODEL CINE THEATRE—where you can view
in comfort and make your choice from our excellent
stocks of Cine Projectors. Exchange and Extended
Terms if you desire.

THE WESTON MASTER CINEMETER

An excellent Xmas gift. Price 49 15 0 E.R. case 16 6



CINE SCREENS

RAYBRITE, with stretchers

	. 1	White A	Matt or	Silv	ver"	Glass !	Beau	feel
24in. x 18in.	***	***	41	7		(2	2	
30in. x 22in.	***	***	61	15		(2	10	0
40in. x 30in.	***	***	62	7		0		
52in. x 40in.	204	***	(3	10	0	44	15	
Celfix, in carry		med mes			-			
			-		-	444		
	***	***	6.9	7		411	7	
52in. x 40in.	242	***	611	2	:	613	7 2	,
40in. x 30in. 52in. x 40in. 63in. x 47in. 80in. x 60in.			611	2 17		£13	2 10	

AMAZING VALUE—The new Specto Dual Projector for 9.5mm. and 16mm. film—quickly

ECOND HAND ECONDITIONED ROJECTORS

8mm. Keystone £23; 8mm. Kodascope £28; 9.5mm. Pathe Gem £29 10 8; 9.5mm. Dekko Junior £17 10 0; 16mm. G.B. Model 602 £79 10 0.
All Projectors Motor Driven



OUR GADGET BAG IS REALLY EXCEL-LENT VALUE Will keep those many occessories under control. Of sturdy waterproof Of sturdy waterproof plastic material. Tan col-our, lined, one main comour, titled, one main com-partment for cameras and five pockets for acces-sories, strong zipp and shoulder a ing. Size 9in. x 6in. x 4in. Price 39/9. Post 9d.




FILM REWINDER

Two arms each consisting of a hand crank, are geared 3—I, and fitted to a 20in, long by 5in, wide base. For 16mm, reels, take 1,600°: and 8mm, reels. Also for 9.5mm. Price 43 0 0

FILM SPLICER UNIT
Universal for 8, 9.5 and 16mm. Well finished and
accurately machined. All Metal. £3 IS 0 extra.

ALL TYPES LAMPS FOR CINE PROJECTORS WIRE AND RUBBER BELTS FILMS-Sound and silent 8, 9.5 and 16mm. PATHE . MOVIE-PAKS . BURHILL SHORTS . PRICE LIST ON APPLICATION

The Zell-Em Magic Cine Titling Set



(Actual Photograph)

This set contains a total of 366 % Letters, Symbols, Figures and Silhouette cutouts, I pair of Tweezers and I Ruled Background.

PRICE of Complete Set £2-0-0

Each it	em can be purchased separately a	s follo	ws:		5.	d.		
	166 CAPITAL LETTERS, SYMBOLS	& 22	FIGUE	LES	17	6	per	set
000	136 LOWER CASE LETTERS		***	***	15	0	per	set
	42 SILHOUETTE CUTOUTS	***	***	***	7	6	per	set
	RULED BACKGROUND 8" x 6"	***	***	***		6	each	
	(Cut to any size required an	d avail	able in	Black	or W	hit	e)	

Also a wide range of Self-adhesive Letters and Figures available in sizes from $\frac{3}{8}$ " to 6" Various types suitable for all trades.

Available in RED, WHITE, BLUE, BLACK, YELLOW and GREEN

These ZELL-EM Products stick to any smooth, polished surface and can be removed, changed and replaced as often as desired. NO GLUE NECESSARY. Obtainable from local dealers, or write direct to the Designers and Manufacturers

ZELL-EM LIMITED

WREN GROVE - PRESTON OLD ROAD - BLACKPOOL

CAPTURE THE XMAS SPIRIT





PATHÉSCOPE MOTOCAMERA 'H'

and the

SUPER SPEED PANCHROMATIC V.F. REVERSAL FILM

Pathéscope 9.5mm. V.F. Film is suitable for filming interiors with minimum of 2 x 100 watts house lamps at not less than 2 feet from the subject.

PATHÉSCOPE LTD., NORTH CIRCULAR ROAD, LONDON, N.W.2.

IF IT'S 9.5mm.

it's our

Silent Library Service FOR YOUR REQUIREMENTS

> A SPECIAL STAFF FOR 9.5 mm. CINE ONLY

> Send P/O 2/- for illustrated silent film Book :-IT'S ORIGINAL "BOOK FOR XMAS"

The Norwich Cine Service Ltd. 177 DRAYTON RD., NORWICH

Telephone: 26939

** NEW LOWER PRICES **

(efficiency and continuous progress)

CINESMITH Dual Specto Conversions and Dual 16/9.5 New Projectors

- * Conversion fitted at works
- 100w. Dual 16/9.5mm. ... 641 10 0 + Projector ...
- 250w. Dual Educational ... 454 0 0 + Projector ...

A.C.W. Test Report free on application. CINESMITH SOUND APPARATUS

9.5mm. "Gem" Talkie £83; 16mm. Talkie £95; 9.5 Gem Sound Unit only, with case £47; 16mm. Gem Sound Unit only, with case £56.

** Guaranteed 12 Months ** The Cinesmith Sound Unit is by the same designer who, 20 years ago, produced the dual 9.5/16 Pathe 200B conversion, and the proved Specto-Dual 16/9.5 conversion. The Cinesmith Gem Sound Projector provides perfect modern entertainment. H.P. Terms available if required.

CINESMITH PRODUCTS Regent Street, Barnsley Phone 4445 Manufacturers of Cine Apparatus since 1932

Time Saving Accessories to help the Cine Man!



FOCUSING FILM VIEWER

A handy pocket-size Viewer for either 8mm., 9.5mm, or 16mm, film.

Enables individual frames to be examined under high magnification without risk of scratching the film.

PRICES: 18/6 either model.

UNIVERSAL FILM REWINDER

Easily removable spindles enables 16mm., 9.5mm. or 8mm. reels to be used. Each head geared with two speeds-4.1 for rewinding, 1.1 for close inspection of film. A brake is fitted which can be adjusted during operations and ensures a constant tension of the film. Arms fold down for compactness. Large polished wood handles, bronze bearings, varnished wood base fitted with rubber feet. Arms take up to 1,800 ft. spools.

Flick the

... 61 7 6



PILOTLITE

Indispensable for every still and cine projectionist. Place the

"Pilotlite" on the Projection

Stand and connect to electric supply

projector. Flick again, the Pilotlite

point and projector.

Model E10 Price £9 10 0


Model E10B with larger base to accommodate G.I.C. Animated Viewer and film splicer. Price £9 17 6



PROJECTOR STANDS

Model I (Illustrated)

All aluminium with folding feet. Sturdy enough to support the heaviest projector. movable top measures 15" x 10" and is covered in ribbed rubber. The stand is adjustable from 32" to 48". Price



Ultra light but rigid. support any projector. Size of goes out and the projector begins. Complete with 15 watt 230 volt top 15" x 12", folding flat for carrying. Height 40"; weight only 101 lb.

... (3 3 0 Price ...



,..............

PHOTAX (LONDON) LTD.

70 CHARLOTTE STREET, LONDON, W.I.

Give Your Films a Title.

by using KAYTEE fount of moulded plastic characters

Comprising | in. Capitals with matching numerals, lower case letters, etc. (Over 150 items.)

- * ins. Thick.
- * Superior to metal, felt, or sheet Plastic.
- Washable and unbreakable.
- Standard colour-White but others available.

Price 15/- from your Regular Dealer or Send Cheque or P.O. to

KAYTEE PLASTIC PRODUCTS LTD KIRKBY - LIVERPOOL

GIFFORD BOYD

Drojectors for your Xmas Darty

Dekkes 8mm., 500w 439	0
Delcke 16mm., 500w 648	
Specto 8mm., 9.5mm., 16mm 636	0
Saument Sell & Howell 601, com-	
pact, 16mm, sound or silent £210	
Victor Grayline 16mm. Sound or	
Silent	
Redascope 8mm., with carrying case 636	
Pathe Ace 9.5mm., hand driven 45	
Pullin 35mm. Strip Projector, with	
slide attachment and case, shop	
soiled, complete , £17	0

SUNDRIES

Kodachrome "A" in 16mm. magazines £2 0 0 Pouble firm. Kodachrome "A" ... £1 6 10 Double Smm. Kodachrome "A" Pathe Chargers, 9.5mm. "H" and Standard

3030

Xmas Bargains

1 S.H. Pakne Imp 7,3mm. Projector with motor and Resistance for 200/250 volts ... 9 10 0 1 S.H. Kodascope Model 50R 8mm. Projector with built-in resistance for 200/250 volts £19 0 1 Shop solied Dekko 9,5mm. Projector with built-

I Shop soiled Oekko 9.5mm. Projector with builtin resistance for 200/250 volts ... ££ 8 0 6
I S.H. Kodascope Model A 16mm. Projector with
resistance for 200/250 volts ... £25 0 6
S.H. Ampro Model K.D. 16mm. Projector with
transformer and daylight screen ... £65 0 0
S.H. Pathe Vox 9.5mm. sound and silent Projector with re-built amplifier, and trans-

I S.H. GeBescope Model B 16mm. Sound Projector

with speaker and transformer, condition as Have you made an appointment to see and hear the famous 'Line-A-Tone Tape' recorder. Records music, speech, etc. with amazing fidelity. Instru-ment complete with microphone and one reel of

IMPORTANT

Will all birers of our 16mm, sound film library please send in their Xmas requirements now, as we cannot guarantee titles chosen will be sent for orders received after December 1st.

RANELAGH

CINE SERVICES LTD

BOLD PLACE, LIVERPOOL I ROYal 3006




"CYLDON" REELS run quietly and evenly. They are made of hard aluminium and are dynamically balanced to assure dead-true running. The edges are machined to a smooth radius to prevent scratching. The 800, 1,600 and 2,000ft.



STANDARD CANS—Inexpensive, but of robust construction from tinplate.

reels are strengthened with steel centres to assure long life and durability. All are satin finished and packed in attractive printed cartons, coloured according to size.

There are "Cyldon" Reels designed specifically for TAPE RECORDING. Details on application.





DE-LUXE CANS—In lightweight aluminium embossed for strength and satin finished.

	Roeis	Stan- dard Cans	De- Luxe Cans		Roels	Stan- dard Cans	De- Luxe Cans
8mm. 50ft.	1/6	-		lámm. Soft,	1/6		-
100ft. 200ft.	2/3	1/6		100fc.	2/3	94.	-
400ft.	3/9	2/-	-	200ft.	2/9	1/6	-
9.5mm.			and they	400ft.	3/9	2/-	3/8
30ft.	1/6	-	-	800ft.	9/6	4/6	8/-
200ft. 400ft.	3/9	1/6	_	1,600ft.	15/-	8/6	13/-
800ft.	9/6	-	-	2,000ft.	25/-	-	-

Sole Manufacturers:

SYDNEY S. BIRD & SONS LTD.

CAMBRIDGE ARTERIAL ROAD, ENFIELD, MIDOX.

Phone Enfield: 2071-2

HOLDINGS Fidelity Films

Xmas Shooting with CHOICE CINE CAMERAS

8mm, Paillard-Bolex Model L.8	***	459	17	6
8mm. Bell & Howell-G 'Sportster'		457	9	3
8mm. Dekko Model 110, f/2.5 lens	400	645	3	
8mm. G.I.C. with f/2.5 lens	255	£39	19	
9.5mm. Dekko Model 104, f/2.5		632	5	
9.5mm. Pathe Motocamera 'H'		430	2	0
16mm. G.I.C. with Berthiot f/1.9		647	4	0
16mm. Paillard-Solex Model H.16		143	6	
16mm. Paillard-Bolex Model H.	.16			
with 'Pizar' and two 'Yvar' lens		240	19	4



Xmas Showing with

PRECISION PROJECTORS

8mm. Paillard-Bolex Model M.S.R.	£68	0		
8mm. Bell & Howell Gaumont	437			
8mm. Dekko Model I I8a, 500 watt	(31	10	0	
9.5mm. Pathe 'Gem', 900 ft. arms	637	10		
9.5mm./16mm. Specto Dual	643	10		
16mm. Dekko Model #26A, 500 watt	648			
Bell & Howell-Gaumont 601 Talk	e £237	10		
Amprosound 'Premier-20' Talkie	6213	0	0	
Amprosound New 'Stylist' Talkie	4157	10		
Debrie D16 Talkie with Tripod	6264		0	
Victor 'Greyline' Talkie	6220		0	
Sofil 'Minor' Lightweight Talkie	699	0		
Sond stamp for second-hand Ba	rgain Li	31		

LANE, Phones 44915 and 49326

GREAT CHANCE TO SAVE MONEY

16mm. SOUND FILMS AT BARGAIN RENTALS

NO Extra Christmas Charges NO Extra Week-end Hire

Book these Features NOW:

CASE OF CHARLES PEACE THE LAST ALARM JAMAICA INN REDHEAD CONVICT'S CODE

(and dozens more)

Yours by return: 33-page Coloured Catalogue, Features and Shorts, 6d.

F. H. Co.

66 STREATHAM HILL, LONDON, S.W.2 Tel. TUL 3584 ANY TIME



446 GREEN LANES, N.I.

Telephone: PALmers Green 6828

For the Family at Christmas

9.5mm. Pathescope MOTOR DRIVEN PROJECTORS £10.17.6

Films 30' \$/- ; 200'	***	***	***	32 6
60' 9/6 ; 300'	500		***	50 0
BRUMAS BABY BEAR,	post	free	848	5 3

PROJECTORS ... £57 10 ... £30 0 ... £30 10 ... £39 10 ... £36 0 ... £25 0 ... £27 0 ... £36 0 8mm. G.B.-B.H. Model 606, new 8mm. KODASCOPE Model 80 8mm. KODASCOPE Model 50R 8mm. DEKKO Model A. new 9.5mm. SPECTO, new 9.5mm. PATHESCOPE Model 200B

9.5mm. PATHESCOPE Model 2008 ...
9.5mm. PATHE LUX, excellent condition 16mm. SPECTO, new ... 16mm. DEKKO Model A, new 16mm. KODASCOPE Model C CAMERAS

8mm. SPORTSTER 8mm. EMEL 690 ... 618 ... 629 8mm. EMEL 9.5mm. DEKKO ... 16mm. B.B. JUNIOR ...

SANDS HUNTER

OFFER THE EASIEST OF EASY TERMS

ONLY 121% DEPOSIT (1th)
ONLY 31% INTEREST (9d. in £)
WRITE NOW FOR FULL DETAILS

Projectors

9.5 Pathe Gem. Comp. £37 10 0

Dekko 8mm. Projector 118A, 500w. lamp AC/DC £39 10 0

Dekko 9.5 Projector Mod. 48, 50w. lamp, 300w. capacity £20 0 0

Bell & Howell 8mm. Projector, 400w. lamp ... £57 0 0

Bell & Howell 16mm. Projector Model 602, 750w. lamp

Bell & Howell Sound Projector, Model 601 ... £237 10 0

Bell & Howell Sound Projector, Compact Model ...£210 10 0

Cameras

The New G.I.C. Camera 8mm.

Model with f/2.5 fixed focus
lens ... £39 10 0

G.I.C. 16mm. model with f/1.9 focusing lens ... £47 6 0

Bell & Howell 8mm. Sportster Camera, f/2.5 lens (interchangeable lens & 4 speeds) £57 9 3

S/h. Bell & Howell 8mm. Filmo, f/2.5 lens ... £42 10 0

S/h. Paillard L8, f/2.8 Yvar lens, 8mm. ... £45 0 0

S/h. 8mm. Cine Master, f/2.5 Univar lens ... £32 10 0

SPECTO PROJECTOR

THE MACHINE WITH TWICE
THE LIGHT



(Fitted with 400 feet Spool Arms)

Standard Specto Projector

Dual 9.5/16mm.

Specto Educational Projector

Dual 9.5/16mm.

(I i' or 2" COATED lens)

SANDS HUNTER & Co. LTD.

BELL & HOWELL 16mm CINE CAMERAS

A limited number of world-famous Bell & Howell 16mm. Cameras are now available for immediate delivery

Please write, phone or call

BELL & HOWELL CO. LTD

17 Hanover Square, London, W.1.

Mayfair 3558-9, 0953

CARLTON CINE SERVICE

P.O. Buildings, Carlton, Nottm. (Tel. 58328)

The Leading Provincial 8mm, and 16mm, Silent and Sound Library

Offers a selection of

FILMS of the YEAR—NOW AVAILABLE TOM BROWN'S SCHOOLDAYS Sir Cedric Hardwicke and Freddie

SWISS FAMILY ROBINSON
Thomas Mitchell and Edna Best

CHEERS FOR MISS BISHOP Martha Scott and William Gargan

DRAGNET

Henry Wilcoxon and Mary Bryan Also a host of New One-Reel Shorts, including:

GEMS OF SONGS Deanna Durbin

NO INDIANS PLEASE
Abbott and Costello

Some of the finest 16mm. Sound Films. For further details send for our up to the minute Catalogues; Sound 2/6; Silent 1/-.

16mm. SOUND FILMS for :-

YOUTH CLUBS:
SCHOOLS:
CHURCHES:
HOME SHOWS
AND OTHER USERS.

from our

FILM HIRE SERVICE

Full details will be sent on request. New additions to the SHORTS SECTION:

MARSHAL OF SANTA FE
THE HOLY YEAR
THE MOVIES MARCH ON
JORDAN VALLEY
THRILLS A SECOND
FUN ON THE RUN
BAR 20 RIDES AGAIN
ETC., ETC.

DON BRIGGS

KINESCOPE

SERVICE LTI

74b, Alfreton Rd., Nottingham. Tel. 77169

JOHN KING of London & Brighton

announce their NEW PREMISES at

7/9, GLENTWORTH STREET, BAKER STREET, N.W.I.

Tel.: WELbeck 1157 (2 lines) (1 m

(1 min. from Baker Street Underground)

The complete Film and Sound Service for the Home User



SILENT PROJECTORS

16mm. B. & H. Gaumont,	Model 60	12				
16mm. Ampro Imperial,	750 watt		***	699	10	
lémm. Dekko	***	***	***	444	10	
l6mm. Specto	***	***	***	434		
16mm. Ditmar 16 & 8mm.	Dual Pury	9804	250	487	10	
9.5mm. Pathescope Gem	***	200	5.05	437	10	
9.5mm. Specto	***	***	***	434		
8mm. Pathescope Ace	***	***	1446	43	10	
8mm. Motor for Pathescope	Ace			65		
8mm. Meopta Atom 8	***	***	***	431		
8mm. Meepta O.P	***	***		£30		
And a ho	ost of oth	ers				

SOUND PROJECTORS

The new Sofil minor	***	***			699		
	8.6.0	***	***			-	-
The new Sofil De Luxe	***	***	866	6			
Ampro Stylist 750/1000 watt B.T.H. model 301, 500/750 watt			***		4157	10	
B.T.H. model 301, 500	750	watt	010		6220		
B. & H. Gaumont, 500	/1,00	0 watt	***		017	10	
B. & H. Gaumont com	pact :	model	***			10	

Christmas Drogrammes

Book now to avoid disappointment.

Nearly 400 titles to select from.

Cartoons, Westerns, Features, Comedies, Sport.

CAMERAS

16mm. G.I.C. 1.9 Lens 50' capacity ... 647 6 0
Keystone 2.5 lens speeds 100' cap. ... 642 17 1
Keystone 2.5 lens, magazine, speeds ... 676 1 0
8mm. Dekko 2.5 lens speeds 645 3 0
B. 'à H. Sportster, 2.5 with case ... 657 9 3
G.I.C. 2.5 lens ... 639 19 1

9.5mm SILENT FILM LIBRARIES (Callers only)



G.I.C. 16mm. Cine Camera

16mm. SOUND FILM LIBRARY of over 400 titles.

Fully equipped luxury VIEWING THEATRE. Bmm., 9.5mm., 16mm. & FILM STRIPS

HIRE OF PROJECTORS, Screens, Accessories.

5,000 FILM STRIPS in stock for viewing, sale or hire. Titles of all the leading producers.

All leading equipments—B. & Gaumont — Ampro — B.T.H. — Sofii — Aldis — Pathescope, etc.

Specialist WORKSHOP and Repair depart-

and at FILM HOUSE, EAST STREET, BRIGHTON. Tel.: 25918 (2 lines)

CITY SALE &

23, ST. MARY AXE, E.C.3

AVENUE 1156 6253

Basy payments any item over £10. Terms 25% deposit, Balance 12-24 months.

The success of your party is assured w	ich a	iny	of
the following apparatus:			
9.5mm, Motocamera, f/2.9 Triotar	619	19	
9.5mm. Coronet Camera, 1/3.9 lens	65	17	6
9.5mm. Pathe H Camera, /2.5 lens and			
selephoto	€22	10	. 0
9.5mm, Pathe B, f/3.5 lens	4.8	17	6
9.5mm, and 16mm, 2008 Cine Projector and			
9.5mm. Specto 100 watt Projector, as new	£29	10	
9.5mm. Specto 100 watt Projector, as new	631	17	- 6
Smm. 60 Kodak, f/1.9 lens, f/4.5 telephoto	457	10	
Som, B. & H. Sportster, f/2.5 Mytal	652	10	
8mm, 30 Kodascope Projector, 100 watt lamp	610	17	- 6
8mm. 33 Kodascope Projector, 500 watt,			
resistance	437	10	
	£42	10	
Imm. Plod. S Cine Kodak, 1/1.7 lens	F-43		0
16mm. B. & H. Projector, 200 watt	632	10	0
16mm. Mod. B Kodascope Projector and			
resistance	£40	0	
16mm, Mod. D. 300 watt Kodascope, resis-			_
cance and case	C27	10	0
16mm. Specto Educational, 250 watt, as new	641	10	
Idean. Ampro, 750 watt, as new	689	10	
16mm. Mod. D 300 watt Kodascope Projector,			
with resistance, case; Mod. B Cine Camera			
(1).9 lens, L/case; All-Metal Cine Tripod;			
Cx 30 Celfix Silver Screen, complete outfit	4.87	10	0
G.916 500 watt Bolex Projector, with resis-	***		-
tance and case	645	0	
Chrome finish All-Metal Cine Tripod	4.6		
K.L.B. All-Metal Cine Tripod	6.7		0
tance and case Chrome finish All-Metal Cine Tripod K.L.B. All-Metal Cine Tripod Wakefield All-Metal Cine Titler	6.9	17	
Wondersign Plagnetic letters, with three			
celour backgrounds	(7	10	0

£12	. 0	10
49		
	0	7
420	1	4
617	4	
612	3	8
612	13	4
615	. 1	0
69	5	0
64	15	0
(7		0
48	15	0
68	10	0
66	1	
66	15	0
	. 66	. 66 1

90-94, FLEET STREET, E.C.4

CENTRAL 9391

Projection Season is with us again, and we offer a small selection of models at our usual very keen prices.

8mm. Kodascope '50'	***	***	***	625		
8mm. Kodascope de Luxe	***	***	***	435		0
8mm, Universal, 500 watt lan	1p	***	***	437	10	0
8mm. Specto, A.C. model		***	***	629	10	0
9.5mm. Pathe Home Movie, s	uper a	rms	***	€8	17	6
9.5mm. Pathe Lux and case		***	***	619	10	0
9.5mm. Pathe 2008		***		£27	10	
16mm. Model C Kodascope		***	***	417	10	
16mm. 3008 Ensign		***	***	617	10	0
16mm. and 9.5mm. Bolex D.A			888	637	10	0
16mm. Siemens Standard		054		456		
16mm. Bell & Howell 'G'		***	Ann	627	10	0
16mm. Kalee, 500 watt lamp	***	***	***	649	15	0
16mm. Victori, 500 watt lamp		***	***	659	10	
complete with transform		50 wa	er,			
speaker, all leads				135	0	0

SECONDHAND CAMERAS

FIR	10	
813	18	
613	18	0
(32	10	
CB9	10	
	£18 £18 £32 £89 d, l'	£10 10 £18 18 £18 18 £32 10 £89 10 d, 1° f/1 135 0

NEWS ITEMS. Our new 9.5mm. Library list is in the printers' hands. Book your copy now.

A new high fidelity cabinet speaker by Decca (Voight type), power handling capacity up to 10 watts, speech coil impedance 3, 6, or 15 ohms. Leaflet available.

HIRE PURCHASE AVAILABLE ON ITEMS OF £10 AND OVER. 25% DEPOSIT AND BALANCE IN 12 OR 24 MONTHS. WRITE FOR DETAILS.

CINE EXPERTS

EXCHANGE

CHEAPSIDE, LONDON, 63-66, CITY 1124-5

THE CITY CINE DEALERS

NEW PROJECTORS

606 Bell & Howell-Gaumont Screen Master, 400 watt lighting, built-in resistance from 110/250 volts, all voits, all .. 457 gear drive MBR Paillard Bolex, 500 watt lighting, all gear drive, automatic loop maker, AC/DC ... 648 0 0 602 Bell & Howell-Gaumont, 750 watt, all gear drive and transformer

£100 10 0

613 Bell & Howell-Gaumont as above, with 800ft, film capacity £100 10 0 8-16mm. Ditmar, 500 watt lighting, still and reverse ... £91 12 6 8mm. Dekko Model 118a, 500 watt lighting ... £39 10 0 Atom 8 projector, 200 watt lighting, lighting Kodak, 200 watt

233 0 0
16mm. Dekko Model 126, 500 watt
lighting 448 0 0
16mm. Dekko Model 126c, 750 watt C lighting £48 0 0 16mm. Dekko Model 126c, 750 watt lighting (110 volts) ... £48 0 0 601 Bell Howell-Gaumont, Soundand 601 Bell Howell-Gaumont 27

Silent speeds, 750/1,000 watts 12" speaker ... £237 10



16mm. YADE ANIMATED VIEWER

Large viewing screen per-mitting comfortable binocular inspection of projected image size 34 x 24. Polished Duralumin rollers and sprockets recessed to prevent damage to the emulsion. AC model ... 425 0 0 AC/DC model ... 430 0 0 SECONDHAND PROJECTORS 16mm. L.\$16 Gebescope projector, 500 watt lighting, silent speeds, il watt sound output, very silent running ... £85 10 0

Smm. Pathe Imp I amp lamp, complete with motor, super attach-9.5mm. ment and resistance ...

9.5mm. Ace projector, complete with super attachment, transformer

9.5mm. Pathe Lux projector, complete with motor, 400 ft. film capacity and resistance for AC/DC mains

9.5mm. Pathe 2008, complete with resistance for AC/DC mains £25 10 0

8/30 Kodascope, 100 watt lighting 8/45 Kodascope, 200 watt lamp

620 10 G.16 Paillard Bolex, 500 watt light-

Every camera, enlarger, lens, cine instrument, projector, etc., new or secondhand (£10 or more) can be purchased with 25% deposit, balance in 12 or 24 monthly instalments. You can afford a good instrument, which you will enloy a lifetime, and pay while you use it. We will send you our leaflet on request to:

63-66 Cheapside, E.C.2. Phone CITy 1124-5-6.

SECONDHAND CAMERAS

8/20 Cine Kodak, f/3.5 lens and leather case £21 10 0 8mm. Keystone, f/3.5 lens, 3 speeds ... £28 10 0 8mm. Keystone, f/1.9 lens

16mm. Magazine Cine Kodak, f/1,9 iens, 3 speeds, 3" f/4.5 telephoto and leather case £165 10 0

Smm. De luxe motor camera, f/3.5 lens £10 17 6 8mm. Eumig Electric camera, f/2.5 iens ... £19 19 0 9.5mm. Ditmar, f/2.8 lens and telephoto attachment, with £32 10 0 built-in optical



750/1,000 watt lighting, 114 watts sound output, built-in 6 inch speaker. Operating in one case. Price £198 and on easy terms. Transformer £12 10 0

ing, stills & reverse, project-ion & resistance 665 15 0 16mm. Zeiss Ikon, 500 watt lighting, light meter control, stills and £45 10 Silent

6mm. Ensign Silent 16 projector, 100 watt lighting and resistance £15 15 0 mm. Keystone projector, 16mm. GB Paillard Bolex projector

500 watt lighting, stills and reverse projection in resistance ... £55 0 and 16mm. Kodsscope Model B 250 watt lighting, stills and resistance ... £32 15

iémm. Keystone, 750 watt lighting, power rewind, complete with resistance 649 10

DOLLONDS


Photographic Service

Knightsbridge

35, BROMPTON ROAD, LONDON, S.W.3.

	3	Medical	Aur
Smm. Kodascope Eight-46, 200 watt, new Smm. Palifard-Bolex P488, 500			0
	668		
9.5mm. Pathescope Ace, new 9.5mm. Corenet, hand-driven.	45	10	
9.5mm, and 16mm, Pathe 2008	0	10	
Plus, excellent condition, case	630	17	6
Iámm. Agfa Movector, 400 watt	652	10	
Iómm. Sierhens, 250 watt Iómm. B. & HGaumont 601 Sound Projector, with wide	649	10	0
angle lens, new	1239	10	0
Smm. Bell & Howell Sportster, 1/2.5 lens	457	,	3

SEE S



THE NEW 8mm. KODASCOPE "EIGHT-46"

This popular projector is now available in good supply, and to save disappointment at Christmas we advise you to see this projector at once and make your decision while stocks are good. The projector accommodatee 200ft, spools; the lens is a lin. I/1.4 Kodak Projection Lens, coated; the lamp is 200 watt, 100 volt; power rewind; the supply A.C. or D.C. is 100 volts; there is a built-in resistance. The projector is easily tilted by unscrewing an accessible clamping knob. Finished in a handsome grey crackle. Price £33.0.0 Or, by our Easy Payment Terms of £3.2.2 with 12 monthly payments of £3.2 with 12 monthly payments of £1.10.2.

281, Oxford St.

OXFORD CIRCUS, LONDON, W.I.

Tel.: Mayfair 4228

SPECIAL OFFER
14mm. Siemens Projector, Standard
Model, 200 watt. complete with case
23 6 8

14	Kodak		-plan	471.0			_
lens	NOUSE.		aniur,		645		
	Magazi ens, witi				498	10	
	Pathe ete with				65	10	0
14mm.	Cine Re	wind,	on wor	ed bas	e fil		
2" 1/1.6	Kodak	Proje	ction	Lens	(3	10	
Westor	Maste	Cine	Meter	r. new	69	15	

FOR YOUR ENTERTAINMENT THIS WINTER AND AT CHRISTMAS...

CHRISTMAS...
Peak Cine Films are your certain selection. There is such a wide range available—Smm. silent, lémm. silent and eound, and lémm. colour (both silent and sound)—that you will, without doubt, be able to purchase exactly what you had in mind for the occasion. Please ask for fully descriptive leaflets.
PRICES: 8mm. 50' 20/-; lémm. Sound 39'6; lémm. 50' 10/-; lémm. Sound 39'6; lémm. Silent 33'., Latest addition to the series; 100' lémm. Musical Cornedies at 39'6 each.

DOLLONDS

DOLLONDS

Photographic Service



The world famous 16mm. PAILLARD-BOLEX H.16 Cine Camera has a turret head for three lenses; takes 50ft. or 100ft. spools; speeds range from 8 to 64 frames per second. At Bond Street we can supply these cameras new or second-hand. Frices vary according to the lens or lenses fitted. Please ask us to quote you our current stock and the prices.

EASY PAYMENTS
Our Easy Payment scheme is designed for your convenience and is one of the most advantageous in the photographic trade today. Please ask for fully descriptive leaflet.

THE 8mm. PAILLAND-SOLEX MSR PROJECTOR is one of the smoothest and most silent running 8mm. projectors we have seen. Fitted with 500 watt lamp; 20mm. fil.6 Kern-Paillard lens coated; supply 110 to 250 volts A.C. or D.C.; high-speed power or manual rewind; top spool arm forms carrying handle; 400ft. spools.



28, Old Bond Street, London, W.I. Reg. 5048/9

(imateus VOL. XIV, NO. 8

DECEMBER, 1950

Published from Link House, 24, Store Street, London, W.C.I., on the 18th of the month preceding the month for which it is dated. Annual subscription 10s. 6d. post paid, Overseas 11s. 6d.

Edited by Gordon Malthouse Assistant Editor, Peter Jordan

CONTENTS

When Did You Start Home Movies?	124
Hats Off to the Home Showman!	127
A Pilot Light for Less Than 5s	729
Good Fades at Last	730
Attractive Titles	732
Don't Talk Too Much!	735
Running Commentary : Trick Photography ? By Sound Track	38
Candidate for Murder: A Script for Filming 7 By Oscell Blakeston	40
Inventor's Delight-6: Developing Rever-	
sal Film as a Negative	45
" I Enjoyed Your Film, But " 7	48
The 200B—Maintenance and Operation 7 By D. Collins	50
Extension Arms	54


CONTENTS

(Continued)

Making the Most of 9.5mm.: 1	Filming
Indoors	755
Still Photography to the Aid of Ci By G. C. Beeby	ine 759
Super Ginema in the Attic	760
Look to Your Tripod	762
Safeguard Your Lamps! By Norman Jenkins	763
An Adventure in Slapstick	765
Patent Applied For	769
By D. M. Neale, B.Sc., A. M.B.K.S.	C.G.I.,
Ideas Exchanged Here	771
Directing Amateur Films By Ben Carleton	776
At Your Cinema: Fun and Games By Leslie Wood	779
Odd Shots	782
Pages from a Movie-Maker's Diary By Denys Davis	784
Den't Leave it Too Late	786
We Test the New Apparatus	787
(Ampro Stylist, Jubilar 16-B and Sp. projectors, and Kam-lok tripod attack	ecto Dual iment)
Sync. Simplified	793
You Can Hire These Amateur Films	795
From Our Postbag	796
News from the Societies	799
Films for the Home Show	807
End-of-Reel	808
The VANUARY member of "Amost	our Cine

The JANUARY member of "Amateur Cine World" will be on sale everywhere on Dec. 15th, price ninepence as usual.

The book that all cine workers have been waiting for . . .



A practical cine-worker's wish come true! Here is a handy-sized book full of all the essential data you need or urgently when you are on location, in the studio or in the laboratory. It is designed to give you immediate answers to depth of field problems, angles of view for all types of lenses, Exposure Times and the 1,001 other queries that can arise in Cinematography. Here is a brief outline of the tremendous coverage of this book:

- MODERN CINE CAMERAS. 8mm. to 35mm.
 Technical specifications: Lens aperture systems:
 Lens Angles by degrees: Hyperfocal distances:
 Exposure Tables: Field of view tables: Footage/
 Frame/Time Calculators.
- FILTERS. Filters to use; Filter factors; Filter Exposure Table.
- 3. LIGHTING. Studio Lamps; Carbons, etc.
- COLOUR. Additive processes, subtractive processes; Table of processes.
- 5. EXPOSURE METERS.
- TONE REPRODUCTION and EXPOSURE CONTROL. Print/Screen characteristics; Conversion table for speed numbers.
- LABORATORY WORK. Details of picture negative, Sound, Duplicating, Release-Positive and Positive Films; Cores and Windings; Films available.
- 8. STEREO CINEMATOGRAPHY.
- SOUND RECORDING SYSTEMS. Magnetic Sound, characteristics of Sound Tracks; cross and inter modulation tests; Sound on 16mm. film, etc.
- 10. FORMULAE. Developing and Processing.
- PROCESSING CONTROL. Sensitometers; Densitometers; Measurement of Gamma; Chemical Analysis.
- 12. THE DUPLICATING PROCESS.
- 13. MODERN PROJECTORS. 8mm. to 35mm. Projectors.
- 14. BRITISH STANDARDS.

This gives only the simplest outline of CINE DATA BOOK. It is a bold attempt to provide within the covers of one book the essential data needed by the practical man, and it is a worthwhile investment against time and film wastage. It gives the right answers to awkward problems and provides a sound basis for all types of calculation.

65° x 45°, nearly 300 pages, available December, 21/Send for full details of Fountain Press Cine Books.

THE FOUNTAIN PRESS

(Dept. A.C.W.), 46 Chancery Lane, London, W.C.2.

THE NEW and IMPROVED HAYNOR ANIMATED VIEWER



at a PRICE you can afford

Careful editing is the essence of good film-making. The New HAYNOR Editor is available in 3 sizes for 8, 9.5 and 16 mm. and provides a brilliant, flickerless pinpoint-sharp image with either Black and White or Colour film.

Robust construction in diecast aluminium alloy, the sprocket precision hobed and perfectly machined gears allow film to glide through with utmost smoothness and safety. Lens of pure white colour-corrected optical glass. Illumination intensity is adjustable to suit the individual user. Threading the film is simplicity itself.

THE HAYNOFLECTOR

This is a new improvement, which clips on to the viewing lens and enables an enlarged image to be viewed in an upright position from the front. The Haynoflector attachment is available separately for those already using a Haynor Editor.

PRICES

New and Improved HAYNOR EDITOR complete with HAYNOFLECTOR ... 27 2 6 HAYNOFLECTOR only, ready for immediate attachment to earlier-model Haynor Editors 16 46

For further details apply to your local cine dealer or write to the Sole Wholesale Distributors:



As exclusive Wholesale Distributors, we maintain full stocks of all the titles in this best-selling series. From 8mm. G.E.M. at 20/- to 16mm. Sound and Colour at £22.

Ask your dealer for the latest lists.



PHOTO-SCIENCE LTD

Wholesale Distributors of Photographic, Scientific, Cine and Optical apparatus

10 NORTH END PARADE, WEST KENSINGTON, LONDON, W.14. FULham 8944.

When did you start

When did you first start home movies? We asked this question a little while ago in a footnote to a letter from reader Alan Grihault who mentioned that he began at the age of 12.

One's first acquaintance with this most fascinating of all hobbies is something to remember. Did we not know this already the tremendous number of letters we have received would have

given most convincing proof. From all over the country, the Dominions and Europe has come an absorbing collection of case histories. We wish we could publish them all, but it would need a special issue to do it. So we can only say 'thank you' for the pleasure your reminiscences have given us and hope that the selection below will help you to share it.

ASTER GRIHAULT states that he was given a projector when he was 12 years old. He was quite an old man when he started cinematography. My father bought me a Pathe Ace when I was 4. Two years ago, when I was 15, I bought a Specto projector and a Dekko camera. Movies are the finest hobby there is.

Sheffield, 6.

B. Wright.

AT Christmas, 1915 (when I was 11) my dear mother presented me with a German 35mm. projector. It was mounted on a 1 ft. square wood base and was fitted with a super brass! lens and 100 ft. spools. The hand drive was geared to a dynamo which generated current and there was a dry cell battery for showing slides. I cannot remember the light output, but the screen was certainly well lit at a 12 ft. throw.

12 ft. throw.

I had three complete news reels of the 1914-18 war, acquired from a cousin employed by the Gaumont Film Hire Service. To our local juvenile audiences they were certainly a soonder of the time.

I am appalled now to think that I dispensed with a take-up spool, allowing the film to run into a clothes basket which was passed over the heads of the audience for rewinding outside, which operation was carried out by candlelight!

Esher.

A. C. Seward.

STARTED SCHOOL SOCIETY

IN 1925, when I was 8, I was given a handturned Home Movie. It was purchased from the Photo and Jewellery Dept. of a famous West End store. They demonstrated it by projecting into a box a few inches wide. I also had a Motocamera of the old type, with the motor separate. It certainly weighed a lot.

I have a film of myself taken 24 years ago.

It is still in good condition.

When I went to Cranleigh School I started a film society, the modern descendant of which began production this year. I now have a post-war 750-watt Bolex G.3 but still use the Pathe B camera I bought in the early '30s for £5.
Hatfield. Cesare Lera.

CAN YOU CLAIM AS MUCH?

I WAS given a Pathe hand-turned projector and two 60 ft. films on my 6th birthday. I am now 19 and have never lost interest in cinematography. I now possess a Gem projector and Motocamera, together with a varied range of accessories, many of them home-made; and I have built up a library of over 3,000 ft. of film, including five documentary films made in the last few years. I can thus claim, though still in my teens, to have had about 12 years' experience in this hobby. Can any other reader claim as much? I doubt it!

Bircham Newton, Norfolk. W. G. Balfour.

GOT the bug at the tender age of 6, when my father bought me a projector which had an oil lamp (of course, this being about the year 1917), the 'film' being a circular disc of glass with the frames (round) dispersed round its perimeter. Animation of a sort was achieved through a primitive intermittent causing the disc to revolve so that each frame was arrested between the smoking oil lamp and the lens; there was, of course, no shutter, so that apart from a very considerable shake, there was more than a little lateral 'ghosting'. Nevertheless, I had

home movies?

Most amateurs start with simple equipment but ence they have come under the spell of home movies the hobby beckoms them into fascinating paths: research and experiment, for instance. The Tower F.U., two of whose members are seen here, are enthusiastic for technical advoncement, their recent successes in magnetic S.O.F. being the fruits of two years' work.



movies at 6 years of age, and they were in colour!

I graduated through a succession of different 35mm. machines (some of them almost home-made) to 9.5mm., when at the age of 13 I shot my first 30ft. on an old handturned Pathe camera. Since then I founded and ran the old Pathfinder Society in Torquay, joined another ill-fated society in the same town years later, and finally became an active director of Walden Films, Ltd., of Torquay. I am still a director of that firm (though, since I am now some thousands of miles away, not so active!), still retain my interest in amateur films and am a member of yet another society, the East London Cine Club, South Africa.

A.C.W. is just as important to me now as it was when I got my copy of the very first issue, and it will continue to be so.

East London, S. Africa. F. Hill Matthews.

WHEN I was 10 (five years ago) I was presented with an ancient 9.5mm, projector of unknown pedigree; it took the old enclosed reels and the gate would not open. A year later I was given a Pathe Ace which I have since motorised. Recently I blued all my savings on a Pathe B camera but unfortunately I cannot take a lot of film because of its cost. Lewes, Sussex.

HOW TO MAKE TRAVEL FILMS

WAS 8 when I was given an Endless 35mm. projector. A year later I owned a Pathe hand-turned Home Movie, and bit by bit (as my pocket money mounted up) I converted it into a motor-driven super

model. Then I joined company with a school chum and we gave shows in his house to some 30-40 children, charging them 1d. each. In 1935 we had made enough between us to buy a Pathe 200B and with this gave shows regularly to large audiences.

us to buy a Pathe 200B and with this gave shows regularly to large audiences.

In 1937 I bought my first really good camera, a Bell & Howell 70DA, and mated it with a Bell & Howell 750 watt projector. By this time I was planning to make a film record of visits to foreign countries, so I joined the Royal Navy (I did no filming on my first voyage—I had no stomach for it!).

I lost all my equipment during the war—it very nearly broke my heart—and it was not until I was demobbed in 1946 that I was able to start cine work again seriously, with the old familiar 200B and a Pathe Luxe. I now have a 16mm. Kodascope B and am expecting to have a 16mm. camera next year when I plan to make a colour film for local organisations. Good luck, Alan, and keep on with amateur movies! And a million thanks to A.C.W. for the comfort it has given me since 1936.

Guernsey, C.I.

R. E. Barnacott.

THE cine bug bit me when I was 6. It was during a show of C.W.S. publicity films. I saw the projector at the back of the hall—that started it. At 7 I operated a toy 35mm. machine, at 8,8mm., and at 12 I graduated to 9.5mm. which has remained my favourite gauge; though I have had 16mm. experience as well.

18 years of this thrilling hobby ! May I live to enjoy 118 and still be reading A.C.W.! Pichering, Yorks.

J. K. Snowden.



WELL remember my first show. 5, and 'my' cinematograph (one of those 3mm. death traps that also took slides) was operated by my uncle, aged 13. At 8 I had my own cinematograph, with circular film and two 25ft. rolls of 35mm., one showing a horse race. I don't know what the other was. It was too dense to screen.

By the time I was 11 I had made the framework of my discarded cot into quite a presentable proscenium with open/close curtains worked by a very complicated eystem of fishing lines. At 12 I graduated to a Kid with super attachment. I enclose one of the jelly-printed programmes pro-duced for my first annual Xmas show. (A very good job of work for a 12-year-old.-

Not long after I was given a Coronet camera. I still have a bit of my first film, taken in 1933. For years it thrilled me until I started to get better apparatus-and then, of course, my story becomes the same as every one else's : experiments, 'triumphs',

bright ideas, failures.

I made my hobby my profession but I'll never give up home movies. For sentimental reasons I recently bought another Kid projector (I can't get any films for it now, much to my daughter's disgust) but I'll never part with that little machine. It still goes perfectly, and although my 400 watt Vox gives a rather brighter picture, I love every cog and spring of it, for it brings back crowds of happy memories every time I look at it. I've had some grand times and made some grand friends through home movies.

London, S.E.24. Roy Norman.

N 1943, when I was 8, I was given a broken and incomplete 9.5mm 'projector' of unknown im Cine Arts Society at work

make and voltage, bought at a toyshop for 10s. It had no shutter. Illumination was provided by a 4.5 volt torch battery. Meccano parts soon completed it, and before long I had built a proscenium with coloured lights. I have since converted the projector into a rewinder, and very efficient it is.

Great was the rejoicing when, in 1945, my father gave me his Home Movie. I purchased a Pathe H camera last year, and last Christmas all my savings went into buying a Gem pro-

Marlow, Bucks.

C. D. Power.

STRUGGLING THROUGH

'HE cine bug bit me twenty years ago when I was 10. I persuaded my elder brother to buy a hand-turned flash-lamp-lit 35mm. projector which had a crude form of Maltese cross intermittent. I later bought a Pathe Kid with super-attachment. It developed into a Home Movie and was followed by a Pathe H, several 200Bs, a Plus, a 17.5mm. sound projector and a Gem—all acquired by careful trading. I have an H camera but my main interest has always been in the mechanics of projectors, and in recent years I have equipped my own workshop for repairs and experimental work.

During my war service overseas I always found space in my kit for a Kid and a few super reels purchased in Tel Aviv, and was able to give much appreciated shows to the troops. Has any other reader struggled through against all odds?

Hinton, Hereford.

F. J. Jones.

I AM a 9.5mm, enthusiast of 14. Recently I got my father interested in this exciting hobby. He bought a cine camera, and although we have only exposed five reels of films, we have gained valuable knowledge from our mistakes. John Mulliner. Southport.

AM now just turned 12. I was presented with a Mickey Mouse film strip projector in 1947 and in the same year bought myself a Pathe Ace. Last Xmas, after three years' saving, I bought a Specto Standard projector.

Glasgow, N.W. Ian A. Duncan.

HAVE been a cine enthusiast since, at the age of 9, I was given a hand-turned 9.5mm. Bingoscope projector. I now have a new Dekko projector, have made two films, and am seriously considering trying 9.5mm, sound.

I have only recently become a reader of A.C.W. I wish I had known of it before. Wimborne, Dorset. A. S. Hollick.

HATS OFF TO THE HOME SHOWMAN!

I have never owned or even operated a movie projector and such is my poverty and sloth that I probably never shall. But I have seen enough of the home showman at work to feel for him a very real admiration. Who else would undertake voluntarily a task offering so much

frustration and so little glory?

Let him make the smallest blunder and his family-circle audience will be the first to call him to order or provoke him with unseemly jibes. But let him run through his programme without a hitch and not one voice will cry "Oh, well projected, sir!" So now that the season is upon us when home showmen are labouring for our delight, I consider that the time is ripe to deliver that long deserved tribute.


Where home shows are concerned I am always on the receiving end. I sit back and enjoy myself while the other poor fellow does the work. During the preliminary arrangements ("Has anyone seen a screwdriver and a three-pin plug. I said a three-pin!"). I always marvel afresh at the miracle of organisation which must be lost to us in the local cinema through having the projectionists shut away in a little box.

If all the chairs are taken, I am not in the least put out. After all, one can always find a comfortable spot on the floor. Nearly always. ("Excuse me, but would you mind taking your foot off my hand. No, it's nothing. Just a bruise.")

There are, of course, various grades of home showmen. And I suppose we must give pride of place to those five-star chaps who write to A.C.W. about their prosceniums, complete with monogram and electrically operated curtains. ("Just help it a little with your hand, Emma. Careful! Don't rip the thing!") They certainly uphold prestige, and it is


possible to share with them a glow of pride when the lights dim at just that magically right moment when the main title flashes on the screen. ("Rather neat, eh? I'll do it again later.")

Yet since one can be satiated by slickness, I must confess to having a soft spot for the rugged, one-star operator at the man who will put on a show at a moment's notice in his own home or someone else's. The man who will cross his bridges when he comes to them, and he'll come to them all right. The man who has no time for refinements. ("Screen? Why bother? There's nothing better than a nice matt distempered wall.") The man who will go



No, not a home cinema (for that you must turn to page 760), but the attractive proscenium recently built by the Planet Film Society. It is constructed of beover board, reinforced with wood, and covered with a wood-veneer well paper.

Other photographs overleaf.



Planet's new cinema. designed by J. F. Callins and built by him and other members, seats 30 people. The floor can be cleared for shooting. The curtoins at the side are in brown and cream. and the acreen curtains are pale green. There is concealed lighting at the foot of the screen and behind the pelmets of the long curtains. The control panel, designed liv E. L. Healey, is seen in the photograph below. The projection box accommodates two machines, twin turntables and amplifier. Throw: 184 ft.

to literally any lengths to show a film. He, I maintain, is the heart and backbone of home showmanship.

I once knew such a man who was presented with a film on an 800ft. spool. His projector arms would only accommodate 400ft. spools and he had but one take-up spool at that. Nothing daunted, he whipped out a pencil which he stuck through the centre of the spool and asked me to hold it in an appropriate position over the projector. This was the unique occasion on which I played


what might be called 'an active part' in projection.

"But what," I murmured, "what about takeup?" He had thought of
that and promptly produced a dog basket. "Nice
soft lining there," he said.
"We can feed the film
into it." The producer,
who was present, looked
up. "Don't worry, old
man, we'll wind the whole
lot back afterwards."

So the show went on.
The film, I seem to remember, was called "A Tramp
Through the Cotswolds."
Or it may have been
through the Chilterns.

Anyway, it was a long tramp and the pencil became very heavy. When at last it was over and the producer asked my opinion, I was able to tell him, in all honesty, that I felt as though I had been the whole way with him.

For myself I can forgive the one-star showman an occasional lapse. What if the picture does jump up and down a bit when he forgets to close the gate? What if the film does break and the titles do read backwards? Such incidents give the home show its real home flavour, and



where would the wits in the audience be without them?

Then there are those fascinating glimpses behind the scenes which only the producer-cum-exhibitor can provide. When quality is lacking it is always interesting to learn that: "I actually took this in a fog at Eastbourne." Or again: "This is some outdated stock I managed to pick up cheap. No, frankly I never expected to get much out of it. But oddly enough some of the shots are quite good. There's one coming any second now. There! See it?"

Shots which in themselves might appear irrelevant and even meaningless are illuminated by flashes of ad lib "This is a kind of commentary. experiment: a tracking shot from a bicycle taken at 24 frames. A bit unsteady, of course, as I had to keep one hand on the handlebars. That was where I ran into a herd of cows. Luckily I saved the camera."


One of the shortcomings of the commercial cinema is that it offers very little opportunity for audience participation. We sit passively absorbing entertainment. Not so in the home show where we can

dish it out as well as take it.

For example, a friend of mine specialises in sound effects. He does a very nice 'plop' with his tongue when a cork is drawn from a bottle and a gurgle for the drink being poured out. He also has a seagull effect, derived from the B.B.C., which comes in handy for seaside holiday pictures.

Many of us, of course, are familiar with what is happening and what is about to happen on the screen. And this enables us to promote the pleasure of our neighbours. "See that man there—the one looking at the camera? That's Arthur before he shaved his moustache. Now Peter's telling him not to look at the camera. Now, if you watch his lips you can tell what Arthur says. Oh, he was a lad, was Arthur!"

One could go on indefinitely describing the pleasures of the home showpleasures which, I hope, we shall taste again this Christmas. Meantime, hats off to the man who makes it all possible. May his shadow (providing he keeps it off the screen) never grow less!



An ex-Air Ministry Mark II cockpit lamp, obtainable for about 2s. 3d., provides the main component of this very useful pilot light. The lamp is supplied fitted with a small cap socket. The fitting does not appear to be the normal mains standard so I decided that an ordinary torch battery and bulb would be suitable especially in view of the fact that a pilot light is never used for long periods.

The socket is easily removed by unscrewing a brass ring. A piece of square-section timber approximately 2in. long can then be cut-I used a file-to provide a semi-circular turned shank to fit into the hole left by the lamp socket. The semi-circular shape is suggested as there is then room for the

wiring.

A radio-type pilot bulb holder is screwed to the top of the square-section after which the internal reconstruction is complete. A suitable block of wood smoothed and, if required, stained or painted, provides the base for the completed lamp and a miniature tumbler switch. The wiring is straightforward and should present no difficulty.

A possible refinement would be the fitting of a bell transformer so that mains current could be used. These are I believe available for a few shillings. If on the other hand, a miniature mains voltage lamp is available, the reconscruction would be negligible.

It is important that the Mark II cockpit lamp be used; the metal-bodied Mark I is not quite as suitable. The total cost of the finished product was under 5s., made up as follows:

Cockpit lamp					2s. 3d.
Miniature tum				**	1s. 3d.
Radio pilot bu		ier		**	6d.
1 yard P.V.C.	flex		40	**	1d.
Screws	+ +		1.5	**	1d.
Torch bulb		**			3d.

Good Fades at Cast WITH THIS SIMPLE GADGET

By FRANK HARRIS, A.R.P.S.

You know the usual method of making chemical fades. You pin the film on to a piece of blotting paper and dab it with a wad of cotton wool soaked in dye, at first along the full length and then for successively shorter lengths, so that each frame is denser than its neighbour. But invariably the result on the screen is a streaky series of jumps from brightness to uncertain gloom.


To be 100% satisfactory the change of density with distance should be constant along the length of a fade. The ideal is to immerse the film strip in a dye solution, controlling the rate of immersion so that the deepest part of the fade gets the longest time in the solution and the lighter parts a progressively shorter time. To attain perfection, a most carefully designed and manufactured cam would be necessary, a refinement beyond the means or inclination of most of us.

Fortunately, a very satisfactory though less scientific alternative is readily attainable if you have access to a few suitable Meccano parts. If we arrange a rotating arm from which the film may be suspended we shall have gone a long way towards providing the means of lowering the film into the dye at a gradually accelerated rate.

As fig. 2 indicates the 'fading' machine is very easily constructed. The arm is revolved quite slowly through a double set of worm wheels and gears—the size jo the plates and the length of the spindles are relatively unimportant. The high speed motor was taken from a

Govt. surplus aerial camera; it is designed to run at 24 volts but works excellently at the 6 volts supplied from a dry battery, the drive being through an ordinary elastic band.

The speed may be varied over wide limits merely by the insertion of a small rheostat in the circuit or by altering the diameter of a driven pulley. In this particular set-up, the time necessary for the arm to revolve one quarter of a revolution is exactly two minutes, which is about right for the complete oblitera-






Fig. 2

tion of even a bright image, by Fadeine or Martin's dve. The dye may need dilution, but a little experiment will quickly indicate to what extent.

Of course we need a container for the dve solution. I use a test tube wedged in a bottle with putty or Plasticine. must be tall enough not only to accept the required length of film but also a small weight clipped to the end of it. The arm is placed in a vertical position and the film looped over the projecting rod with a paper clip, but loosely enough to allow of quick detachment (Fig. 1). In this position the weight is submerged and the first frame of the fade allowed barely to touch the surface of the solution.

The motor is started and, as the arm rotates, the film is lowered smoothly into the dye, very slowly at first, but almost imperceptibly gathering speed as it nears the end of the fade. As it descends, the film will also move outwards so the container must be gently moved to meet it. As soon as the last frame has touched the dye, the film should be quickly and firmly withdrawn, and the surplus dye removed by squeegeeing with a small piece of folded washleather. Then a quick rinse in clean water, hang up to dry-and the job's done.

I have found it best not to wet the film before immersion. Naturally it must be absolutely free from grease or oil. A careful wipe with carbon tetrachloride or one of the proprietary film cleaners will prevent the possibility of undyed patches or marks.

The quantity of dye required will depend, of course, on the width of the glass tube which, for single fades, need be little greater than the width of the film itself. It is quite possible, however, to speed up the work of making a complete fade-in and -out by lowering the doubled film, emulsion outwards, into the dye, the splice-if any-coming at the bottom of the loop. In this case a wider tube-and, consequently, more dye-will be needed to avoid uneven markings due to contact with the glass.

Two points which it is useful to bear in mind when using fade solution are: first, that it cannot get into and therefore cannot affect emulsion which has been treated with film cement. This can be overcome by splicing only after the fades Second, some fade solutions are made. do not provide complete opacity but this is simply achieved by a cut to black leader after the fade has been taken as far as possible.



instead of using a different sheet of background paper every time you want to de a title, you can trace the lottering on to a sheet of ocetate which you than place over the back-ground.

YOU DON'T NEED TO BE AN ARTIST TO PRODUCE

ATTRACTIVE TITLES

By BRIAN GIBSON

Whatever your film, whether it onsists of miles of Baby on the beach, thether you planned every inch or none, will need at least one title—a title (or itles) which must look neat and attractive. First one must decide what ort are going to blend in best with the film. In a colour film, for example, you will not want titles on a vivid red background if you are inter-cutting them with shots of blue sky. Keep to the more neutral shades. The best colour for titles is quiet colour, just as the best tyles of lettering are the non-flamboyant kinds.

Every title must be on a background of some sort. Unless you are one of those keen characters who like to title their holiday films by spelling out the words in shells on a patch of sand, a background usually means paper of some sort. A visit to any artist's shop will usually provide you with a variety . of samples. Perhaps the best all-round background is a slightly mottled cream cartridge paper. For monochrome titles, the mottle helps to break up the plainness slightly and makes it look a little more 'interesting', while for colour titles, the background is neutral enough to fit in with almost any colour scheme.

Realistic wood-grain papers can be obtained cheaply as well, but don't buy the ultra-glossy surface ones or cheap,

nearly matt, paper. Ink won't take on the former and will spread on the latter, although this trouble can be partly cured by warming the paper immediately

before working on it.

Avoid 'mid-tones', because they may photograph a muddy colour in monochrome. Similarly, don't shoot against plain white, because you are almost bound to get glare which will degrade the image. But if you must, ask the laboratory to give your film level, or uncompensated, processing, otherwise the compensator will be misled by the large areas of white into assuming that the film was over-exposed, and will produce a dirty grey as a result. If you do try uncompensated processing, open up half a stop when shooting.

Even though you may be no artist and cannot scribble away free-hand, you can still produce neat lettering. For instance, you can buy one of the several fonts of letters on the market. They are usually made in felt, metal or plastic, and are excellent as far as they go, but you need quite a lot if you make many titles, and if they are all of the same

size they cramp your style.

A second method is to use stencils. If anyone tells you that stencilling is difficult and never looks good, don't believe them! Naturally, it needs a little practice, but after all, you don't

expect the first roll of film taken with your first camera to be of Ten Best standard, and you can't expect your first attempt at lettering to be a typographical masterpiece, either. At least there is the consolation that learning to stencil is quicker and much cheaper than learning to film!


There are two types of stencil to choose from. With one system, you lay a celluloid sheet with cut-out letters on your background, and then dab with a brush. The Econasign series uses this principle; an example is shown in col. 2. The other method makes use of a stencil which is slightly raised from the surface of the paper, and you work with a special pen. The UNO series are perhaps the best known of this type. The illustration below shows the more formal, but still pleasing, lettering which can be produced by it.

Normally, of course, you stencil straight on to the background paper, but sometimes it is not convenient or, indeed, possible to do so. You can't stencil satisfactorily on material, for instance. So instead of using a different sheet of background paper every time you want a title, do your lettering on a sheet of accetate, which is then laid over the chosen backing and weighted down with a sheet of glass.

After use, you simply wipe off the lettering on the cell, and use it again for another title. Another advantage of using cells is that if you make a mistake, you simply rub it out and correct it immediately, and you don't have to do



UNO stencil lettering, Architectural series, on wood-grained



This is an example of Econosign lettering.

the whole title again—quite a point, because mistakes always seem to occur in the last word! The acetate can be bought quite cheaply, but don't try to save the odd few coppers by getting the very thin grade. The medium thickness is much tougher, and you will be able to use each cell several times.

With the UNO type stencil ordinary black Indian ink takes very well on these cells, but white lettering is a little tricky. It is best to use a fairly thick white ink such as the type Kodak sell for writing on photographic prints. Arclight brand white ink also works very well. But there is a slight snag with this type of ink: they all have a sediment which has to be shaken up before use.

This causes no trouble if you are using the pen only for a reasonably short time, but after a while, the sediment sinks to the bottom of the ink reservoir in the pen, and gums everything up. However, judicious work with a matchstick usually prevents a crisis from developing, and if you put only a small amount of ink in the pen, refilling as necessary with freshly-shaken ink, you shouldn't have any bother.

Sometimes you may have difficulty in getting ink or paint to take on the glossy surface of the acetate, as it is slightly greasy. A simple cure is to rub over the cells before use with a very mild abrasive such as Windolene.

If you prefer the more flowing style of lettering, which the Econasign series can give, to the more formal UNO style, a little more work is necessary, because the brush will only produce a stipple on the surface of the cell and letters are not as opaque as they should be and are inclined to rub off easily. It is better to stencil the wording on to any odd piece of paper, place it behind the cell, and then trace it, using a fine mapping pen

and a very fine brush.

Brushing on the ink is rather an awkward business, especially when the lettering is small, so unless you are an artist trained in this sort of thing—in which case you will not be reading these notes |-it is safer to work with Winsor and Newton make a special paint called Film Design Colour You can get it in for use on celluloid. Ittle pots in a variety of colours, and you use it just like any other water colour or paint. If you thin it down rufficiently, you can use it in UNO pens instead of ink. This is especially useful or working in colour, because coloured Indian inks are usually transparent, and therefore not suitable for our purpose.

The Econasign people supply a variety of different-coloured paint blocks for use with their stencils, and at a pinch the penny paint box refill from Woolforth's will produce a good answer. Worked straight on to a background, instead of on to a cell as described above, produce first-class lettering, specially in the larger sizes such as are used for main titles. The smaller izes are not so easy to handle, and are lower to use than the UNO series. Of hese, the smaller sizes are excellent, but the larger ones look rather bald. by combining the two, one can get a wide range of type faces and sizes. Anything larger than a size 4 UNO mencil is best avoided for titles. ood all-round size in this series is the No. 2, Architectural style.

Yet another alternative is to trace from a sheet of type-faces, instead of stencilling everything first (see page 732). However, it needs practice to get the spacing right, and lining everything up

is sometimes a little dodgy.

Spacing is always a stumbling block in the laying out of any lettering. It is something that cannot be taught: the best spacing is the one which looks right, which is no answer to anyone who is trying to learn how to do it! The difficulty is that different letters need to be different distances apart. One can't work to a system, leaving, for example, ith of an inch between each letter of a particular height. The tail of the letter 'R,' for instance, can be 'tucked underneath' a letter 'O', while a series of tall upright letters such as make the word 'ill', must be spread somewhat, to prevent their merging.

To get the hang of spacing is to master the art of good lettering. A little practice with words like 'encyclopedia', which contain all sorts and shapes of letters, until you have got the best-looking result, is really the only way of finding out how to do it. Stencil out one word, and if it doesn't seem perfect, do the same word again, and again, until you are satisfied.

Superimposing white lettering over a picture always seems to occasion a certain amount of trouble, caused in many cases by not using a really black background. Ordinary black paper or card will invariably pick up some light, degrading the rest of the picture in the process. One way out is to letter on to a cell in white, and then lay it on top of a sheet of imitation black velvet paper.

Some people hold that lettering should always be over-exposed and the background under-exposed, and although the second part of the idea is sound because there is always the danger that a highlight in the picture may coincide with a letter and make it illegible, it is not really necessary to open up if you have done your title with a good white ink or paint.

The Econasign fans can use their silver paint for this. It can produce excellent results, but there is always the danger that it may appear slightly grey in the finished film, so care must be taken to adjust the lights of the titler so that the camera receives the maximum reflection

from the lettering.

Perhaps you are one of those people who feel that titles are a rather necessary evil and a bore to do. If you are, go in for this lettering business a little more thoroughly, and you will find it really interesting. And the difference between a film with good titles and one with mediocre ones must be seen to be believed!

DON'T TALK TOO MUCH!

The author, editor of a popular newspaper, broadcasts regularly on films and other subjects.

By DOUGLAS GOODLAD

One of the secrets of an effective commentary is knowing when to shut up! Most amateur commentaries are too talkative, and many—far too many are full of twice-boiled cabbage. It is not just a question of mere verbiage.

There is another common form of repetition which is perhaps worse. am thinking of commentaries which only echo verbally what is conveyed visually The commentator and adequately. points out the obvious. He can spoil a lovely shot by trying to describe what Every picture tells a makes it lovely. story-but he wants to tell it all himself. And so he holds forth at length about scenes which require little explanation. Watching his film is like watching a play with someone reading aloud the stage directions.

Your commentary should add something to your film, instead of merely repeating parrot-fashion what the camera

has put there already. Certainly it should never make your picture boring. It should enhance it. And it should increase enormously the adventure of movie-making, as well as the individuality of your picture.

You need to go to some trouble. The commentary must be planned. It's not so easy as this quotation from the instructions for the use of a well-known tape-recorder would have you believe:

It is preferable to show the silent film several times and decide on the dialogue, etc. you propose adding and where musical accompaniments would be suitable. In general, "script" the film.

The advice about scripting is added as an afterthought! To make the best job, the visual and vocal sides of your film should, of course, be scripted together. But many of us add commentaries to existing silent films. Whichever way it is, avoid repetition and excess of detail like the plague.

But the indicating of the salient features of your shots with a nicely turned phrase or two is a different matter. Let the commentary act as a foil to your pictures. Make it the pinch of salt which brings out the flavour. Let me show you what I mean with a quotation from the light-hearted verbal accompaniment E. V. H. Emmett supplies for The Sunny Tribe, a delightful

two-reeler on the life of a wild bee. Emmett has christened the heroine "Gladys". He says:

"She makes her way into the nest, pushing on into the warm scented air. She's rather short-sighted; but as she moves deep into this fairy cavern the shape of shimmering wax pinnacles



The musical director rehearses the score for the Tower F.U. film, "When Accidents Happen". In the background is the time-

gradually comes clear. They are honeycombs. Gladys isn't interested in fairyland; somewhere among a hundred thousand bees she has to find a housekeeper bee to take the honey she's brought home."

How have those four sentences enhanced the visuals? Emmett has described the hollow tree where the wild bees live as a fairy cavern. It's a simple, but pretty, idea. He talks of shimmering wax pinnacles. Pinnacles they are, to a bee, and the phrase reminds us that we are getting a bee's eye view. He talks of the "warm, scented air". That's something the visuals could not convey. It adds atmosphere in both senses.

And an example from a film of my own. I'm just completing a Kodachrome film on wild flowers, with tape commentary. A preamble includes shots of garden flowers. One of them is a glowing, against-the-light picture of huge cultivated poppies. I remark: "And here's the brightest flame of flaming June".

There's nothing clever about that, but the words spotlight those poppies. They enhance the shot in the same way that a caption written by a bright sub-editor gives a newspaper photograph a little extra something, or the title of a picture in a photographic exhibition helps to put the picture across to the visitor.

Sometimes it is better to let a shot speak for itself. Some examples of what I might have been tempted to do with a fragment from the flower film will help to show why. One of my biggest problems in making the film has been to introduce movement (other than that of flowers nodding in the breeze). So I grabbed the opportunity of photographing may blossom against a waterfall. The white of the foam matches the white of the blossom, and the May sunshine is reflected in the water—particularly in shots filmed actually through the waterfall.

I could have pointed out the comparison of blossom and foam. I could have talked about the sunlight glinting like diamonds. But my pictures convey all this adequately. A fillip to the observer is unnecessary. I could have committed

the terrible offence of wandering from the subject in hand by explaining that the through-the-waterfall shot was photographed from the ledge behind Thornton Force, Ingleton. But this digression would have got me nowhere. So I left well alone and shut up. Instead of my voice, there's a snatch of lighthearted music to match the sparkling gaiety of the scene.

If it will help your film along, and you can reproduce it successfully, you should certainly give music a chance. For one sequence in my film I decided on an interesting alternative. A series of shots of wild roses is accompanied by one of Ludwig Koch's bird-song recordings. The open air effect is charming.

Look again at the four sentences quoted above from Emmett's commentary. In addition to acting as a foil to the visuals they have given us the following information:

A bee is short-sighted. Some 100,000 bees live in the tree. There are housekeeper bees to take care of the honey.


In supplying information, picture and commentary should go hand in hand. A simple example of this is the opening of the Shell film, *Malaria*. The film begins with a map of the world. The map forms a fuzzy background for the titles. As the titles finish, the map is brought into sharp focus. The commentator says:

"There are nearly 3,000 million people in the world today. Half of this number are subject to malaria. At least five million die from this fever every year. Some areas of the world are subject to great epidemics."

As the commentator speaks the last sentence the areas in question become shaded with black. He does not need to mention them by name. We see at a glance that he refers to parts of the Americas, Africa, big chunks of Asia and so on.

This is a small illustration of how commentary and picture can be dove-tailed. There is no wastage of breath or footage here! Similarly, if you are making a film about a manufacturing process, the camera can show the wheels going round, and your commentary can say what the machine is doing. But it

Uverpool Amoteur Film Productions are now at work on their first feature film. Their technical resources are quite considerable, the camera suggesting 35mm. design.



should not be necessary to describe the machine—at least not in detail. Don't try to show every phase of the process. The commentary can help in linking the main stages of manufacture.

And here's an example of how a few words can be more compelling than a lot. In the short, *Malaria*, which has a factual, impersonal commentary, there's a shot of a dying mosquito. The commentator says: "A mosquito will lay its eggs even if it is dying". And that's all he does say. The shot is a fairly long one, so he could have said more. He might have said:

"So desperately anxious is the mosquito for the continuance of her race that she will lay her eggs even if she is dying. Look at this one bringing a new generation into the world as she breathes her last. Although this is a deadly mosquito the picture excites a feeling of poignancy as well as of wonder."

Five times as many words, and not nearly so effective as that single dramatic, stark sentence! The picture told us all we wanted to know of death throes and new life.

Remember the use of the commentary for continuity links. A sentence will often save a deal of footage. Your commentary can, for instance, be used to indicate a time lapse. No need to

invent variations on the theme of the spinning clock hands, or the growing heap of cigarette ends in an ash tray. Even a fade may be unnecessary. A word or two will do the trick. The tape can assist transitions of all kinds, but beware of taking too much advantage of this, or your film may jerk like a grass-hopper with St. Vitus' dance.

What is to be the style of your commentary? Humorous? Serious? Impersonal or friendly? Let's have a look at another bit of the Sunny Tribe script:

"The spinsters are working as usual; just now they're feeding the queen and that old lady needs plenty of nourishment because she's got a terrific job on hand; before she dies she will lay fifty-two million eggs. What terrific fascination the queen holds for the workers! They think it's simply marvellous and, after all, it isn't bad is it?


"They keep on examining the eggs again and again; you can imagine their short-sighted eyes filling with gentle tears as they murmur fifty-two million times—'Isn't she like her mother?' Imagine them tapping each other on the head with their antennae and saying 'It's wonderful! It's lovely! It's wizard!' The only thing you mustn't say about a new-born egg is 'It's smashing!'

TRICK PHOTOGRAPHY

RUNNING COMMENTARY

By SOUND TRACK

By "Trick Photography" we almost always mean, nowadays, the sort of trickery which is an attribute of the photographic process, both as it affects the manipulation of the camera and as carried out by the professionals in the limitless field opened up by the optical printer. The former class includes the general run of effects caused by altering camera speed, etc., and the latter now



Fairy on girl's hand—side elevation. (Largest operture for necessary depth of focus: f/3.5.)

Fig. 1.

includes everything from the simplicities of turning straight into reverse motion, to the complexities of printing-in model action on to full-size action, even where

the camera is not stationary.

Taking a recent example, in the filming of De Mille's Samson and Delilah, the model set for the destruction of the temple scenes was built to a scale of one third full size. Action at the destruction we in three sections: the top third all model, the middle third combination of model and full-scale, and the bottom third all full scale. Pans or tilts of the camera were precisely reproducible by an electronic recorder, which could repeat these identical movements of the camera whenever desired. Even so, the resulting films must have presented no mean headache in optical printing. Another point of interest is that the camera mount is of the nodal type—that is, the axes of both the pan and tilt movements pass through the optical centre of the lens, which is roughly at the position of the


While all this sort of thing constitutes present - day trick photography, the pioneers of the cinema—Melies, Paul,

& Co., got a great number of their effects by methods far more akin to the school of stage magicians. One of the main types of effect thus secured is that depending on relative sizes, one of two incongruous objects being placed comparatively near to or far from the camera relative to the other. The large depth of focus with the comparatively wide-angle lenses of cinematography assist this illusion. The stock simple case is the fairy standing on the little girl's hand. The girl will be at say 10 feet from the camera: the " fairy " at about 60 feet : both will be in focus at f/3.5, and so long as a small hall of adequate length can be borrowed the job is easily set-up as shown in fig. 1.

The not-quite-so-easy example is the witch entrapped in the soda-water siphon. We admit we should always do this by straightforward superimposition, carefully noting the position of the highlights in the two shots to avoid clashing. But again, it can be done in one set-up using the partial reflection property of a sheet of plate glass or "Perspex," see

6a 2

Set-ups of this type, indeed, were the first resort of the early-day trick film makers: they are from time to time employed by A.C.W. readers and aired, interestingly, in the Ideas Exchanged Here columns. They nearly all suffer from the snag that considerable ingenuity, of a type more akin to Maskelyne magic than the usual run of cinematography, is needed to get the desired results.



Witch in sode-siphon—plan view. (Largest aperture for necessary depth of focus: f/11.)

Fig. 2.

One cannot furnish rules, except the old, old one that glass surfaces must be perfectly clean and that stray light must be avoided. For example, in fig. 1, the lights illuminating the fairy must be screened from the camera by some such means as black drapes, or an approximately-cut black mask fixed up immediately behind the foreground girl: black poster paint should be liberally applied to this if it is made from scrap paper such as old posters. To the man who would like to try one of these effects, but can think of no application in his films, we suggest it as a main title embellishment: leading lady lolls against the first letter, or supports the quotes.

SUPER CINECOLOR

Cinecolor is well-known as a two-colour process: now, Super Cinecolor, a three-colour process, has been developed by the same company, in America. Price: 5.2 cents per foot, 35mm., compared with 4.7 for Cinecolor. The new process is installed with availability of five million feet of film per month, it is reported, though in fact this has little meaning till one knows the consumption per foot of release print by the studios, and whether, as with Technicolor, three negatives are used so that 40,000 feet of film go to make one set of 10,000 feet of colour rushes.

The film consumption figures are rather astronomical. The Indians reckon their demand at 25 million square feet of raw film each year, and an Indian firm collaborating with a Swiss concern is setting up a factory in Mysore near Kirshnarajasagar Dam to make cellulose nitrate (inflammable) base at the rate of 19 million square feet a year, together with perforating, coating and packing plant. If all this went to 35mm. stock it would yield about 150 million feet.

The Indian film industry is quite massive, and is perhaps sustained by franker criticisms than with us: I have for some time sought an excuse to reproduce these comments on a film, from Filmindia (April, 1950) . . .

In short, "Manzoor" provides a severe headache to all filmgoers and becomes a sore disappointment to the fast decreasing number of New Theatree' fans. The picture remains a serious financial risk to all exhibitors and if possible should be avoided. One gets to regard one's tripod as almost a part of the camera. Mine has channel section legs with integral pan head carrying the camera through a short spindle on a ball joint. This gives great flexibility and speed in setting-up, but at the expense of a tilt movement—or rather, at the expense of a controlled tilt movement since the ball joint permits tilting through 120° by virtue of a slot at one point.

When using this ball-joint arrangement for a shot in which one will have to tilt the camera, it is best to give a slight tightening so that some constraint is provided: this adds to the steadiness by giving the operator something to push against. It is assumed that the ball is lightly greased and perfectly free from any tendency to jerkiness.

In panning, it is vital to rehearse the full pan before shooting. This prevents panicky sweeps, cameraman overbalancing after twisting himself into a spiral, ending up with close-up of a fence post, and other similar film-wasting mishaps. It also corroborates that the pan-head is moving sweetly. Some pan-heads unless kept creeping seem to stick and then move off with a fearful jerk. Avoid this by overhaul and lubrication—and rehearsal.

Some tripods have a built-in pan head but no facilities at all for tilting. This is not very serious, because tilt shots are rare—less than one to ten pans, I should think. Tilts are usually rather beastly, anyway, commonly consisting of an initially gloomy base and later ghostly pale top of some building we already know only too well.

When you must tilt and have no tilt head, the trick is to use two legs of the tripod as the tilting pivot and let the third leg trail—from the front if tilting upwards and from the back if tilting downwards. This imposes only the limitation that it is not easy to stop and hold steady at the end of the tilt: but again, the shot is almost always best cut with the camera still moving. I successfully used this method of tilting right back in the hand-turned Pathe camera days—and again last week.



Here is something new—a complete script for a sound film. You will not find it difficult to produce, for the synchronisation does not have to be exact, and only one person speaks throughout.

And if you haven't got a sound recorder, you could make do with a live commentator.

By OSWELL BLAKESTON

This month we graduate to a short film with a commentary. To compensate for the complication of another dimension we have made the visuals particularly casy. Nevertheless, they can be telling and gripping—thanks to the commentary.

Next month, we will be considering a dightly more elaborate picture; but this month we have only exterior scenes except for the simply contrived silhoutte shot in scene 19), and our exteriors should raise no continuity problems.

Well, we had to have one crime film in our series—so here it is! But you'll find it's got a twist. I suggest that the best way to tackle making this film is to become thoroughly familiar with the commentary by reading it aloud several times, and so getting the feel for the pauses in narration, the speeding up and the slowing down of the voice in order to quicken the rhythm or underline points. (I have tried, with the help of dots and spacing out to suggest tempo, and I have also inserted a few rather obvious indications of timing.)

When you start filming I suggest you time the shots by reading out the appropriate words with the appropriate pauses and stresses. In other words, make your action fit the dramatic presentation of the commentary, rather than vice-versa.

Naturally, you may find that the final matched play of images and words (when recorded) does not correspond exactly to the setting out of the printed scenario, where the lay-out in columns is arranged so that words are assigned to particular scenes. Still, it won't matter if there's a certain amount of overlapping or under-running (the words from one scene carrying over to the visuals of the next, etc.), since the story has been constructed to allow the maximum It is possible liberty in this respect. that here or there a point may be lost, but that's a small matter compared with losing a headache!

If you haven't got the means of recording a commentary, I suggest you might like to film the story and present



it with a live commentator who has assiduously rehearsed his part. You would, of course, arrange for him to be screened from the audience, and supply him with a desk-lamp giving a subdued and concentrated light on his script.

Live commentators were a feature in Oriental cinemas before the war. They became famous for their individual skill, and some of them achieved the popularity of film stars. So you, too, if you decide to commentate, may find new paths to fame!

Candidate for Murder

Scene 1. Fade in. Shot of electric advertising signs, or lights over a theatre. Abruptly, they are switched out. (The assistant director must find out in advance the hour at which this happens. But it is easy to shoot signs at night, as one is photographing the light itself, and not objects in light.)

2. Scenic shot of river, with ships tied up to wharves. (With a suitable filter you could take this by day.)

3. A medium shot in an alley with a dust-bin in the foreground. A piece of paper is blown out of the bin and down the alley. (Night effect.)

A close shot of a thug crouching in a door-way. (The cameraman must sustain the night effect during these scenes.)

5. A medium shot of a man in evening dress, taking a short-cut home down a side street. We can see the tough hiding in the foreground: the "gent" is walking towards camera. Then the thug springs out at him.

A close shot of the thug and the toff. The gent has not yet had time to cry for help. The thug holds a cosh, ready to strike.

7. No more than a few frames of colour film—just red colour and no image—or dyed monochrome. They will give the audience the psychological effect of a knock-out blow.

8. A close shot of a boy's feet running. (We are now back to daylight.)

9. A medium shot of a newsboy, running up garden path. The shot is taken from doorway of house, and boy runs towards camera, throws paper out of picture (towards camera); and then turns on his heel and runs back.

 A close-up of the morning paper, lying on the front door-step.

 A long shot of a suburban road. People are coming out of their houses on their way to work.

12. A medium shot of people queueing up for an early bus.

A medium shot of a city man, calling a taxi.

14. Shot, from a low angle, of a crowded tram swinging past the camera.

(Slow) "After midnight, a great city seems to become very quiet.

"But it's often at this time that the most violent and appalling crimes are committed.

" Murder, for instance . . . "

Music.

Music.

Music.

Music (preferably with crescendo here).

(If possible add an effect noise-such as the crash of cymbals-to the music here.)

"Then, in the morning, the world may hear . . .

... what happened while the world was sleeping."

Silence.

"Perhaps the murder is a front page headline; or perhaps it's just a paragraph tucked away among the snippets.

"But, as you go to your work, you may think about the thing which has happened.

"And sometimes you may wonder . . .

. . . if ever you'll be the unfortunate who stumbles on someone in the night . . .

- 15. Shot of factory workers arriving on their eycles. (Taken from factory gate.)
- 16. Scenic shot (taken from an upstairs window) of a jammed street in the city.
- 17. A similar shot to 16, taken in another street. (If possible, an opposing view.)
 - 18. Similar to 16, in another street.
- 19. A close shot of a window, taken from inside the room. The curtains are blowing in the breeze. A man, back to camera, conies into picture, and stands at the window, peering out. His silhouette is held, almost immobile, against the commentary, so that the length of shot in itself creates tension.
- 20. A medium shot of the front door of a house. Man in overcoat, with slouch hat pulled well down over his eyes, emerges and walks away with a brisk furtiveness.
- 21. A pictorial shot of a wall, and the hadow of a man, who is walking towards it, rowing larger.
- 22. A variation (different location, different amera angle) of 21.
 - 23. Another variation of 21.
- 24. A travelling shot (taken from a car) of the man in the slouch hat hurrying down an empty street. He is facing the camera.
- 25. A long shot, taken from the roof of a bouse in the same street. The man is walking away—a tiny and solitary figure who vanishes in the distance.
- 26. A medium-close shot of the man in the couch hat, standing at the corner of a street. A little man in a cap bustles up to him. He is colding out an unlit eigerette, asking for a light.
- 27. A close-up of the man in the slouch hat. His face, shadowed by the hat, looks sinister and slarmed.
- 28. A close shot of the two men at the corner of the street. The man in the slouch hat brings box of matches from his overcoat pocket. Then, impulsively, he thrusts the whole box to the other's hands.
- 28s. A close-up of the little man in the cap. He is holding the matches up in front of his face. He is saying something like: "Hey, mister, don't you want your matches?"
- 29. Shot of the man in the slouch hat, running away. (This shot is held to cover end of music and re-commencement of commentary.)
- 30. Low-augled shot, taken from side of track, of a train thundering towards camera. Then the wheels go flashing by.

. . . someone who's so desperate that your life means nothing to him.

"Yes, every morning you go to work . . .

... and then ... one day ...

... you'll be missing . . . All the others will be there . . . but . . . you'll be missing.

"Umph! you've thought of yourself... But have you ever given a grain of sympathy to—the murderer? (Faster) Oh no, I'm not going to make a plea for the criminal... But... I know...he's a human being, too.

(Deliberate) "I know what it feels like to be hunted. There's no rest and there's no peace for the murderer. In your home, you feel

trapped . . .

"And when you get outside, it isn't any easier . . .

. . . although you try to tire yourself into forgetfulness . . .

... by walking ...

... and walking.

(Faster) "Yet you can't walk fast enough to escape from something you're carrying around inside you—your fear.

"And if anyone speaks to you . . . your heart begins to race . . . "

Music.

Music.

Music.

Music.

Music.

Music. (Wearily) "Yes . . . you run, and you run . . ." (Faster) "And then perhaps you think . . .

... you'll take a train somewhere, anywhere ...



31. A long shot outside railway station.

32. A medium shot, showing man in slouch hat approaching one of the station entrances.

33. A close shot of a policeman, standing in the station archway. He is in shadow.

34. Same as 32. The man hesitating, then turning back.

35. Same as 33. The policeman steps forward into the light.

36. Same as 7.

37. Long shot, looking down on a square in a big city. (Say, Trafalgar Square.)

38. Shot on public steps, people ascending and descending.

39. Panorama of the city from a height. (Say, Westminster Cathedral.) The camera slowly rakes over the view.

40. A medium shot of a coffee stall. The man in the slouch hat walks into picture and gives an order.

41. A close shot of the stall-keeper, drawing a cup of tea, putting a sandwich on a plate, etc.

42. A close shot of the fugitive, gulping his tea guiltily.

43. A close-up of the plate and cup: sandwiches half finished, tea half drunk.

44. Same as 41. The stall keeper picking up the plate and cup; and then glancing quickly out of picture, as if thinking: "I wonder what was biting that fellow?"

45. Same as 3.

46. Same as 2.

... just to get the hell out of it.

(Slower) " And then you remember that the stations are the first places the police watch . . .

" And you haven't got the nerve."

Silence.

"Yet you don't know what you can do to save yourself . . . Everywhere you are threatened . . . "

The cymbal-crashing effect.

"Of course . . . of course you know that a city is full of millions of people . . .

... and that it ought to be easy to hide among them . . .

"But all the time you wonder how much the millions know . . . about you . . . (Fasser) Have they got posters outside the police stations with details about you? You daren't go and look. But perhaps all the others know . . . (Slower) What chance have you got against millions of spics?

"All the same, you have to make some contact with the world. There are times when you are driven . . .

(Deliberate) "The devil of it is that so long as you are not on the move, you feel you're in danger.

" You dread scrutiny . . .

(Faster) "Ten to one, you beat it befere you've satisfied your hunger . . .

"And you know that the whole blasted thing is a vicious circle—that you're making yourself conspicuous... But there's nothing you can do about it... (Slower) And there comes a time when you can't even summon up the course to go back home.

"You feel . . . you feel that somebody may be waiting for you there . . . And so you have to roam and prowl and dodge by night, as well as by day . . ."

(Faster) "There are moments when you long . . . just for an end . . . You're tired of being a hunted beast . . . But it isn't always so easy in a big city."

- 47. Shot of the river water, as seen from a bridge.
- 48. A close shot by the parapet of the bridge. The man in the slouch hat is looking down at the dark, swirling water. (We know he is thinking of throwing himself in.) He ponders for a few moments and then moves wearily off.
 - 49. Same as 47.
- 50. A large close-up of the fugitive, his face filling screen, so that we feel we are listening to his thoughts in the voice of the commentator. He is in bad shape, unshaven, etc.
- A close-up of the lamp hanging outside a police station . . . the famous blue lamp! (Night effect.)
- 52. A medium shot outside the police station. (Night effect.) The man in the slouch hat drags himself into picture and goes into the station.
- 33. A close-up of a policeman, head and shoulders, against a black background. (We want to suggest this is inside the police station.) He is listening, nodding. Then he sighs heavily, as if bored, and smiles wryly.
- \$1. Same as 52. The man coming slowly out of the station.
- 35. A closer shot on the man with the sloveh hat. He stops; and looks straight into camera.
 - 56. Same as 51.
 - 57. Same as 3.
 - 58. Same as 1.

Fade out.

Music.

Music

Music.

(Deliberate) "And as the days pass, you take on the outward appearance of your inner guilt . . .

(Faster) "No, damn you, you can't tell me anything about it . . . I know what one has to do . . .

"In the end . . . one has to give oneself up . . . just to find some peace . . .

(Slow) "Yes...I've confessed...to hundreds of murders...(Faster) The police just laugh when I come to them. They say I'm crasy...a man who just imagines things...

- "They say there are lots of people like me who make a confession every time they read about a murder. The police use a lot of psychological jargon; and they've threatened to have me shut up in a home, if I confess again...
- "But I wonder what would happen if I ever did commit a mupder? Would they go on refusing to believe me?...
- "You see, one night . . . And then maybe you'll read about it in your morning paper . . .
- "And perhaps after what I've told you, it'll be your turn to be a little more imaginative . . . Perhaps it'll be your turn to think yourself into the murderer's shoes . . .
- "And all the time it'll be me who's done it . . . That's funny, isn't it? . . . But I'll be sorry for you—you'll have hell . . . Well, you know . . . it . . . could . . . happen . . . It's happened to me—hundreds of times . . . "

THE END

"I'm almost afraid to tell you what happened next . . .

... in case you don't believe me". It's the leading character in "Strange Incident" speaking. "Strange Incident" is the seventh in our series of scripts and will appear next month. As in the case of "Candidate for Murder," the commentary is by one person throughout, but this time the film makes use of interiors as well as exteriors.

The final script in the present series, "Material for a Poem," a rather recherché piece, will—we think—appeal particularly to the film maker who likes to experiment with unusual forms in the Cocteau manner. What is it all about? some may ask. Why is the girl on the sands? What happens to the poet when he goes out into the night? But why ask? Dreams are not to be questioned in this way.

DEVELOPING REVERSAL FILM as a NEGATIVE

The Experiment: Round 1

By JULIEN CAUNTER

So far in this series we have been doing two things: introducing the business of experimenting and finding out that the difficulties are by no means as insuperable as they might have seemed at first; and secondly, detailing a good selection of information which will serve as a

general guide.

made-for-two.

The moment has at last arrived for us to begin the actual experiments. The chosen example (as if you didn't know) is the processing of Reversal Film as a Negative. I hope to show you, by describing how I went to work, how fascinating it is to wade through a problem, patiently fitting together the clues that may (or may not) lead us to the answer.

All creative work like this has its moments of depression, but the excitement of Winning Through and doing something that we have worked out for ourselves is reward enough. There is so little spirit of adventure these days that something of this sort is about all there is left for those not in a position to tackle the crossing of the Atlantic in a-barnacle-

This, and the subsequent articles, describe in condensed form the three processing schemes that were tried. Other schemes were thought of and abandoned: there is not enough space to go into them, or for me to tell you any of the numerous interesting facts that I unearthed in my searching sessions (for instance, that it is possible to desensitise a film so that it can be developed in broad daylight).

To save quoting full titles of the books



most frequently consulted, the following abbreviations are used: DP—" Dictionary of Photography"; BJ—" British Journal Photographic Almanac"; PCC—" Photographic Chemicals and Chemistry"; PCU—" Photographic Chemicals and their Uses"; DV—" Developing."

The Problem. When we develop reversal film as a negative we find that the anti-halo backing is not dissolved away and the negative looks heavily fogged. How, therefore, to remove the

backing !

First Queries. What is the backing layer made of, and where is it? We soon find where it is: it is obviously not on top of the emulsion, and by scraping the celluloid we can tell it is not on the celluloid side. Therefore it must be between the two, and chemical treatment will be required to get at it. If we can find out what the backing is, we can find something that will dissolve it.

A Starting Clue. In BJ, Formula section, we read that the anti-halo coating is dissolved away in the reversal bath: this is usually potassium bi-chromate and sulphuric acid. Right, that can be our first experiment—to

verify it.



Experiment 1. Cut off four frames of reversal film, fogged to light but not developed. With your wire hook, lower this strip into the reversal bath. Result: The anti-halo backing disappears in 7 seconds! (at 65°F.). The emulsion is econds! (at 65°F.). intouched. (I used Gevaert 9.5mm.

Super Pan.)

The reversal bath is Rumination. usually described as a strong oxidiser. It is also called a silver solvent in DV chapter on Reversal Development, Could the black layer be silver? The suggestion sounds odd because, with films, I have never heard of any backing other than a dye layer. However, if it is silver, then we should be able to dissolve it in a reducer like hypo and ferricyanide. Check:

Experiment 2. Repeat Exp. 1, using normal hypo and ferricyanide reducer. Result: The backing disappears: plus. of course, the creamy emulsion (dear, Clear film left. Conclusion: dear !). If the backing is not silver it behaves very much like it. Anyway, the job now eems simple: using the reversal bath, re get rid of the backing before development and then give the film normal

egative treatment.

Experiment 3 (in the darkroom). About ten feet of reversal film have been exposed in the camera: we cut off a strip of four frames and pass it through the sequence of test tubes shown in photo. above: (1) reversal bath 10 secs.; (2) rinse; (3) clearing bath 1 minute; (4) wash ½ minute; (5) normal MQ development; (6) rinse; (7) fix; (8) wash | minute and put to dry. Result: The image is so faint that it almost isn't there. What a blow !

Experiment 4. Repeat Exp. 3 but with longer washes between baths.

Résult : No image at all. The experiment, done again, gives the same result.

Sobering Thoughts. What happened to the image? The reversal bath must, after all, have done something to the emulsion. Reduced the speed of it? De-

sensitised it? Destroyed the latent image? It cannot have put the emulsion out of order completely because during reversal processing a strong image can always be developed after second

exposure.

Clue. But then, of course, why is the second exposure in reversal processing so long? - it is far longer than the exposure in the camera. Obviously the speed of the emulsion is drastically reduced in the reversal bath.

We write to an authority: exposure to light before the second development is very much longer than Is this because the in the camera. reversal bath reduces the speed of the emulsion? If so, is there any means of restoring the lost speed?... Do you know of any way in which reversal film can be processed as a negative? . . . "

Reply: "It is quite correct that the reversal bath reduces the speed very considerably. There are no means of preventing this as the reversal bath destroys the sensitivity specks of the silver halide. The anti-halo layer of reversal films consists of colloidal silver which can only be removed with a silver solvent, i.e., the reversal bath. would remove, of course, the negative silver picture as well. The only suggestion we can make is to use a colour developer, relying on the dyestuff image for printing.


Comments. (a) So the layer is silver. Well, now we can better appreciate the difficulties of our problem, for anything we do to the backing will also affect the photographic image. (This is all right for reversal but not for us); (b) The colour developer idea is a good clue to another scheme that we can work on; (c) A pity the silver solvent destroys

the latent image as well as the sensitivity

specks of the emulsion!

Cogitation. If the sensitivity specks are destroyed by the reversal bath, it seems amazing that a strong image can be brought up in the second development. Are they completely destroyed, or only reduced to a low speed? Suppose we could re-sensitise, would the latent image return?

Let us look up hypersensitising. In DP three methods are mentioned; an alcohol and ammonia method; the mercury vapour method; and exposure to weak light for a long period. The second and third methods can be used after exposure, but even the greatest



Left to right, the results of Experiments 5, 6 and 7, for comparison of fog and faint images.

increase of speed mentioned is only four times, and that is not enough.

Inspiration. In DP we notice, under 'Bromide Paper,' a method of restoring the speed of old, stale and even fogged bromide paper. The plan is to bathe the paper in a permanganate-and-sulphuric solution, then in 2% sodium sulphite solution; and the speed of the revitalised paper is then half that of fresh, and the paper can be used again. This sounds hopeful, especially as permanganate and sulphuric together are a silver solvent.

Second Thoughts. But (knock me on the head!) the latent image must disappear altogether in this scheme because the whole of the emulsion, whether it has had light on it or not, is brought back to a uniform speed. So we have come to a dead end. To continue we need either: a silver solvent that does not destroy the latent image, or a re-sensitiser that increases speed by much more than four times.

Flash-forward. What I did was to go ahead with the colour development idea, a totally different line of thought that will be chronicled next month. The interesting thing that happened during one of the clue - hunts on colour developers was that I came across a stirring piece of news in an old publication called "Practical Photography and Amateur Cinematography." The chapter was on 'Orthochromatising and Hypersensitising Ordinary Plates,' and the exciting bit was that the hypersensitising gave an increase in speed of about 25 times with an Ordinary slow emulsion.

Flash-back. Whether or not this would work on a panchromatic emulsion that had been rendered slow we would

have to see.

Experiment 5. Stock Solution: dissolve 7 grains of Silver Nitrate in 137 minims of distilled water. Add 3 minims of pure hydrochloric acid, and after stirring add 320 minims of 0.88 ammonia (that is, full strength ammonia). The thick precipitate of silver chloride formed when the hydrochloric acid is added dissolves again in the ammonia. Working Solution: Distilled water 3½ ozs., Stock solution 1 minim.

Doesn't this proportion look rather far-fetched? — 1 minim (roughly 1 drop) in 3½ ozs. of water? This 1 minim is supposed to do the hypersensitising! At first I have the idea that I must have read it wrongly, but I cannot arrive at a different interpretation: so off we go. The processing scheme is: 10 seconds in bichromate-sulphuric. Rinse. 1 minute in clearing bath. Rinse. 5 minutes in hypersensitising bath. Rinse for one minute. Develop in MQ. Rinse. Fix. 1 minute wash. Dry.

Result: The backing has gone, of course. The test piece is strongly fogged in patches but there is a faint, recognisable image among the fog. Then I realise an error of mine—in the excitement, for the sensitising bath I have used the full strength stock solution instead of the diluted working solution. I also conclude that the fog is probably encouraged by insufficient washing

between the main baths, through my not having the strength of mind to wait to see the result.

Experiment 6. Repeat Exp. 5 with the first and second rinses made up to 4 minutes each, clearing bath 3 minutes, and third rinse 2 minutes. Result: Test piece not nearly so heavily fogged this time; and the image a little stronger, although shadow detail is missing. Then, another blow! I have again used Stock Solution instead of Working Solution (a week has elapsed between Exps. 5 and 6—time enough for me to forget. Clumsy!)

Experiment 7. Repeat Exp. 6, this time using Working Solution. Even more care taken with the washes—two test tubes for each, including distilled water in the test tube immediately before and after the re-sensitiser. Re-sensitising has 10 minutes instead of 5. Result: No fogging at all. But the image is much too weak to use. Heigh-ho! And there we are.

Conclusion. There are several ideas that we could follow up if we were so inclined: (a) try various strengths of silver solvent to see if we could minimise destruction of latent image; (b) try to find a silver solvent that will not destroy the latent image, or only slightly; (c) try various strengths of hypersensitiser; (d) try a developer such as Meritol Caustic (Johnson's) which makes the most of gross under-exposure as well as giving fine grain; (e) try intensifying the ghost image; (f) see the effect of giving extra exposure in the camera; (g) see if it is possible to protect the latent image from the silver solvent. Difficult? Time and patience only are needed. Never a dull journey to work!

I did not follow up any of these items because I felt that even if I were successful I would not fancy a process that needed nine different baths. In cold weather, keeping even three baths at the same temperature is no joke. The process should be simple. Let us not admit defeat but look forward to

Round 2. Onward!

Next month: Colour-forming developers. Julien Caunter takes us step by step in his (and our) experiments which will help every amateur to acquire painlessly a useful knowledge of the chemistry of cinephotography—a knowledge that has wide applications in all branches of cine work.

"I Enjoyed

Well-known film makers invit

There can be few amateur film makers who, after giving a show of their own films, have not been maddened by the admiring remark: "What a good lens you must have!" And among family audiences there is always someone who, with the most charitable intentions in the world, will blandly hand out flattening backhanded compliments.

We have asked a number of folk well-known in the amateur film world if they would tell us what was the most devastating comment made on their own films or film presentations. The replies they have good-naturedly given make an amusing symposium of Remarks Which Could Have Been Better Put.

Clubbed

I WAS very diffident about showing my family films on club nights because some of the more vocal members were



Measuring camera distance for a shot for "People of Paper", Fourfold film about paper dolls which come to life and dance. Animating the dolls proved too difficult, so live figures were used.

Your Film, But .

u to share their best jokes

scornful of anything which smacked of baby-on-the-lawn. So I made an idyllic fictional romance which the club liked well enough to include in a Ladies' Night programme. My wife sat through it stolidly and then commented: "Quite nice. But what a pity you had to waste all that film!"

R. H. ALDER.

These You Have Loved

HAD put on quite a big show in a friend's house, with projector and twin turntables in a curtained recess, sound reproduction being via the friend's radiogram under the screen. ', said one of the friend's friends, and very nice music. How lucky the wireless programme fitted the films so well!"

H. A. V. BULLEID.

Excuse Me, Your Slip's Showing

HAD spent a long time—it was in my earlier professional days-assembling a difficult and involved sequence, and we were all in the theatre viewing the results. I felt rather pleased with myself because I had worked out a reasonable arrangement for the mass of uncatalogued material. At the end of the showing there was silence. Then the director leaned over and said: "Here-you can borrow my lighter ".

JULIEN CAUNTER.

Crusty Port

OR the opening sequence of a cruise film I made a special journey to the port to take shots from the shore of a boat setting out for intercutting with those taken from the boat. Fortunately I was able to film the very boat I had "Of course", said the travelled on. knowledgeable amateur in the audience,

"to get a really effective opening one ought to make a special journey to the port to take shots from the shore of another boat setting out. No one will notice they're not the same."

LESLIE M. FROUDE.

Well Connected

HAD taken a great deal of trouble over a film I had just screened to the As I rewound it an elderly family. member of the audience, gazing abstractedly at the projection equipment, delivered her verdict: "Isn't it wonderful the way he knows how to connect up all those wires!"

J. G. GASKELL.

Sparkling Cyanide

WELL remember the lady who praised a farce I had directed. "I'm so glad", I said, "that you thought it was funny ".

"Well, not exactly funny", she replied, "but so interesting".

TONY ROSE.

Enquire Without

THINK your instructional films are so clever," said the lady in the audience. "They make me feel I know all about the subject when all the time I know practically nothing"

GEORGE H. SEWELL.

Gloves Off

OR Apex Motion Pictures I wrote "Poor Jenny is A-weeping". Location shots, filmed at Ilfracombe, included a sadistic clergyman strangling his girlwife, his landlady being lured to Lantern Cliff to be thrown off the top because she had discovered the body, and her husband, arriving too late to save her, delivering a left hook to the parson's jaw which sent him crashing to the rocks At a "premiere" for the below. family, one of my aunts said with asperity: "I never saw anything so After all, everyone knows that Ilfracombe is a select place!"

LESLIE WOOD.

Have you an amusing story to tell about one of your own shows—a comment or criticism which, though you can laugh about it now, rather took the wind out of your sails at the time? If you have and don't mind sharing it, we shall be glad to hear from you.




Fig. 1. Back view of 2008 with 900ft; reel arms. Note that both reel arm boits are crossed. Key: (1) Shorting plug in position (see wiring diagram). (2) Screw securing lamphouse body. (3) Back cover screw. (4) Shutter cosing. (5) Top spreachet bearing.

The 200B was probably the best value ever available in the way of projectors. Its performance was first class, it was very well made, and it at once captured and retains a high place in the affections of amateur cinematographers. The fact that numerous such machines are running with great success as dual-gauge projectors and have been converted to sound-on-film merely confirms these claims. The average amateur gives one or two shows per week. If that is your output you can expect your 200B to give satisfaction for another twenty years, provided it is looked after properly and adequately lubricated.

Perhaps if should be said right away that it suffers from two minor drawbacks and one serious disadvantage. The former are loss of bottom loop and appearance of sprocket hole on the screen. The latter is flicker. But these things can be cured, as explained below.

There must have been thousands of 9.5mm. enthusiasts who graduated, as I did, from a Home Movie or Imp or Kid

There are thousands of 200B projectors still giving excellent service today, but since instruction manuals are difficult to come by, the user may not always get the best out of his machine. Here are full details of its design and performance, plus operating hints and other data not to be found in the textbooks.

to a 200B. I well remember the amazing change in quality when I showed The White Hell of Pitz Palu on it for the first time. Unsuspected detail in the chasm sequence came brilliantly to light. For this was the supreme advance in this machine—bags of light. A six-foot picture is easy. Indeed, with a silver screen less than 4 feet wide there is too much light in a fully-darkened room, and it is this that accentuated the flicker trouble.

Design : Optics

Typical compact Pathescope optics: the objective lens fitted as standard is of 32mm. focal length, giving a picture four feet wide at a throw of 16 feet, and pro rata. The lamp is a tubular type, 30mm. dia., with E.S. cap to which the Pathe T-piece is secured, providing in effect a pre-focus type of cap. The maximum wattage is 250. The lamphouse is comparatively small, $2\frac{1}{2} \times 2\frac{3}{4}$ ins., but is asbestos-lined. A forced draught is secured by an impeller on the motor spindle, through a straight vertical duct.

The fixed channel is in contact with the emulsion side of the film, correctly, and is thus on the lens side. The back hinges open about 30° towards the lamphouse, on a very loose or "floating" hinge, and tension is well applied through two central springs on pillars.

There is no framing adjustment: this is not necessary on 9.5mm. If you have the misfortune to acquire an ill-adjusted machine that shows a sprocket hole, take out the two screws securing the gate assembly to the mechanism-plate, carefully coax out the assembly, taking care not to let the tension springs and their washers fly off, and then slightly ease the

the 200B

By D. COLLINS

four screws in the corners of the fixed channel and move this channel upwards if the sprocket hole showed at the top of

the screen, and vice-versa.

Each sprocket hole is 0.04 in. deep, so if you were seeing a quarter on the screen you would have to shift the channel 0.01 in. If the amount seen is really trifling, you may be able to get enough adjustment in the two screws that secure the gate assembly to the machine: try this first. In any case, mark the position at these points before stripping.

Film Path

Conventional for two-sprocket mechanisms. Both spools rotate anti-clockwise. Rewinding is most effective: you simply switch two belts, and both spools rotate clockwise, the top arm spindle being then driven by double-reduction

belting from the motor.

Some operators find they get trouble due to loss of bottom loop. This could be caused by maladjustment of the lower sprocket cradle, but in practice it is almost always due to the lower spring belt driving the take-up being either too short or dry, or both. It should be wiped with a rag just moistened with machine oil, and it should be so slack that the spindle can easily be rotated between finger and thumb, against it.

In other words, the take-up should be so slack that it will only just wind up the film sufficiently tightly to avoid sloppiness. This especially needs watching if 900 ft. extension arms are fitted, as can satisfactorily be done. But I advise against exceeding the 900 ft. size.

Mechanism

The motor drive is connected by rubber belt to the first shaft. This drives, by 1-to-8 reduction gears, both the lower sprocket shaft and the second shaft, the latter carrying a helical gear which drives a helical pinion on the shutter shaft at 8-to-1, and another gear which drives an idler on the third shaft and thence the top sprocket shaft. The second shaft gear also drives the claw cam shaft. This admirable arrangement gives a concise gear train with all shafts rotating at either one rev. per frame or one rev. per eight frames.

The claws are attached to a 2-inch bar, with sliding pivot at its lower end and its upper end given the in-and-out motion by an eccentric pin on the cam shaft and the pull-down motion by a cam held in contact with one face only by means of spring. The pull-down occupies about one quarter of the cycle, and the acceleration is restrained to prevent film snatch and excessive wear; but in point of fact this spring-retaining permits a good motion even after a considerable amount of wear. A small flywheel is attached to the claw cam shaft: the mechanism is very light and very silent: when running light it "whispers"

The shutter fitted has two blades each covering 100°. This means only 32 alternations per second, and flicker is pronounced when the screen is bright. A blade of 90° will, however, just cover the pull-down, and I advise the fitting of a new shutter, consisting of one 90° blade, two 60° blades, and three spaces each of 50°. This admittedly reduces the light, but only by 2½%. It is an excellent compromise. To remove flicker completely but at the expense of greater light loss and knife-edge adjustment, the best set-up is 85° blades and 35° spaces as




Fig. 2. Wiring diagram for the 2008. Machine sockets (5) take the dual resistance on type 2 or the shorting plug (types 1 & 3). The lead to the lamp should be broken at X when an independent switch is fitted.

recently mentioned on p. 530 of the October issue by reader F. J. Jones.

The new shutter should be cut from thin sheet aluminium, carefully balanced. and fitted with great care to ensure no phosting, as the 90° blade will only just cover the transit. To get at the shutter, which is in any case essential if there is ghosting, it is only necessary to remove the seven nuts and bolts around the casing-they can be replaced in any order-and the single bolt and washer just above the pivot. Matt black paint should be applied to the new shutter.

Mater

This is slung in die-castings below the lamphouse, the speed control and the commutator being on the operator's side and balancing respectively the duct and e blower at the other side. The casing holes at the operator's side are large mough to permit entry of a thin stick with clean cloth to give the commutator clean.

If a thorough glass-papering (finest grade) of the commutator becomes cessary because of excessive sparking. the whole motor can be dismantled if care is exercised. There are no pitfalls or re-assembly snags, though it is quite a big job, and a bit ticklish for the inexperienced.

Electrics

There were three standard models: With mains voltage (i.e., 200, 230, or 250 V.) for both motor and 250 watt lamp.

With 110 volt motor and 200 watt 110 volt lamp, for use with resistance, AC or DC

With 50 volt motor and 50 volt 200 watt lamp, for use with transformer on any AC mains.

One could also get 12 volt or 24 volt models. The great majority were type (2), the wiring diagram for which is reproduced at fig. 2. The change for type (1) and type (3) was simply that the three sockets S were shorted by a special insulated shorting plug, after which type (1) just plugged into the mains whereas type (3) was fed via a transformer.

In spite of its extra 50 watts, the mains model gave a good deal less screen light than the others, due to spread of highvoltage filament. Type (3) gave a considerably brighter picture than type (2), for the same reason. This trend

reaches its peak in the Gem.

The 200B is much improved by breaking the lamp lead, as marked at X, and inserting a switch. This permits the correct projection technique of having the light on only when the film, as opposed to the leaders, is running through the machine: it also allows of rewinding without wasting light and lamp life. The base wiring is easily reached by undoing the four screws The wiring under the projector base. is very easy to follow from the diagram.

Operation

Lacing is quick and easy: I prefer to do it with the claws protruding, then one gets the knack of shutting the gate in the sure knowledge that the claws are The spring cradles are very engaged. effective. Inching is by the first shaft pulley, at the back. Loop size is best kept to a minimum. Tilting is superlatively simple, the machine being so well balanced about its central locking pivot. There is no reverse or still-picture device, but over the past twelve months I have never once used either feature on my Bolex G.3.

The gate, sprockets, and cradles should be carefully cleaned at least for every show, the gate preferably after each reel. With a 9.5mm. wide card strip pushed through once between reels the work need take only three seconds.

Lubrication

The motor (one point each end, that away from the operator being at the back and halfway up the blower casing) and the two spool arms, need one drop a month. The others, all mechanism points, need one small drop every four hours' running. Take off the operator's side cover to reach the claw cam shaft, and the second shaft and the two claw pivots and cam face. Also this side, the first shaft and the lower sprocket shaft. One hole in the top casing feeds the top sprocket shaft.

At the back of the machine, the first shaft and the top and the lower sprocket shafts; remove the back cover to reach




Fig. 3. Operator's side of standard machine. Both reels must rotate anti-clockwise. Key: (1) Mains input plug. (2) Tilt screw. (3) Motor commutator cleaned through these end-cover holes. (4) Motor speed control. (5) Mechanism cover nut. (6) Shutter cosing.

the second shaft (behind helical gear), claw cam shaft, third shaft, and one each end of the shutter shaft. So in all we have 8 points at the back, 7 at the front, and one on top, total 16. Rather a business, but a quick drill once mastered is well worth carrying out. One small drop each: there should be no "oil spread" around the lubrication points.

Repairs and Adjustments

I have never experienced any trouble with my 200B, except for loss of lower loop, cured as explained, but when examining a friend's machine recently I noted the following points:

Oiling had been good except that the second motor point and one mechanism point-second shaft, back-had obviously been overlooked. One electrical connection in the base was loose, causing a slight light tremor which could cause weird noises in a sound conversion.

The lens barrel was bone dry, instead of carrying a trace of vaseline which reduces juddering and so aids smooth focusing. The gate channel was badly corned with emulsion. Once this starts to build up the effect is insidious. It was necessary to remove the gate assembly, and work away with a moistened cloth till the hardened emulsion deposits were removed. Hence the advice to give a push-through clean after every reel, and a cloth clean before each show.

The lamphouse cover had been broken but successfully repaired with Durofix. The condition of the chromium plating and the enamel was very good, except that the latter was beginning to break down at the corners of the lamphouse. 106049 is this particular machine—the serial number is stamped at the back of

the lower spool arm pivot.

In buying a secondhand 200B, insist on a demonstration show. If the picture is steady and bright and the machine runs quietly, you can be almost sure all is well. Remember that flicker is inherent but should disappear when the machine is speeded up to about 20 to 22 frames per sec.

A second test, against excessive wear, is to remove the front and back mechanism covers (these are retained by a single small chromium-plated knurled nut and screw, respectively) and see that the lift of the first and claw cam shafts is negligible, and that there is no more than very slight backlash at the helical gear drive to the shutter shaft. If O.K., you can safely buy what is certain to remain a good and faithful projector.

Index Cards for Shooting Records

Shooting Records

A number of readers have asked us for details of the shooting records used by Mr. W. M. Van Essen in the production of A Nursing Story, and mentioned by him in his article on the making of the film. These records are 3" x 5" index cards which are filed with the processed spool and referred to during editing. Each card has space for details of 24 shots: No., type of shot, subject, frames per second, light, meter reading (Highlight and direct), lens, stop, filter and date. They are printed for him—and printed well—by a patient of one of the hospitals of the Woolwich group who, though stricken with paralysis, supports himself by work of this kind. Any reader who would like similar index cards-or cards produced to his own specification should write to the printer: Mr. S.

Carter, \$7 Wrottesley Road, Plumstead, London, S.E.18.

Sound Recording

Sound Recording
H. D. McD. Ellis, M.A., M.I.E.E., will lecture on
"Some Features of Amplifier Design for Recording
Equipment" on November 24th at the Royal Society
of Arts, John Adam Street, Adelphi, Strand, W.C.2.
Other London lectures include "The Application of
Magnetic Coatings to Film Stock ", by G. F. Dutton,
Ph.D., D. L.C., at E.M.I. Studios Ltd., 3 Abbey Road,
N.W.8, on December 6th; and "The Crystal Pick-up
with particular reference to Long Playing Records"
by S. Kelly on December 20th. All meetings begin
at 7 p.m. Admission is by ticket only. Details may
be obtained from the Hon. Secretary of the British
Sound Recording Association, R. W. Lowden,
"Wayford", Napoleon Avenue, Farnborough, Hants;

Extension Arms

WILL CONVERT YOUR PROJECTOR TO 800ft. CAPACITY

Reels of 800 ft. capacity or larger are becoming increasingly popular but there are still large numbers of projectors which will take only 400 ft. reels. There are also a lot of people who, like myself, do not need to use the larger reels often enough to warrant the expense of getting something made up

commercially.

I have solved the problem by making rooden extension pieces which give accurate alignment and can be made without any mechanical skill beyond that needed to cut piece of wood in two and putting in some The machine is a Kodascope EE, ut the idea has a fairly wide application. Figure 1 shows the reel arm, which is etachable from the machine by taking out the metal screw at the lapped joint. arm can be used at a greater distance from the machine, thus getting the additional dearance, by fitting in an extension piece of rood as at Fig. 2. It must be made very ccurately so that the faces at X and Y of the apped joints remain in accurate alignment.


This can be done quite simply, however, two pieces of wood are used, C and D Fig. 3), of which the adjoining faces are ue, so that X to Y is a perfectly straight The outer surfaces of the wood may be bugh, but can be planed if a finished appearance is desired. The two pieces C and D are silv made from a short length of machine laned wood, about in thick. It is sawn hrough lengthwise; accurate sawing is not

Decessary

C and D are held together by two screws. The end C is fixed to the machine by means of the original metal screw, a hole of the rrect size being drilled through the wood. The piece D is fixed to the machine arm by means of a short wood screw passed through the hole already in the arm into the wood D. A fairly large washer is also used in order to give a better grip on the metal arm and avoid damage to the crackle finish.

The linking ends of the driving belt are opened a little so that the ends can be unhooked easily. For the large reels a separate piece of belt is hooked in to enlarge the belt enough to stretch the greater distance. There is no need even to remove

the belts from the machine.



The lower arm is adapted similarly, except that I found that in order to clear the base of the machine the arm had to be carried a little more forward. This was done by making a crook at the junction of the two pieces of

wood as in fig. 4.

It takes only a few minutes to add the fitting or take it down. The small parts, consisting of the two wooden fittings, with wood screws and washers in place and two short lengths of spring belt go into a small box. An important point is that the machine is in its original state if you want to dispose of it. The same idea can be adapted to any machine in which the arm hinges, even without the lapped joint, as in Fig. 5. This applies, for example, to the Filmo 57. Sprocket

16mm. Film Index

Many hundreds of 16mm, sound and silent films of interest to cine societies, film appreciation groups, schools, etc. are listed in an index compiled by Wilfred E. Bedford, secretery of the Tooting and District Co-operative F.S. and John Minchinton of the Goldsmith's College F.S. Titles are listed alphabetically with details of length, sound or silent, country of origin, date when made, director and library. It is stressed that this index is neither exhaustive nor a collection of the "best" 16mm, offerings, but it is certainly a useful compilation, detailing not only the films available from commercial libraries but also those which are loaned, free of charge, by the apomsored film libraries.

Consisting of 31 foolscap pages of duplicated

Consisting of 31 foolscap pages of duplicated typescript, the index is available from Mr. Bedford at 98 Fishponds Road, Upper Tooting, London, S.W.17, price 1s. 6d.

FILMING INDOORS

with simple lighting

Although the exposure data is for 9.5mm., the methods outlined below apply to all gauges, yielding first class results with the simplest of equipment.

By PHILIP JENKINS

Amateur filming indoors is most easily done by the light of Photofloods. The No. 1 Photoflood lamp costs 2s. 3d. and has an average life of two hours, but since it is used for only a few minutes at a time it will last through a surprising

amount of filming.

Photofloods should always be used in reflectors, for these direct the maximum amount of light on to the subject. The flat-sided and highly polished Kodaflectors tend to throw a bright "hot spot" in the middle, and a less illuminated area round it. In contrast to this, the parabolic or curved reflectors with a matt aluminium inside surface throw a much more even flood of light, but of lower intensity (usually only just over half as much as with the Kodaflector).

If the people to be filmed will be moving about, it will be necessary to light a fairly large area—you can't very well have them walking in and out of brightly lit patches. The parabolic matt reflectors are therefore generally considered easier to use for movie work.

It is best to use a fast film such as Pathescope VF or Gevaert Ultra Pan, because then you can have the lights far enough back to cover a reasonable area evenly, even for an f/3.5 lens, and slight changes in subject-to-light distance will make relatively little difference. But if you work with the lights close in, a very small variation in the position of the subject can make a very great difference in exposure.

Natural lighting always appears to come from one direction. For a picture to have a realistic appearance, you must give the impression that all the light is coming from the main source, although in fact several lights are used at a time.




Fig. 1. Simple lighting set-up employing just a key light and a fill light.

The main source is called the key light. A good general rule is to place it at an angle of 30 degrees to 45 degrees to the side of, and 30 degrees to 45 degrees vertically above, the camera axis (fig. 1). With the light in this position, the "roundness" of faces, etc., will be

brought out.

The key light alone, however, does not illumine the shadows, so one has to have some light directed on the shadow This light—the fill light—is less intense on the subject than the key light; usually it is about half as strong, this lowering of intensity being due to its greater distance from the subject. It is generally placed on the other side of the camera from the key light, and not much higher than the camera, and its job is to fill the shadows with enough light to make them look natural. amount of light in the shadows can be varied by moving the fill light closer in or farther back.

The proportion of key light to fill light can be varied according to the film used. With a contrasty film such as Pathe PSP or Gevaert Microgran, one has to keep the lighting soft; that is, use a ratio of key light to fill light of perhaps 1½ to 1. Using softer films such as





Pathe VF, Gevaert Ultra, or Bauchet, the lighting can be "harder", and the ratio of key light to fill light can be as much as 3 to 1 or sometimes more. The simplest lighting set-ups need only the two lights—the key light and the fill light. Fig. 2 shows the sort of results given by this set-up.

If we have enough lamps we can use them to help "kill" any shadows cast on the background and to make the subject stand out from it, for if the background tone is the same as that of the subject's face or clothes, the two will tend to merge. The background should normally be lit with about the same intensity of light as the subject.

If you are lucky enough to have one or more baby spotlights, use them for back lighting, placing them high up behind the subject, and a bit to one side so that the light will not shine into the lens (figs. 3 and 4). If necessary use a lens hood and/or hold a piece of black card near the lens to screen it. I like to have plenty of back lighting—it gives sparkle—but it can only be properly



Fig. 2. The frame enlargement at top left shows the effect of using the key light only, the one apposite it the fill light only, and the third the two together. The lights were placed as shown in Fig. 1 overleaf.

produced with spotlights. Don't try it with floods because you are almost certain to get light in the lens.

The intensity of light on the subject depends on the distance of the lamp from it. In technical language: the light varies inversely with the square of the distance ("inverse square law"). If a lamp is moved twice as far from the subject, the intensity on the subject will only be a quarter (i.e., two squared) of what it was. If moved to three times as far away, the light will be reduced to only one ninth (three squared).

So if you have two lamps of equal intensity (e.g., two Photofloods) then for a lighting range of 2 to 1 the fill light will be almost half as far away again




Fig. 3. Set-up for four lights. The spot and background lights are a great help, but they are not essential.



Fig. 4. How a full scale lighting range is built up. Above (col. 1), the key light only; col. 2 (top to bettom) the fill light, the back light in the hair, the background light, and finally, the effect of all these lights on together.

(actually 1½ times) as the key light. But obviously you can't move a lamp too far back, or you will not have enough light to give proper exposure.

To determine exposure you can either measure the light with a photo-electric meter or, if you haven't got one, compute it on the basis of lamp-to-subject distance. The incident light method of taking readings gives the most consistent results. You hold a large sheet of clean white blotting paper (say 12 in. x 10 in.) immediately in front of the subject and point the meter straight at the paper (fig. 5). Twist it about until the meter reads the maximum light value—and take care not to cast a shadow of the meter on it.

Now multiply the indicated exposure by 8. The easiest way to arrive at this is to set the emulsion speed on the meter calculator at one eighth of normal, and then to read the stops off directly. Thus, instead of my usual rating of Weston 40 for Pathe VF Pan, I set the calculator at Weston 5. On a meter which is scaled for Scheiner speeds, subtract 12 degrees (e.g., 28 degrees Scheiner would become 16 degrees Sch.).

This incident light method, for which credit goes to Smethurst, has the advantage that it enables any meter to be used for measuring incident light and, moreover, brings the reading sufficiently high on the scale for accurate working.

But what if you have no meter at all? First, let's assume you have just one Photoflood and that you use it in a











Fig. 5. Measuring the incident light by helding a sheet of clean white blacting paper immediately in front of the main part of the subject. The reading of the maximum light reflected off the paper is divided by 8; alternatively, the film speed can be set to one eighth of narmal.

reflector which will always have the same efficiency, provided it is kept clean. The light it gives at a specified lamp-to-subject distance will thus be repeatable at any time.

You have only to shoot a test roll at a fixed aperture—say f/2.5—with a suitable range of lamp-to-subject distances. When the film comes back from the laboratory, you will be able to determine just what lamp-to-subject distance gives correct exposure at the aperture used. Alternatively, you can alter those two variables interdependently, according to the inverse square law. Any mathematically-minded friend will work out the stops at various distances for you, after the manner of the tables given below. The job takes only a few seconds on a slide rule.

Measuring exposure from one light source only is easy, but how about when you have a fill light which is helping to illuminate some areas lit by the key light? There's no difficulty because with the average lighting range of about 2 to 1, switching on the fill light cannot make more than half a stop difference to exposure.

In practice the difference is rather less, because the fill comes from the other side of the camera from the key light, and their outputs are not entirely additive. In any case, one can always work with a fixed lighting range, say 2 to 1 or 2½ to 1, so that the effect of the fill light is constant and does not have to be considered when computing exposures. Back lighting does not have to be taken into account, provided it is only there to light up hair, etc., nor does the background illumination affect exposure.

In preparing the data for the exposure tables, I standardised on a lighting range of 2½ to 1—the fill light being 1½ times as far from the subject as the key light. With the set-up shown in fig. 1 I measured the light intensity with photofloods in three popular types of reflectors. The film used was Pathescope VF Pan.

TABLE 1
For No. 1 Photofloods in Kodaflectors

light from	One lamp in re	Two lamps in reflectors at each lamp position
ft.	f/	£/
2	6.8	9.4
21	5.4	7.6
3	4.5	6.3
4	3.4	4.7
6	2.2	3.2
8	-	2.4
10		1.9

These tables are computed on the assumption that the fill light will be half as far array again (i.e., 14 times)

TABLE 2
For No. 1 Photofloods in parabolic matt reflectors

rejuitions						
Distance of key	Stop required	for Pathe VF Par				
ngnt from subject	One lamp in re- flector at each	Two lamps in reflectors at each lamp position				
ft.	f/	f/_				
21	5.2	7.5				
3	3.5	5				
4	2.6	3.7				
8	_	1.9				

from the subject as the key light. The figures apply to a room with medium light walls; a room with dark walls may need slightly wider apertures.

Only the distance of the key light from the subject is given because (for the fixed lighting range of approximately 2½ to 1) the fill light will always be half as far away again from the subject as the

key light.

Note that Table 1, for Kodaflectors and similar straight-sided and polished reflectors, applies only when the subject is static. The intensely bright central patches thrown by the Kodaflectors are trained on the face of the subject. The bigger No. 2 Photofloods, which have an Edison screw cap and a life of six hours, will give an even flood of light of approximately the same intensity as the centre of a Kodaflector illumination at the same distance, if used in the usual

parabolic reflectors. Hence Table 1 can also be used for No. 2 floods used to

illumine moving subjects.

If you take care to measure the lamp to subject distances accurately, you will get surprisingly consistent results with these tables. Indeed, your meter-owning friends will think you have joined their ranks! And if you have yet to take your first indoor shots, you can congratulate yourself on the fact that the best time of the year for simple interior family shots-Christmas-is now approaching. if you are a beginner, it is not advisable to film an actual party. It is safer to have party incidents staged specially for the camera so that you can have everything under your control.

Still Photography to the Aid of Cine



Although this simple method of producing titles quickly and effectively is especially suitable for those who have a Cine Kodak titler, it could easily be adapted for use with other equipment. The materials required for making black and white titles or, with a little more trouble, coloured titles on a red, green or pattered ground are: a backing paper from a used roll film, 120 or 116 size, white titling ink and coloured inks if desired.

To make white titles on a black ground: write or stencil the title on the black "inside" of the backing paper. If spaced about 4 in. apart, twenty titles can be made on one 116 size paper. They are photographed in the normal way. The paper can be drawn through the titler between exposures or, if movement is required, while the camera is running.

Coloured titles are made in the same way, except that the title is drawn on the red

side of the paper (or green from panchromatic films). If something more artistic that a plain background is required ingenious patterns can be woven very simply with a ruler, compasses and coloured inks or crayons. A tartan effect is particularly pleasing.

Some care must be taken to space the titles so that the exposure numbers are avoided although in one case I incorporated them with a very novel effect. I followed each shot of a number, which was drawn into position in the frame while the camera was running, with a still photograph which "came to life." The still can be either an enlargement of the first frame of the shot, or a still taken from the same position as the cine camera. I repeated the process for the next "seven exposures" until the familiar "STOP" and dots appeared. These were followed by "The End," bringing my little film to a close.

G. C. Boeby





Five volumes of the Encyclopaedia Britannica and the ironing board are indirectly responsible for my building a home cinema. Their presence in the lounge to support my newly-purchased G.B.-Bell & Howell 601 projector did not altogether win the approval of my wife. She told me to "go and play in the attic".

Thus the idea was born. I first thought of having a sort of "barn

cmema "—my house is named "Brook Barns"—with oil lamps and sand on the floor, but the size of the attic—I could get a 60 ft. throw—decided me to embark on something more ambitious. And now I have a theatre, spacious projection room and cacktail lounge. Perhaps I ought to add that although it did cost, with the equipment, £1,000, I am wholly an amateur.

Gold and green were chosen for the colour scheme in the theatre which seats up to twenty-five people. The proscenium, designed by an architect friend, is built of sycamore with columns and fountain unit finished in orchid pink. The curtains are gold satin—quite neutral for colour effects and ideal for providing the greatest possible light intensity. They are operated by a commercially-made draw curtain unit.

Several experiments were needed before the fountain unit was a success but with the aid of a garden type fitting I was able to keep the jet to reasonable proportions. The circular window at the base is made of back-projection plastic, painted white, and illuminated by four 150 watt clear lamps behind coloured gelatine. A white spot above the pelmet illuminates the fountain jet. Three 250 watt spots, grouped above the projection port, and

"I don't like the idea of showing films in lounge," she said, so I built a

Super Cine in the Att



Entrance to the cinema is gained through the "Tudor style" cocktail lounge (sep left). "Drinks on the house" must undoubtedly add to the expense of running home-shows! In the centre picture of the rear of the cinema note how the projection and observation parts and the three 250 watt spot-lamps have been placed well above the audience's heads.



two three-colour bank footlight units are used to light the curtains.

Choice of a suitable material for the screen presented difficulties at first. I wanted to place the two 12-in. speakers behind it and did not like the idea of a perforated screen. I tried woven glass but found that the imperfections in the weave were much too noticeable.

A fine Irish linen sheet, folded double, was tried next. I made a sound test with some misgivings as I had been informed that I should lose quality in the top frequencies. But no, the sound was all I wanted and the 750 watt projector lamp gave plenty of light.

The comfort of the projectionist was not forgotten. Ample space is provided for equipment and the storage of films, and my editing bench fits in without any cramping.

The projector stand, made from angle-iron, houses the four Variac transformers and switch gear for dimming and operating the lighting effects. Switch circuits had to be planned carefully for I realised that I should have just one pair of hands to operate four dimmers. The wiring was therefore arranged so that any of the effects could be switched

(Continued on next page)

The large picture on the right shows the elegantly designed proscenium with its novel fountain. The door to the cocktril lounge is at the left. The well-designed lay-out of the projection room is apparent from the fourth photograph. The 601 projector is mounted on the frame which houses the Variac dimming apparatus for the proscenium lights.

Attic Cinema

(Cantinued from previous page)

Sound occompaniments are provided by three turnibles, two of which are seen here (right). Needle scretch is reduced to a minimum by means of special home-mode filters fitted to the sapphire crystal pick-ups.

from one Variac to another. This system brought another handicap though, since the voltage output of the Variacs must be identical before an effect can be switched over without danger of blowing a fuse. Although this must be constantly borne in mind, the saving in space and their efficiency makes the

use of Variacs well worth while. Ten different lighting effects can be achieved

in a single programme.

A practically sound-proof projection room meant the fitting of monitor speakers for both projector and turntibles. A level meter has been incorporated in both circuits. Sapphire crystal



pick-ups with special home-made filters to reduce needle scratch are used and the sound is fed into a valve mixer and amplifier. To complete the sound side, I have fitted a microphone for commentaries to my own films—yes, I make films too!

A. C. Hugh

Look to Your Tripod

This year I have remembered to give my tripod a real good "go over". Usually a neglected item, on which maintenance time is seldom expended, it does as a matter of fact repay some attention.

The pan and tilt head should be carefully cleaned and a very light amear of Vaseline applied to the moving parts: it is a first-class lubricant and surface preservative. If there is any sign of sluggishness or local tightness or jerkiness or (just as bad) excessive looseness amounting to wobble, then the offending parts should be carefully dismantled, laying them out in their correct relative positions for ease of re-assembly, and the necessary adjustment made—it generally consists of no more than restoring internal cleanliness.

Wooden legs should be treated to a rub of polish, enamelled metal ditto, but in the case of light alloy legs, which are generally channel sections or tubular, it well repays the rather tedious business of cleaning them really thoroughly, and then going over the surfaces of the metal with a cloth wrung out in Vaseline. This leaves a very thin film of protective grease over the bare metal, and prevents that characteristic white powdery decay that otherwise tends to set in, particularly when the metal is a magnesium alloy and when the tripod has been for some time in the sea air.

It pays to look after this very useful accessory because it is—or should be—a vital part of one's equipment. The difference between a film taken with a tripod and one made with a hand-held camera is quite astonishing. H.B.

SAFEGUARD YOUR LAMPS!

Here are ways and means of protecting electrical equipment and extending the life of filament lamps.

By NORMAN JENKINS

The neat "Elf" circuit breaker is made by G.E.C.



For some time now I have been haunted by a tale of woe. It was contained in a letter from a reader who met with shocking disasters and as a result managed to spend more money on his cine equipment and its maintenance in a matter of weeks than I have paid out in twenty years. One of his misfortunes was to connect his transformer into a direct current circuit. He asked if there was any means of preventing A.C. only equipment being connected to D.C. supplies in error. The answer is, Yes.

There are two ways of doing it, and that they are not more widely known is probably due to the fact that the practice of safeguarding every single piece of equipment is usually a matter for skilled engineers and static installations. If the British Electricity Authority can put in automatic circuit breakers to protect every single piece of equipment, even lengths of cable, then there is no reason why the user of expensive projectors should not follow suit to protect what is probably representative of a greater proportion of capital.

One way is to carry a portable neon lamp. These are made up into the form of test prods, and any socket can be investigated. Voltage can be judged by strength of glow (a bit chancy, this) and whether A.C. or D.C. can be determined by the position of the glow. The Bulgin test-prod which sells at 10s. can detect: blown fuses, live wires, insulation leak, identification of mains transformers, capacitor testing, continuity, sparking plugs and extra high tension leads. It is claimed that on A.C. both lampelectrodes glow, and on D.C. only the negative electrode glows. If that isn't the philosopher's stone, what is?

The other way is to use a circuit

breaker. Now, those of you who have visited power stations mustn't get the idea that this means a sheet steel cubicle six feet high and four feet square, needing both hands to operate it. There are circuit breakers and circuit breakers.

The type I have in mind are often fitted these days when refrigerators are installed. Similar kinds are used for what is known as 'earth leakage detection.' Put in circuit with the earth lead of a piece of equipment, they will trip out the main supply if something in the works has gone down to earth, or if the insulation values have deteriorated.

It might be considered a simple matter to connect one of these in circuit with a portable projector and let it trip out if the voltage should rise after an initial switching in on the low side of a power cut, or if the wrong circuit should have been chosen. But it isn't quite as easy as that, though so contradictory are the rules—it can be: it depends on what you are trying to do.

If you supply your projector by means of a transformer, you can cater for a rise in current and set the trip to operate at the requisite amount of overload, and that it will do, but the other side of the contradiction comes in. Such an arrangement would prevent damage due to connection to D.C. supplies instead of A.C. The rise of current would be so great and so sudden that the trip would operate very quickly.

operate very quickly.

But if you had fitted your trip in the lamp circuit it is just possible there might have been no protection at all. These circuit breakers are made primarily to protect small motors. Now, the overload of a motor is usually no sudden happening. The initial installation is normally made under skilled supervision and the

protection required is against creeping overload. And that means heat.

As I know to my cost, sawdust can clog up the ventilation of a motor so that its internal heat rises, its resistance goes down and up goes the current. Bearings in associated equipment can run dry and the mechanical resistance can increase: the same thing happens, the current goes up. In a current operated



The type \$121 circuit breaker shown above is available from Slamens-Schuckert Ltd.

device time does not always enter into the picture, and most of these cut-outs have a thermal time-lag deliberately built into them to take care of the initial surge of current on starting.

Now, you are getting to see the point. You may know that a filament lamp takes some fourteen times the current on starting that it does on running, and if the breaker does not operate at starting it isn't likely to offer much protection later. That is why fuses are not much protection. A lot of them will take time to melt and can withstand initial surges.

The most useful breaker for our purpose has a re-set knob that can be held in. This is similar to a type I came across on the Continent some time back. I was giving a show in a Belgian institution when the supply failed. The fuse box was found to be a series of these miniature circuit breakers—with knobs on. When the knob is pressed, things are as you were.

I just got someone to hold the knob in and started up the show. Everything went quite well after the initial bump of current. And what was more, I was protected for the show by a small margin—in this case the best form of protection. Incidentally, these miniature circuit breakers are very popular on the Continent for buildings of any size; they were introduced here twenty years ago to take the place of fuses, but the idea did not catch on.

The G.E.C. "Elf" is a very compact circuit breaker that has a "free handle" feature, which means that it cannot be held in against overload. Most of these with a switch dolly work in the same way and while it is excellent protection for the user—holding in a circuit breaker on a short circuit is, of course, one of the power engineer's nightmares—it does not suit our purpose altogether.

The A.E.W. people of Edgware have a miniature circuit breaker that is certainly very small indeed, being but 3½" long by 1½" wide and 2" high; ratings are available from 1 amp. It hasn't any switch handle that can be held in, and its usefulness for the projectionist is limited: the operation is internal and, to re-set, the centre has to be withdrawn like a fuse holder. The cost is low, however: 16s. 6d. A neat little window tells you whether you are 'on' or 'off.'

Siemens-Schuckert make an interesting miniature circuit breaker which has a double pole feature. Since one leg of the supply is usually very much more above earth potential than the other it is usually only necessary to have protection in the phase wire in the case of A.C. or in the positive of a D.C., if that is the one above earth by 230 volts or so.

This Siemens device has a neutral link that breaks after the phase wire has been broken and thus breaks on a dead circuit. It has an inverse time lag on severe overloads, but sufficient to take care of starting.

The Atlas High Rupturing Capacity miniature circuit breaker made by the Chilton Aircraft Co. Ltd., has many useful features and may come more closely to giving immediate protection than most of these instruments. It has a variable overload feature and a magnetic



By GEORGE STEER

AN ADVENTURE IN SLAPSTICK

The making of "Only for Telling", one of the Ten Best Films of 1949

The "British Bored Film Censors" certificate that opens Only for Telling tells you that the film was intended "For Amusement Only". We only hope that the fact that the making of it gave us a lot of fun may be evident in the completed production. It was not an elaborately planned epic but something cooked up to give all members of Fourfold Film Society a chance to let their back hair down and enjoy themselves with old fashioned slapstick.

The idea for the film came about in this way: a club member who had had an argument with a telegraph pole tried to explain away his black eye. No-one was inclined to believe his story, so he amused himself by embellishing it with half-truths. Finding his listeners accepting his mildly fantastic tales, he realised he had the germ of a film plot.

Only for Telling consists simply of three tales recounted by the hero who, by some method undisclosed, has received a black eye. The tales are told

to his wife, his small daughter and the vicar who has called for tea. He tells his wife that the black eye resulted from the unwise pursuit of a bag-snatcher.

To satisfy his small daughter's curiosity he spins her a yarn about his being a knight in armour who fought for love of a lady. He vanquished his opponent and then found he could not get his vizor off. A blacksmith had to prise it open. Hence the black eye. The tale told to the vicar is that, in following an individual who extracted a two-shilling piece from a church offertory bag, he got mixed up with a film company making a slapstick comedy.

To avoid the usual mixing or fade out and fade in methods of transition from his home to the scene of these imaginary escapades, a special gadget was made. It was fitted to the tripod (out of the way of the lens) and held a small shallow tray in which theatrical flash powder

was spread evenly.

Buried in this powder was a tiny

length of resistance wire fixed to a short piece of asbestos string and wired to a cycle battery which provided enough current to make the resistance glow. When ignited by this glowing resistance, the flash powder burns with a vivid red flame. The effect on the screen was of a flame leaping from the bottom of the frame, engulfing the scene and then dying down to reveal the next.

When the lady first notices her husband's injured eye, she questions him and lightly touches it, making him wince. The flame roars up and blots out everything. The transition is thus directly related to the action. It vividly suggests the stab of pain experienced by the hero, obliterates the scene and makes way for the first shot of the next sequence in which we are shown how he came by the injury. This flame transition introduces each of the three stories.

The chase sequence was shot in Charing Cross Road and Leicester Square. We spent a lot of time mapping out the place and selecting camera positions from street level, verandahs and windows. Quick alternation of angle helped to give pace to the shots.

Filming in busy streets can be a problem, but we had two ways of defeating the people who stare at the camera or make apes of themselves by trying to "get into the film". A telephone booth housed one camera set-up. For the rehearsals we hid the tripod under a raincoat, but for the actual take we abandoned caution and whipped the door open just before the actors came into view.

We didn't want the passers-by to be aware of the camera, but we did want them to be fully aware of the actors. After all, it would have looked odd if nobody had stopped to stare at thief and pursuer careering along. So they both shouted as they ran. The passers-by were suitably startled. Indeed, one of them ruined a shot by joining the chase and catching the 'thief'.


For some of the shots we used the dummy run technique. Rehearsals were carried out regardless of the folk who gathered round and gaped. Then the camera was swung round on a stooge, and all attention fixed on him. When the onlookers appeared to be sufficiently intent on his performance, the camera was quietly trained on the real actors doing their stuff.

The knights-in-armour tale told to the daughter was shot in a fairly open piece of woodland—it had to be fairly open to give us enough light (we were using Kodachrome). We borrowed the suits



Filming an interior out of doors. On the screen, the members of the "congregation", seen in medium close-up, appear to be inside the church. The passing of the offertory bag from hand to hand was filmed in a tracking shot.

On paper it seemed a good idee, but on the screen (the plank not being shown) the effect was quite unfumny, and the shot was therefore discarded. But the setup is in itself amusing and, with plank and assistants included in the picture, may be used in a later production.



of armour from a collector, and much bother they caused the cast.

The swords were still extremely sharp and unwieldy and the suits heavy. Sometimes, when the players took a particularly vicious swipe at each other, they lost their balance. When this happened it was a two-man job to get them on their feet again. Perhaps it was the distracting effect of this which made the cameraman overlook a car parked in the background. Needless to say, the shot in which it appeared was otherwise a very good one.

The knights seem to be fighting beneath the battlements of a castle. Only the top of these battlements is shown, with the damsel in distress behind them. The view is that supposed to be seen from ground level by the two knights who fight for her favour.

Finding a building with battlements was extremely difficult. Whenever I see the shot in the film of the lady throwing a red rose down to the knight below, I smile as I recall the trouble we had in avoiding a television aerial. 'The building was, in fact, a Hatfield pub some twenty miles away from the scene of battle.

The custard pie sequences were great fun to make. This—the third and final—section of the film begins in a church as the collection is being taken. With our limited resources, set building was out of the question, and obviously we could not go into a real church to film scenes for a comedy. So we had some dozen members of the 'congregation' stand against an exterior church wall, and filmed them in medium close-up from a car which slowly tracked alongside them. The speed of the car had to be co-ordinated with the rate at which the offertory bag was passed down the line.

When the congregation leaves the church—we see them emerging from the door—the hero hurries after the man who has snaffled a coin from the bag. The thief refuses to part with it. There is a scuffle and it is flipped on to the pavement. A foot covers it—a foot which belongs to a tramp watching a film unit

Hero gets embroiled in the proceedings. Custard pies begin to be thrown. One of them is hurled bang at the screen, blotting it out—a shock-tactics cut to introduce the following sequences

that these slapstick sequences had to be in monochrome because we intended them as a sort of parody of the Keystone comedies which were produced years before colour appeared. They wouldn't have looked right in Kodachrome.

Even so, the change from colour to black and white would probably have jarred, so we dyed this part of the film amber. The shot of the custard pie filling the screen was taken from the back seat of a car. The pie was thrown at the window and stuck to it, providing the black-out without any danger to the lens.

In all, we threw sixty pies concocted from custard powder, condemned dried milk, cocoa, size and pink plaster. Much of the action was shot at eight fre nes a second in order to get the comically exaggerated movements typical of the early slapsticks, but the close shots of them landing were filmed at normal speed (16 f.p.s.) so as to give the impact a chance to register.

Involved in all this, it is not surprising that our hero receives a black eye. At any rate, that is the story he tells the panon who, indignant at being hoodwinked, takes a hurried leave. Hero follows him to try to make the peace.

A flight of steps leads down to the pavement. On one of them is a cake of soap left there by the charwoman (we had seen her arrive in a Rolls at the beginning of the film, the credits being superimposed on the shots of her driving up and getting out of the car).

The parson neatly avoids the soap. The audience waits—gleefully, we hope—for the hero to step on it. He does, of course—and gets another black eye. Fade out.

In making Only for Telling we collected the usual crop of troubles. One whole day's work was ruined by bad colour balance: we had been misinformed about the voltage of a lighting circuit. And we had to scrap quite a deal of technically satisfactory material because what seemed amusing in the script failed to raise the ghost of a chuckle when it appeared on the screen.

The last word was—and is—with the audience. When we assembled the film on the editing bench we couldn't know how it would be received—whether this situation would go over better than that one and, consequently, whether that one would have to be trimmed, so the various screenings gave us some useful data on audience reaction.



No, this is not the production unit putting on an act, but the Keystone crew who feature in the slapstick sequence. The hero gets mixed up with their filming, and custard pies start to

PATENT APPLIED FOR

A survey of some of the latest inventions designed to provide solutions to cine problems.

By D. M. NEALE, B.Sc., A.C.G.I., M.B.K.S.

Simplicity is the keynote of all great inventions. But a simple piece of equipment is not necessarily simple to The simplest cameras are operate. usually a little more tricky to load than the magazine or self-threading models.

A perusal of current patents reveals It reveals also that this axiom clearly. the most difficult thing about inventing is finding a genuine need for something. Once the need is spotted the answer may seem comparatively easy.

We are all familiar with cameras having an exposure guide or calculator on the side. The earlier models refer vaguely to "Panchromatic Film" while omitting any speed rating. Film speeds have increased so greatly of recent years that such "guides" are little help until some check has been made to determine the speed of the film to which they refer. Thereafter it becomes a matter of giving one, two or three stops less than indicated according to the type of film in the

Here lies another snag. With a magazine-loading camera you may habitually carry two or three types of stock and use them according to the subject and conditions prevailing. It is then all too easy to load with one stock and later expose for another.

U.S.P. 2,493,928 provides a very simple solution to both these problems. The patentee, K. Rath, suggests that only part of the exposure calculator shall be on the side of the camera. One scale is printed on the side of the magazine and is visible through a window in the camera side. In this way a change of film stock results also in the use of a magazine having the exposure scale printed in an appropriately displaced position.

The calculator disc is set to allow for subject and lighting conditions and the aperture read off from (or against) the scale on the magazine. Provided the film is loaded into the right type of magazine, the calculator automatically takes account of the emulsion speed.

An interesting alternative proposal concerns cameras employing a built-in photo-electric exposure meter. ance can here be made for different film speeds by varying a resistance in the The scheme is to apply meter circuit. a copper strip to the side of the magazine. When this is put in the camera, it shortcircuits a part of the resistance so that the meter-reading is correct for the stock in use.

In a further development, the meter itself controls the iris setting. more advanced cameraman may object that this is not a desirable feature since. for special effects, a departure from the meter reading is often necessary. Nevertheless, there would probably be market for a camera-however expensive which need only be aimed, started and stopped.

Such an instrument puts simplicity of operation first. In consequence the complexity—and price—of the apparatus goes up steeply. Most of us are more concerned with getting the best gear we can at the lowest possible cost. means that equipment must be designed to make the best possible use of the minimum number of components.

Once in a while, some new component appears which makes possible a substantial revision of established techniques. Heat-absorbing glass has already revolutionised still-picture devices, for example. The lead sulphide photocell may soon have a comparable effect on the soundfilm projector.

All the current types of sound projector use cells of the photo-emissive type. Light striking the sensitive surface causes it to emit electrons which traverse a vacuum, or near-vacuum, and are collec-

ted by another electrode.

The lead sulphide cell, on the other hand, is classed as photo-conductive. The film of lead sulphide has practically infinite resistance in the dark. When light falls on it, the resistance falls and the lead sulphide conducts electricity. There is in this case no vacuum or gas through which the photo-current must pass.

In spite of this difference in operating principle, lead sulphide cells can be made as convenient plug-in substitutes for standard photo-emissive cells. As such, they usually give some increase in volume of sound output.

To reap the full benefit from these new cells, however, it will probably be secessary to tailor the projector design to suit their characteristics. The increase in volume can then be exchanged either for a reduction in extraneous noise or for a simplification of the optical system.

The optics of the conventional sound projector are critical in two respects. First, the exciter lamp must be hum-free. This means either a supply from a high-



The Wulfrun A.C.C. publicises itself as well as local events when out filming material for its newsreel.

frequency oscillator or a filament current of at least 5 arhps. In either case, the filament must not be able to cool sufficiently rapidly to follow the alternation of the exciting supply. Secondly, to focus accurately a scanning line less than a thousandth of an inch wide, the optical system must be colour corrected to some degree.

Both these limitations appear to be removed by a system described by H. J. Koeber in U.S.P. 2,498,555. This patent, the property of the Illinois Watch Case Co., proposes the use of a lead sulphide photocell so that the optics can be greatly simplified.

This cell happens to be particularly sensitive to infra-red radiations. An exciter lamp glowing only a dull red still radiates sufficient infra-red to operate the cell. In essence, the patent suggests using a bare nichrome filament without any glass envelope. Just imagine—when the exciter burns out, you can replace it with an inch of wire from your electric fire!

A low-temperature filament such as this gets over the hum problem because it cannot cool rapidly enough to follow the alternations of energising current. Moreover, an additional advantage ensues. The combination of low-temperature filament and lead sulphide cell is sensitive only to a narrow spectral band. Colour-corrected optics can therefore be eliminated. The patent describes the use of a strip of glass rod as a cylindrical lens with which to image the filament on to the film. Nothing surely could be much simpler or cheaper!

Perhaps neatest of all is the method of focusing employed. The glass rod is held in a spring clip having three legs. When a screw is tightened, the upper two legs are compressed and bow upwards. The third leg is free. Pressing on the underside of the rod and between the upper legs, it holds the rod against them and so moves it to or from the film.

The path from inventor's brain to consumer's hand is a long and tortuous one. Many false hopes die by the way, but there is always a welcome for any which live up to the expectations which these patents promote.

hanged here

ONE MAN BAND

Sir,-May I express my appreciation of Mr. Bulleid's excellent article on Musical Accompaniment (Oct.) but at the same time With great offer an opposite view? ingenuity (!) I have modified my Collaro Microgram to play an extension speaker and have worked out an accompaniment for some old Pathe films I have. My projector is a hand-turned Pathe Ace, so that the accompaniment had to be such that it could be played—in the dark, remember! I have no separate projection box and no pilot lamp—with the left hand only, while the right supplied the motive power to the projector. And since I have only one turntable the records have to be piled on it in correct order, with the one to be played first on top. This will play havoc with the records? Yes, I know.

To test this arrangement I gave a show to some local children (and their parents). I struggled through the accompaniment for the first reel, and got on reasonably well, except for one horrible moment when the pick-up escaped from my grasp and skated right across a 12-in. disc. Then the lights went up and the biggest of the children turned to me and said: "Let's not have attention from the film."

ADEL, LEED 4

BE DIFFERENT!

Sir,-Anyone who has a camera and a length of film has a chance to make something worthwhile, something beautiful. People like films of fire and blood, perhaps because of the dullness of their lives, but is there anything in such films that can really make you say "What a beautiful Ninotchka, Paisa, Intolerance or even Marionettes? picture!", as you might so easily say of

I have known no greater emotion than when my first film was shown. It was a tragedy and it made someone cry: mebecause to me it was beautiful and very sad. To the rest of the audience it was just

another film, not good, not bad.

It was a year after this that I found the way to make successful films. I was in a

jewellers. Two young ladies were looking at some rings. Suddenly one of them gave a cry and picked up a rather ugly, even crude, ring. The shop assistant was as curious as I was to know why she had chosen it.
"Because," she said, "it is different".

In a programme on your radio there is a recurrent joke: two lovers quarrel every week, but when he says "Same time

tonight", she would stop quarrelling to answer "All right", until one night she answered "No!" The effect was electrical. In Italy we say "the highest you can reach is as high as you want to go", which is the equivalent of the English "the aky is the limit". You can make anything you want out of what you have if you use it the right Why not be individuals out to do something different, instead of following the beaten track

Mr. Carleton (Sept.) urges you to help the progress of the cinema. You can, because you have got what it takes the fine Ten Best films prove that. Go ahead ! The sky is your limit!

INTERNATIONAL EMANUELE DI FLORI, FILMS, ROME. President.

THE BOY WITH THE WOOD

Sir,-I was particularly interested in the October Leader Strip, for I, too, have experimented with a small film-producing group in a secondary modern school and, by pure coincidence, hit on almost the identical approach to film study as that advocated by Stan Reed. I enclose the script of a film made in my school. Shots 48-50 are interesting in view of your comments. (They record the same sort of action and are expressed in almost precithe same way as the 'boy with the wood hits the man' shots in the script referred to inthe October issue. A thumbnail sketch accompanies each of the 55 shots. illustrating Shot 49 shows in careful detail 'the wood landing on the man's head' and breaking in two in the process. The script, 'The Mystery of the Old Mill', is a vigorous little production, painstakingly put together. Each shot is timed in seconds—Editor.)

I, too, approached the loaning of apparatus with misgiving. However, I risked it, and

the only slight trouble which was experienced was due to the fact that part of the time we were shooting on slippery rocks covered with wet seaweed. The cameraman slipped while carrying the camera on the tripod, and I had convulsions on the spot, since my Siemens C had been the result of much hard saving. But he hugged the camera to his chest to protect it as he fell. It was undamaged, but he was almost in tears because one of the legs of the tripod was broken. However, one of the unit repaired it in the school workshop, and all was well again!

The speed with which the cameraman and his assistant picked up the use of the camers and exposure meter and the checking of every shot ('focus-exposure-footagewinding') was remarkable. We had great fun making the film, and every problem of tide and sun helped to keep the work interesting. Of course, the result is full of imperfections (there are errors of continuity and in the exposure of following shots taken at different times—all shooting was done after 4.30 p.m.) and when they saw it the unit wanted to go out and shoot the whole thing over again !

Since I could get no help from the local education department-neither money nor est in the project-the boys each subscribed 10s. A complete re-take was therefore out of the question on the score of cost-and time, for the film was completed only three days before the end of term, and half the unit was leaving school. The film is entirely their work, my intervention being limited to preventing film wastage and to shooting the titles, prepared by them, on my

titler at home.
Stan Reed approached my Local Authority to get the work carried on, and they have promised to consider it in the estimates for 1950-51.

Congratulations on A.C.W. It still remains the best value for money in the All best wishes for your cine world. continued existence and high standard of articles.

L. G. WATSON. FONTWELL, ARUNDEL.

ELIMINATING FLICKER

Sir,-Mr. F. J. Jones states (Oct.) that he has eliminated flicker in his 200B by fitting a three-bladed shutter with blades of 85° and openings of 35°. As the 200B has an intermittent ratio of four to one, I could not believe that an 85° shutter blade would be adequate, and experiments have shown that, despite careful adjustment of the timing, there is considerable "ghosting" on the highlights.

I have since tried a three-bladed shutter

with one blade of 94° and two of 55°, leaving three equal openings of 52°. This gives practically the same light output as the original shutter on my 200B, the two blades of which are 101° each, and has eliminated flicker entirely. NORTH BERWICK. J. L. LOCHHEAD.

MODIFICATION FOR THE GEM

-Reader Blackett's letter " Modification for the Gem" (Oct.) may puzzle some readers, especially those new to 9.5mm. projection. As positioned, and with a 300 ft. reel of film fitted in accordance with normal projection, the additional guide roller would have no effect whatever for at least half of the reel; this being due to the fact that the supplementary roller would be right out of alignment with the film leaving the reel and the manufacturers' first guide roller.

What he has done, of course, and which can be verified by examining the illustration on page 533, is to wind his film with the emulsion outside, projecting with this leaving the front of the reel instead of the rear. operate in this manner, the belt controlling the feed spindle would have to be reversed, and the take-up belt adjusted similarly if one wished to retain the film with the emulsion outside. HENDON, N.W.4.

MARTIN MICHAELS.

THE UNPLANNED FILM

Sir,-I feel there is a fallacious element in the correspondence concerning unplanned films, especially in Mr. Hamilton's letter. I cannot see that there is any basis for comparing an unplanned film with a planned one, for their ultimate purposes must inevitably be quite different.

If anyone makes an unplanned film, it amounts to nothing more than that he has (either through laziness or force of circumstances) omitted to avail himself of the inherent advantages of the art of the cinema. An unplanned film can amount to little more than an album of happy snaps. planned film is, or should be, a work of art.

By all means let us make spoolsful of miscellaneous and unrelated shots if it meets our purpose, but please let us not pretend or try to claim that such a procedure has rival virtues or is indeed in any way comparable with a planned film. It is merely a matter of which you prefer to show your audience: a haphazard hotchpotch or something in which imagination and artistry have been brought to bear.

STOKE BISHOP, JACK KNAPMAN. BRISTOL 9.

REMOTE CONTROL FOR THE EUMIG

Sir,-Remote control operation of a camera is always a useful refinement. remote control adapter I have made for my electric Eumig camera consists of two "L shaped pieces of brass strip secured by screws to a "T" insulator and wired to a miniature tumbler switch. The whole plug is passed through a hole in the cover plate and separates the long battery contact from the plate on the camera. With the switch in the position and the camera button locked "on", the outfit is ready for use.

Up to twelve feet of good quality bell wire may be used

with the normal battery but additional lengths would require supplementary batteries to avoid voltage drop and to maintain

correct camera speed.

A slight disadvantage is that the camera runs down rather than stops dead but since this only results in the over-exposure of two or three frames it is a small price to pay for the facility of being able to take close-ups of wild-birds and animals. The camera can be made to operate at half speed by inserting

a 3.6 ohm resistance in the circuit.
YARMOUTH, I. W. R. TELFORD.

MOTORS FOR CURTAINS

Sir,—I was interested in Mr. Judson's letter on motors for curtain control (Nov.). Permanent magnet motors can be reversed simply by crossing over the main motor or battery connections. Most of these small low-voltage motors will run quite well on A.C. for short periods and, incidentally, there is really no need even to go to the expense of a transformer or transformerrectifier as Mr. Judson suggests, because they can be run directly from the mains This may be made through a resistance. up from electric light bulbs or a wire-wound resistor can be used. This method is only suitable for intermittent duty such as operating screen curtains.

Mr. Sewell mentions how he uses one of his splicers to make temporary joins. I have always considered this practice extremely risky as one of these splices may be overlooked and let the producer down later during a presentation! I always make every one of my splices properly when editing. It is extremely rare, even when



Mr. Telford's Eumig camera adapted for remote commol. (See letter opposite.)

cutting on action, that the loss of a single frame is serious and the occasional breaking down of one's finished splices enables a constant check to be kept on the efficiency of the cement, thus obviating the trouble Mr. Sewell mentions later—joins falling apart due to evaporation of some of the solvent in the cement. Incidentally, the Meopta is not the first sound projector to use the radio as the main amplifier: the Americans had one before or during the war—if I remember rightly.

Wolverhampton.

J. Verney.

INSTEAD OF 4-PIN PLUGS

Sir,—I have noticed that some readers have had difficulty in obtaining four-pin plugs for operating mechanically driven curtains. They may be interested to know that a very good substitute is a radio valve holder and an old valve base. It is almost impossible to make wrong connections, if care is taken in initial wiring. This method is very effective, providing of course, only low current is used.

Grimsby.

A. E. Germanicy.

S.O.F. EXPERIMENTS

Sir,—Since the publication of our club reports relating to our system of magnetic S.O.F., I have received a number of enquiries from interested societies. One comes from Perth, Australia, and another from Bombay. Are many clubs interested in such experiments? It would be useful to know, for if there was sufficient response it might be possible to institute a clearing house for ideas.

Apart from the pleasant acknowledgement of our efforts and the enthusiasm for details, it is pleasing to note the popularity of A.C.W. even in remote corners. It is difficult to understand why the Commonwealth clubs do not contribute more to A.C.W. in the way of stills and news, etc.

TOWER FILM UNIT, LESLIE L. JULIEN.

LEICERTUR.

RECORDING KITS WANTED

Sir,-I would like to thank you for the excellent articles on magnetic recording. There is more practical information in them than in a book which cost me 45s. Since a fairly sound knowledge of electronics is surely necessary to ensure a reasonable chance of success in building the amplifier, etc., I would like to suggest to manufacturers that they put up components in kit form, with schematic diagram, for those amateurs , like myself, are too fully occupied with their hobby to study electronics. J. BULL.

The Ten Best

CARDIFF'S BIGGEST I6mm. PRESENTATION

Sir, -Since our presentation of the Ten Best, congratulations have come from all quarters. Tribute has been paid to A.C.W. for its all-important part and to S.-F.S. for or anising the biggest 16mm. display Cardiff has known. May I add that we were presed for the very high technical standard of the show.

Excellent advance publicity was obtained.

There was a B.B.C. broadcast by Capt.

Gaskell, producer of Post Haste and several Press announcements; and an article I wrote was included in the Western Mail weekly

ure: "Calling Young People in Wales We had a capacity house at the Cory Hall, diff—nearly 700 attended. The Lord Mayor had promised to attend but was ented by the arrival (at short notice) of the Minister of Supply, so his Secretary and a number of Councillors deputised. t. Gaskell made a personal appearance and gave a short talk on amateur film-making.

We used a G.B.-Bell & Howell 609 arc projector, twin turntables with mixer unit and a Scophony-Baird magnetic tape recorder-reproducer. Direct current is installed in the Cory Hall so we put in a special cable, taking A.C. from a point in a

near-by building.

At 62 ft. the 24 in. lens covered the matt white 10 ft. x 7 ft. 6 ins. screen. A pair of amber spots (dimmer controlled) added to the decorative effect. Sound was distributed by three Vitavox K12/20 12 in. cone speakers, two in cabinets and one on flat baffle. We recorded commentary and music to Nature's Way on magnetic tape a few days prior to the display. Synchronisation was perfect.

As you will see from the Western Mail cutting, this newspaper's weekly film notes were devoted mainly to the A.C.W. film

As proprietor of this firm I want to express my appreciation of your publicspirited action in promoting these national competitions. It has been an honour to co-operate with you in this project and we are all looking forward to next year's display when we hope to have the pleasure of staging a show on a truly grand scale! Sound-Film Services, R. Colwyn Wood. CARDIFF.

CARDIFF.

On a truly grand scale ? This show, the biggest l&mm. display ever presented in Cardiff, was surely quits grand enough to go on with? Those unable to attend missed a memorable experience. We have received many warmly appreciative letters from members of the audience. An extract from one of them appears below.

The film critic of the Western Mail describes "Past Haste" as "an enchanting, idyllic film, skilfully photographed, beautifully coloured. With no bax office to consider, it told the simplest of stories. It shows an uncanny (uncanny that is for the work of an amateur) sense of mood... and is a notable example of what a creative film mind can achieve when unhampered by the clamant demends of Bax Office."

AN EXAMPLE TO THE PROFESSIONAL

Sir,-I saw the Ten Best films for the first time in Cardiff. It will not be the last. As an old professional projectionist I would like to say that the projection, both picture and sound, was an example to local profes-



'Still' co-operates with 'cine' in publicising film show. This attractive display was arranged by Sound-Film Services' near neighbours, Castle Studies, Ltd., whose main business is still photography. They borrowed the G.B.-B. & H. 602 projector from S.-F. S. and devoted the whole of one window to the display for nearly three weeks prior to the show.

Part of the audienc of nearly 700 which packed the Cory Hall, Cerdiff, for the South Wales Ten Best premiere. Details of the show are given in letter, "Cardiff's Biggest femm. Presentstion," on appeals page.



sional standard cinemas. Focus was superb, the lighting very good indeed. In fact, I was amazed. I had quite expected to see and hear some faults, but I cannot be emphatic enough in my eulogies of the whole evening's performance. Judging by the spontaneous applause, all the films were enjoyed by the very large audience. Congratulations to the producers, A.C.W and the sponsors of the show.

ROATH PARK, CARDIFF. C. F. Judd.

A FILLIP FOR THE CAUSE.

Sir,—May I express on behalf of the members of the Astral Cine Club their sincere appreciation of your help in loaning the Ten Best for their recent exhibition. An audience of over 300 expressed the greatest satisfaction with the evening's show. Although the hall was extremely difficult to prepare, the presentation was acknowledged to be excellent, and the show was undoubtedly a stimulus to the pursuit of the hobby in this district. Applications for membership were made at the close of the performance. LONDON, S.W.16.

S. H. COLLIER.

NO COMPLAINTS

Sir,—I should like to convey the society's thanks for the excellent Ten Best programme you sent us. We all found the films most enjoyable and feel that our audiences were equally enthusiastic. The films were shown to two full houses and we heard no complaints from anyone!

A great deal of the success of the show was due to the kind co-operation of the Kodak Works Photographic Society Cine Group, and we should like to thank them also. Although the show was in Harrow,

we had people from far and wide, one man from Durham and a detachment from the Cheltenham F.S.

Every member of the audience was given a duplicated slip listing the films and asked to arrange them in order of preference. Practically everyone co-operated. The result was: 1st, Paper Boat; 2nd, Nature's Way; 3rd, Post Haste; but voting was very close, even for the films not in the first three places.

We look forward with enthusiasm to seeing the 1950 Ten Best.
POLYGON F.S.,
WEMBLEY.
G. M. McKst.

ENTERTAINING AND INSTRUCTIVE

Sir,—I would like to thank all concerned for the fine presentation of the A.C.W. Ten Best given by the Polygon F.S. at the Kodak Hall, Harrow. As a lone worker about to make my own films I found the films not only entertaining but very encouraging and instructive; and from my experience as a home projectionist I realise the hundred and one little things that go into the preparation and showing of such programmes and appreciate the smoothness with which the performance ran.

As regards the best film, I agree with the judges. I considered Post Haste to be perfectly natural and was struck by the fact that the young star betrayed not the slightest trace of camera-consciousness—a problem that even experienced adults have difficulty in overcoming. The record accompaniment, too, enhanced the atmosphere.

Just one last thing: thanks for such a grand souvenir programme.
PERROTTS BROOK, W. H. SPREADBURY.

NR. CIRENCESTER.



The author (hand in pocket) directs a scene from "The Miracle," one of the twenty-one Ace Movies' productions which have contributed so significantly to the prestige of the amoteur cinema. The society celebrates its 21st birthday this menth.

DIRECTING AMATEUR FILMS

By BEN CARLETON

Some people think that a director's job is concerned solely with the shooting of a film, the drilling of the actors, calling "Action, camera or roll 'em" at the beginning of a shot, and "Cut or save 'em" at the end. But there's a lot more to it than that. Not only does it begin with the preparation of treatment and shooting script, but it virtually consists of this preparation because he must have the film complete in his mind before starting to shoot.

It is really quite essential to have a watertight treatment (e.g., a description in narrative form—but without any technical instructions—of the action and atmosphere). The script is merely a detailed version of it containing camera instructions. And if for some reason you have not been able to prepare the complete script before shooting, you can write just as much as you need for the time being, provided you have the treatment to go on. I hope to say more about this in a later article.

All the technical details should have been worked out before you begin shooting. Will this particular camera angle be possible? Can that scene be lit as you envisage it? You will almost always have to modify your plans in some respects. Alter them if you have to while they are still fluid.

If you know what you want you can give the production crew their heads—as you ought to do. Nothing is more trying and tiring for the actors than to have to hang about while the set is being reconstructed or the technical staff completely rearrange the lighting.

Now let's assume we are ready to take the first shot. The leading players have studied the treatment and know the story and chronological order of the action. The unit stands waiting. Now that the film is virtually completed in my mind, I can't help thinking of the physical side of directing as something of a chore.

Taking the first shot is rather like the first bathe of the year. You know it will be all right when you get in but you hesitate before taking the plunge. The intimidating thing is that the first bathe is usually your own private affair but the first shot involves other people who are probably raring to go.

All the shots to be taken on one

particular setting are, of course, in the script in order of action but several of them will be from the same, or approximately the same, distance and angle. I always try to do all the similar shots one after the other, starting with the long shots which are to be taken from one particular angle. This tends to make things a little more difficult for the actors but it saves an enormous amount of time and effort, because the manhandling of lights, camera, etc., is reduced to a minimum.

The advantage of starting with long shots is that they do not usually call for sustained acting or much detailed action, so that both you and the cast can get into the feel of the film by easy stages, with the result that there is a loosening up of tension for all concerned.

Retakes are very expensive. Each shot must be got right first time. Professionals can afford minimum rehearsals and then make several takes of a scene until the director is satisfied that it is as good as it can be. You have probably heard the story of the director who made seventeen takes, saw the rushes, and ordered "Take One" to be printed.

Rehearsing can be a tricky business. The closer the shot, the more restrained Too much rehearsal can the acting. make for staleness, the actor becoming stiff and uncomfortable (mentally, I mean). The director has to judge the

psychological moment when the player has reached his peak of interpretation. After a difficult piece of rehearsing it is sometimes a good idea to have a short pause before shooting: check lights, focus, aperture—anything to take attention away from the actor for a few moments to give him a chance to relax.

It can also be helpful at times to explain to him in detail the previous and subsequent action in the film. may give him a better idea of what he is trying to portray. But not always. have found on occasions that the more an actor knows about the film, the less malleable he is.

I have a theory that everyone is born with some acting ability. If you have watched young children at play or can remember your own childhood, I'm sure you'll agree. People are good, indifferent or bad actors according to their degree of self-consciousness, vanity, fear of ridicule, ability to "let go" and Obviously, the degree of experience. less inhibited a person is, the better actor he is likely to be.

The good, experienced actor needs only the minimum of direction. I have found that often all that is necessary is to have a run through of the scene to get the "geography" right and then to ask the actor whether he (or she) feels like a take or would prefer to rehearse again. More often than not he prefers

"If you are a director, don't get too high hat about it." The job entails much more than putting actors through their paces. In most clubs the director lends a hand with all kinds of chores-and it is good that he should. Here is the author (centre) helping to point a set.



to be shot straight away and allowed to interpret emotion and timing himself. He is sure of himself and feels he will give a more spontaneous performance

that way.

The real testing of a director comes with the bad or indifferent actor. acting is a very subtle art. Sincerity is The eyes are truly the the keynote. mirror of the soul. The good director must have an inexhaustible supply of patience, tact and genuine kindness. Never, never must he allow the slightest hint of impatience or dissatisfaction to reach the player. Nor must he try too hard to get from the unskilled actor action or emotion he is incapable of giving.

Once an artiste feels he is doing badly. the director might as well give up. In correcting faults I always try to give encouragement. I say, after a rehearsal, "That's fine, but you will be even better if you do such-and-such ". You've got it! If you will just pause at this bit so that it registers with the audience, it will be first class. And I think if you lifted your hand like this, it would be even more effective. try it once again." And I am sincere

about it.

Gently, but implacably, the director leads the actor through the scene, adding a bit here, taking away a bit there, until he is satisfied that the performer is as good as his ability and experience allow

him to be.

One advantage of making a silent film is that the director can talk to the actor while the shot is being taken. often most beneficial to the nervous player. A megaphone is useful-not because one wants to shout but because it allows the director to "beam" his voice to the person concerned and to talk quite confidentially and quietly to him while he is performing, suggesting emotions and how he should convey them.

If an actor is so bad that the director feels he has insufficient time to work properly on him or that to do so would be useless, he can, to a large extent, still make good use of him by modifying and simplifying the action to the barest essentials, conveying the emotions to

the audience by cross-cutting, quick cutting and counter-suggestion.

Good films depend upon good teamwork-not on boosting personalities. The film is the thing. It does not matter overmuch who did this or that but whether the blending of all the talents and personalities has produced a satisfy-

ing whole.

The director is the leader and coordinator-just that. He does not have to be a martinet. In his hands are the leading-reins attached to the multiple talents of the unit and he leads and directs all those talents, including his own, into one channel, at the end of which is the finished film.

So if you are a director, don't get too high hat about it. After all, the film would not have come into being at all without a camera and Tom who got that sparkling photography: no one else but Dick could have designed and had erected those marvellous sets: only Harry, that solid performer could have given quite that piece of acting which fitted so perfectly: Mary, bless her heart, was a bit hammy but your guidance and clever cutting made her performance She will gain appear quite good. confidence on seeing the finished film and will be better next time.

You have got to be a planner. don't care two hoots for planning and efficiency for their own sakes. I merely think that the planned and efficient way is, in the long run, the easiest way-and I am fundamentally a very lazy person.

The Inside Story


The work of the director is the subject of one of a series of one-reelers, produced by eight of the major companies, designed to stimulate film-going by companies, designed to stimulate film-going by interesting audiences in behind-the-scenes aspects of professional films. The first, "Let's Go to the Pictures", traces the development of film showman-ship from the Nickeledeon to the Odeon, and the following three, "This Theatre and You" (the work of the exhibitor), "Pictures Are Adventure" (the family see themselves in the leading roles in well-known films) and "History Brought to Life" (cultural value of spectacular re-creations of historical events) are for the most sett topical for measures stuff. value of spectacular re-creations of historical events) are for the most part typical fan magazine stuff, but those illustrating technique have considerable interest for the amateur. Among them are "The Art Director". "The Sound Man" (a very good, cless account of how sound is recorded), "The Costume Designer", "The Cinematographer" (very helpful glimpses of the work of the director of photography), "The Screen Actor" (not, unfortunately, about acting but about the private lives of the stars), "The Screen Writer" and "Moments in Music". These films will be shown at monthly intervals by the large circuits the large circuits

The films to be seen at your cinema this month suggest ideas for

FUN AND GAMES

with expanding screens and other novel devices

By LESLIE WOOD



Three current films prompt this thought. All are good, well acted, skilfully produced and smoothly directed. There is no trouble with them at all—except that, in common with most motion pictures these days, they are not particularly cinematic. The Heiress, from the stage play, never frees itself from the footlights, while The Jackpot, from an article in the "New Yorker", and Convicted, a prison melodrama, could be done equally as effectively on a

Where has the old spirit of cinematic experimentation gone? There used to be one. The original Dr. Mabuse was so long they used to play the first half on Monday, Tuesday and Wednesday and the second half during the latter part of the week. Wardour Street would throw up its hands in horror if anyone suggested anything so revolutionary today.

Also, they used to play that film in in darkness, with a full length overture before the first title appeared. Of recent years the only film that has had an overture, and that a brief one, was Duel in the Sun, but I doubt if many people noticed that it was anything more than non-sync. interlude music.

Amateurs, I feel, never make the most of their chances. They could have no end of fun with presentation alone. It



Simple comedy in a film bullt round on extravagant situation a score from "The Jackpot," starring James Stewart

is worthwhile. Pioneers do sometimes succeed in advancing their craft.

Take screen texture, for example. Surely matt white, silver and glass beaded are not the end of the matter? The screen need not be the same for every picture. No still photographer confines himself to two grades of paper, matt and glossy. Why not a coarse textured oatmeal canvas screen for rough, tough Westerns, or a lavender tinted satin screen for romances of long ago?

The Heiress might look even nicer on the latter, for it is the story of a sensitive, unhappy girl set in the drawing rooms of Washington in 1850. Olivia de Havilland, never afraid to look her role, makes the heroine a plain, inarticulate creature. She has only one attribute—money. Montgomery Clift says he is in love with her. Her father, Ralph Richardson, insists Clift is only in love with her money.

The outcome is good theatre, even if it is not quite superlative cinema. How effective it might have been had the drawing rooms occupied the normal screen area and the Washington Square exteriors been accorded a screen size half as big again! The Stoll Picture Theatre in Kingsway used to put a supplementary lens unobtrusively over the projector for certain scenes and

quietly draw away the black borders by machinery until the screen expanded to fill the entire proscenium arch of the great ex-opera house.

This effect was notable in flying pictures. Huge planes roared and zoomed in combat right across the stage or came head-on to the audience as

large as life.

Something of the kind might help make The Jackpot even funnier than it is, and it is very funny indeed. James Stewart and his screen wife, Barbara Hale, are radio contest fans. A sponsored programme rings telephone numbers at random and asks quiz questions. The winner gets a store-full of prizes. Stewart spends hours by the phone waiting for such a call.

At last it comes, and he wins. He wins everything under the sun, including pony, a grand piano, hundreds of wrist watches, three years' supply of frozen loods, the services of an interior decorator, and his portrait done in oils. The things go on piling up. There is a caravan, hundreds of shrubs, endless crates of beer and a swimming pool tacked on his front lawn.

Walter Lang quietly points the moral that you can have too much of a good thing. Stewart is haunted by tax demands and becomes a spiv in the department store where he is employed. He has to sell his own surfeit of prizes instead of his employer's goods. There are amorous complications from portrait painter Patricia Medina. An expanding creen would make the scenes of the



"Convicted," in which this shot appears, is exciting stuff in the usual Big House tradition.

neighbourhood jammed with largesse even more striking than they are.

The same applies to Convicted, the gripping story of a prisoner (Glenn Ford) who proves that he is an honourable man, neither allowing himself to degenerate to his fellow prisoners' level nor betraying their trust in him, even when Prison Governor Broderick Crawford knows that he is aware of the identity of the murderer of a stool pigeon and offers him a parole if only he will talk.

The prison yard scenes, with their hooting mobs, the attempted prison breaks, the vast steamy laundry in which Glenn Ford works, all would be more impressive on an expanding screen. As it is, it is exciting stuff in the usual Big


House tradition.

Rene Clair once divided a scene into three vertical strips in Les Deux Timides, thus showing the activities of three diverse characters simultaneously. I wonder if anyone has ever experimented with the idea of showing two different but related scenes side by side on a double-width screen? Two projectors would be necessary, of course.

Let us take a Western. On the right we have the interior of a log cabin, on the left the wide flung hills and the bad men who are riding down on the all unsuspecting inmates. Griffith invented parallel inter-cutting to show the two. That was revolutionary to audiences who had hitherto only known the stage and its 'one scene at a time' technique. If, in the very early days, cinemas had boasted more than one projector, I wonder if Griffith might not have developed the double or even treble screen idea?

Think what it would mean in a film like Morning Departure if one screen opened up above the usual one. In the submarine on the sea-bed on the lower screen we should see the trapped crew fighting to keep fear at bay, hoping against hope that rescue will come, while, above them, we should see the surface of the sea and the rescue craft reluctantly abandoning operations.

Experiments with screens have been few. There used to be a cinema in Dulwich which showed its pictures on a saucer-shaped screen. It was claimed



The camera is about to grind on Ralph Richardson playing a scane for "The Heiress."

that it made the picture stereoscopic. It certainly increased distortion for those sitting at the sides!

At the Capitol in the Haymarket, now The Gaumont, the picture used to be projected on a plaster cyclorama. There were no black borders; the picture simply created its own margins. The idea was useful for colour lighting, particularly in fire scenes when the central black and white picture was tinged with the dull red glow which crept round the cyclorama.

À news reel theatre in a London terminus used a mirror instead of a screen. Projectors were housed above it and threw the picture on to a screen on what would normally be the back wall of the circle. By projecting thus and tilting screen and mirror so that they coincided, the apparent throw was doubled and people in the front had the illusion that they were looking at a screen set far back.

It seems to me that the amateur might experiment with a similar idea. His screen might be a normal one set in the middle of a big mirror. Around his projector would be large drawings or three dimensional models or cut-outs bearing on scenes in the film. By illuminating these faintly via a 'dimmer switch, they would be reflected in the mirror round the screen. Between times, the setting could be replaced, without the audience being aware of the change until the light was brought up, when an entirely new "atmospheric" border would appear round the screen.

Most amateurs tend to regard the commercial cinema's technique as perfection, whereas many people in the business would like to be innovators. They seldom get the chance because of the demand to standardise the product so that it occasions the exhibitor no trouble.

The old race of showman is extinct. Today's cinema manager is a head clerk surrounded by insurance cards and ice cream sales returns. The amateur, in his home or film society's premises, if they are fortunate enough to possess them, is as free as the air to experiment. Even an experiment which does not come off is fun and games while it is being tried out.

ODD SHOTS

SELECTED AND PRESENTED BY GEORGE H. SEWELL, F.R.P.S.

Hot Under the Colour. Mr. A. D. Whitling, of Sydney, New South Wales, protests against my use of the word 'tinting' to convey the idea of over-all colouring of the film base, and thinks that 'staining' would be a better word. He agrees that 'toning' is not applicable.

The dictionary definition of a tint is a 'variety of a colour made by mixing it with white', i.e., what we would call a diluted or 'weak' colour. Film base which was weakly coloured in this way was known as 'tinted base', and gave a 'tinted background' to pictures. Hence the perpetuation of the term in describing methods of dyeing to obtain the same effect. 'Staining' is less accurate inasmuch as it includes the application of colour in full saturation or brilliance. The use of 'tinting' in connection with the touching up of photographic prints also arises because tints rather than full colours are used.

Incidentally, Mr. Whitling says he has had considerable success with Soloid Photographic Stains which he obtained in tablet form and used with the addition of a few drops of acetic acid, without which it was most difficult to obtain even results.

Mr. Whitling is an old hand. He started photography 60 years ago, when he used to sensitise his own albumen, platinum and carbon papers and make his own dry plates. He started doing colour photography on Lumiere and Dufay Colour plates in 1908, and eleven years ago switched almost entirely to 16mm. colour movies.

He still has many precious specimens of the Lumiere process and considers that, at its best, the colour rendering was superior to that of the Kodachrome of today. I am sure you join with me in sending hearty greetings to this grand young man of photography and cinematography.

Image Speed. Why do close-ups give a sense of urgency? There are psychological reasons, of course, but also a prosaic mechanical one. Consider an object 20 ft. away moving at such a speed that its image would cross the screen in 10 seconds. If the camera goes up to 10 ft.

it can observe and record only half the movement, taking 5 seconds. At 5 ft. the field of movement is again halved and the image crosses the screen in 2½ seconds.



Christopher watches with interest the unlikely characters—sexton, tourist, the Biddenham Maids, house-keeper, colonel and artist—who people his dream, while Director John Wern-ham lines up the Paillard—A scene in the making from the Maidstone F.S. film, "By Christopher!"

In other words the close-up image will be moving twice as fast as that of the medium shot and four times as fast as that of the medium long shot. The effect can be greatly strengthened by deliberate slowing of the camera when taking successively closer shots of the same subject. Conversely, if you want to convey a quiet, peaceful effect it may be desirable to speed the camera a little when taking the close-ups or, if you have human subjects, to ask them to move more slowly than normal.

Portable Proscenium. I read an excellent article the other day by the publicity manager of a large leather manufacturer who has a series of films he is showing to members of the industry throughout the country. The part which intrigued me most was his description of a portable proscenium. This consists of four main sections which can be assembled rapidly and easily to give a rigid support for the screen at a height which has been worked out as suitable for a seated audience: an adequate surround for the screen with the portion down to the floor filled in by a curtain; ornamental proscenium curtains with his firm's monogram on them, operated by a small electric motor; a limited range of effects lights with selectors hidden behind the screen surround; and a support for the loud-speaker high up above the screen.

All this can be erected and set up in any room of normal height, a lead taken to a wall supply socket and from this point a control lead taken to the projection position, where there is a small control board. Of course, this man had the resources of a wealthy firm behind him when he designed this equipment and had it constructed, but it should not be beyond the capacity of the skilled enthusiast to attain a similar result without undue expenditure.

Bad Standards. As a maker of documentaries I sometimes shudder at their ultimate fate. The other evening I was giving a lecture to a scientific society and borrowed a 16mm. version of a 35mm. black and white film I recently made. My cameraman had done a first-class job, but in the 16mm.

version the luscious tonal ranges of the original had, due to bad workmanship in the labs, become reduced to about four tones: dead black, nearly black, a grainy muddy grey and staring white.

My feelings were yet more lacerated when I went recently to a film show at County Hall, where a series of documentaries was shown on a modern projector of well-known make. Since I was a visitor, I could not interfere, even to be helpful, and consequently I spent an hour or more of supreme wretchedness. For, believe it or not, the projectionist had 'lined up' the picture so that about one eighth of it was leaking off the Apparently to bottom of the screen. counterbalance this, a frame line showed, throughout the whole programme, about one eighth down from the top of the projected image.

Finally, due to some defect either of threading or of the machine itself, a sort of frequency build-up occurred in cycles of about four or five seconds duration, so that regularly at that interval the details of the picture became doubled laterally and many of them rendered

unintelligible.

It seemed incredible to me that a body of presumably intelligent and sensitive people should (a) put on a show without having lined up the machine properly and familiarised themselves with the controls; (b) be content to allow the wrong aiming and wrong framing faults to persist throughout the programme; (c) have been unaware before starting the show that the projector suffered from a serious fault.

You must have attended presentations which, as a home cine enthusiast, have caused you acute discomfort—but have you yourself been guilty? It's easy to slip into bad ways, but no less easy to get

into the right ones.

Reflections. Have you thought of the interesting effects you can obtain by photographing through reflecting surfaces? Stainless steel glazing sheets that can be bent to different curvatures are a good medium. So are convex and concave reflectors. And a flat mirror misted up during the shot by means of a steaming kettle can yield attractive results.

PAGES FROM A MOVIE-MAKER'S DIARY

By DENYS DAVIS

October 1st. One of our production units has had to cancel some interior filming they had planned, and rather than waste the hiring fee for the hall they had booked, a group of our members banded together to see what could be done. The hall had been booked for a Saturday, so we decided to put on a children's film show and to run it continuously throughout the afternoon and evening.

October 4th. Six of us—more would make an unwieldy group—are to see the project through, so tonight I have just spent another enjoyable evening with Diana going through the whole show, step by step, and noting down everything to the last detail. Last job was to split everything up between the six of us and to make a written list for each person.

Quite a bit of the preparation will concern the sandwich-board man that we plan to employ-a most valuable aid to publicity costing less than £1 for a full day, including tips. We shall require four double crown posters for him, the work on which we break down as One member is to draw the two cats' heads and the freehand sign writing, another will do all the stencilling with his Econasign outfit, a third will prepare the layouts in conjunction with the member who is to lend the films and make up the programme for us and, finally, a fourth will deliver the posters Since these to the advertising firm. posters will not be printed and so will not be waterproof, we can but keep our fingers crossed for fine weather!

October 8th. Letter writing night for the member handling advance publicity. Three local papers have to be contacted. This means three individual letters, each stressing that the attached copy is exclusive and has not been sent to the other two. So three separate "stories" have to be written, each from the angle of the paper concerned. One is put into the first person for a colof local umn activities, one stresses that our own road safety film is to be screened (for that paper had previously published a very full review of it) and to the third, and rather



"A most valuable aid to publicity, costing less than £1 for a full day."

more stodgy paper a "cultural" item is to be sent. All three contributions were kept short and newsy, and the request made that they be published in specific editions. (In fact, all three editors used the "copy" in full and published it exactly as requested.)

Next, the two local libraries were sent a letter about the forthcoming show, together with a neatly typed notice giving all essential details. In each case, our notice was publicly displayed a full

week ahead of the show.

Lastly, a list of addresses was compiled from local reference books, and a letter sent to each person. Once again, a notice was enclosed for each contact to use as they thought fit. The member responsible wrote to all the local nursery schools, several nearby junior schools, to the Boy Scouts, Guides and Brownies, two bible classes, the Citizens' Advice Bureau and the Borough Education Officer—twenty-four local contacts in all.

Our cash outlay for the show was therefore well under thirty shillings, not including the hire of the hall which had

already been paid.

October 15th. Two friends have for long been toying with the idea of making a portable proscenium. Today show provides a spur for them. I looked them up to see how things were shaping. To avoid having to put up with all the dusty cables that usually have to be laid out and then rolled up for each of our meetings, they have arranged to run a six-way cable from one end of the hall to the other. socket for the speaker is fitted into the proscenium. The curtain motor, which operates the nylon fishing line draw strings, also drives the dimmer for the curtain lights. A simple roll-up screen will hang below the pelmet board, to be stored away together with the rest of the fit-up when not required.

Curtains, trimmed with lampshade fringe, are of navy blue lock-knit material, light enough in weight to move easily yet dark enough not to reflect the projector beam during the screening. The pelmet, of the same material, unclips with press-studs for easy storage, so that the whole outfit will not take up

much room when not in use.

October 20th. Written reminders posted to our helpers. Little details, such as tea for our members, torches for the usherettes, a pair of geared rewinds and a splicer to make emergency repairs must all be remembered. We plan to splice all films together on to two 1,600 ft. spools without any leaders between titles. Show to run for one hour with just the briefest of intervals between reels.

October 28th. Day of the show and indifferent weather. Not bad enough to keep people away yet poor enough to make people think of going inside for their amusement. Check up on the sandwich-board man and finally get him off to a flying start an hour and a half Spend the morning at the hall with Charles clearing up and getting We always take the everything ready. trouble to clear anything not essential out of the way. Today it means manhandling a piano and a cello, shifting tables of all shapes and sizes but, by

eleven o'clock, we have everything shipshape, all the chairs out in neat rows with ample gangways on either side, a folding partition unbolted to act as an emergency exit and the new curtains

and lighting in place.

What a difference the proscenium makes! If you are running a club in temporary premises, let me strongly urge you make a similar set-up. If you scout around for war surplus materials and so on, the whole outfit will not cost more than £4 or so, but the difference in atmosphere is worth a great deal more.

One usherette, down with flu, cannot turn up but, like a good trouper, sends along another member to pinch hit for her. By half an hour before the advertised time we have standing room only! Looks as if the show will be a success despite gloomy prognostications when we told each other that we wouldn't be disappointed if no children turned up. But the Press, the local libraries and the schools did their stuff and we were kept busy all afternoon.

An officer sent along two Army cadets, with a letter of introduction, to help us out. They arrived first, helped out as ushers right through the show, and did not leave until after we had cleared away. All the children were extremely well behaved—we had been a little nervous about this—and we now feel rather pleased that we presented the very first film show that many of our visitors had seen (the youngest were admitted with their parents).

In local publicity we had received a good measure of the right kind. We had a lot of fun and, more than that, we now have practical knowledge of organising a non-stop film show—quite a different proposition to putting on a

single performance.

If your club has half-a-dozen members with the time to spare you might do worse than try the same kind of thing. That's why I've described this little show in some detail. I hope that you will find the information of use now that the Christmas season is upon us. It's the best time of the year for children's shows. A critical adult audience can be stimulating but there's nothing like a child audience for sheer zest,

Don't Leave It Too Late

to secure your tickets for the Ten Best Shows




PLEASE OUEUE


The photograph shows the placard, designed to make the heart of the late-comer sink, prepared for the London premiers of the "Amsteur Cine World" Ten Best films of 1949. Prompt application for tickets—even for shows chechelded for some time ahead—will prevent disappointment on the might. Accommodation is limited, and the only very to make quite sure of a real is to book it. Application thould be made not to A.C.W. but to the addresses below. And please remember to enclose a stamped addressed envelope.

And please remember to emclose a stamped addressed envelope.

Enquiries are still being received from clubs and other organisations who sould like to present the films in their locality. Sorry, but the three sets of films have long since been booked up. There are no vacant dates. A number of clubs who applied too late have pointed out that their requests could easily be satisfied were we to send out the films only a day or two in advance of play date instead of a week. That's true, of course, but apart from the desirability of there being plenty of time for reheavail, preparation of musical accompaniment, etc., the exhibitor's peace of mind is a very important factor! If he has been on tenterhooks waiting for the films to turn up (and with so narrow a time margin there might be delays) it's not going to be easy for him to mount a smooth-running show.

	Date of Show	Theatre	Time	Presented by	Tickets
BORTHING	Sat., Nov. 18th	Court Room, Town Hall, Chapel Road, Warthing		Sussex Film Society	Tickets (1s. 6d.) from J. P. Howard, 126 Eastern Avenue Shoreham-by-Sea, Sussex.
FORD	Thurs., Nov. 23rd	Secondary Modern School Hall, Bunting- ford	7.15 p.m.	Buntingford Film Society	Tickets (1s. 6d.) from A. Guest 18 Greenways, Buntingford Herts.
MISTOL	Tues., Nov. 28th	Grand Hotel, Broad Street, Bristol	7.30 p.m.	Bristol Amateur Cinematographer	Tickets (2s.) from E. J. Worsell "Ebanan", 2 Maytree Close Headley Park, Bristol 3.
BRIDGE BRIDGE	Sat., Dec. 2nd	The Little Theatre, Holme Street, Hebden Bridge	7.0 p.m.	Hebden Bridge Literary and Scientific Society (Cine Section)	Admission free. No tickets, in collection will be taken during the evening.
EW BRIGHTON	Tues., Wed., Thurs., Dec. 5, 6, 7th	Ennerdale Church Hall, New Brighton	7.30 p.m.	Wallasey Ama- teur Cine Club	Tickets (1s. 6d.) from V. Bolton, 2 Malpas Roud, Wallasey.
LASOOW	Thurs., Fri., Dec. 14, 15th	Berheley Hall, St. Andrews Halls, Glas- gow, C.3.	7.30 p.m.	Glasgow Cine Club	Tickets (1s. 6d.) from J. M. Roy, 4 Claremont Gardens, Milngavie
DR104	Fri., Sat., Dec. 15, 16th	Comeay Hall, High Street, Walthamstone	Fri. 8.0 p.m. Sat. 7.30 p.m.	Circle Nine Five Cine Club	Tichets (1s. 6d.) from T. E. Terrell, 33 Pembroke Road, Walthamstow.
CAMBRIDGE	Mon., Tues., Dec. 18, 19th	Cambridge Technical College	7.45 p.m.	University Cam- eras	Tichets (bd.) from University Cameras, 1 St. Mary's Passage Cambridge.
LEIGH-ON- SEA	Tues., Wed., Jan. 2, 3rd	Private Theatre, 149a Leigh Road, Leigh- an-Sea	7.45 p.m.	Leigh Amateur Cine Club	Tichets (1s.) from A. J. Cooper, 149a Leigh Road, Leigh-on-Sea, Essex.
Dex	Mon., Jan. 8th	Joseph Rowntree Theatre, Haxby Rd., York	7.30 p.m.	John Saville & Sons	Tichets (2s.) from John Saville & Sons, 4 Goodramgate, York. (Proceeds in aid of York Boys' Club.)
DURY	Tues., Wed., Thurs., Jan. 9, 10, 11th	Camp Theatre, Led- bury	8.00 p.m.		Tickets (1s. and 2s.) after Dec. 18th, from R. Parker, 19 High Street, Ledbury.
MARSFIELD	Tues., Fri., Jan. 23, 26th	Museum Lecture Hall, Mansfield	7.00 p.m.	Mansfield and District Cine Society	Admission free. A collection will be taken during the evening.
MIGAN	Wed., Thurs., Jun. 24, 25th	St. John's Hall, Dic- conson Street East, Wigan	7.30 p.m.	Wigan Cine Club	Tickets (2s.) from H. A. W. Bell, 1 Gathurst Lane, Gut- hurst, near Wigan, Lanes.
DOTHFORT	Thurs., Fri., Sat., Jan. 25, 26, 27th	St. James Memorial Hall, Birkdale	7.45 p.m.	St. James' Film Unit	Tickets (1s. 6d.) from A. Ball, 15 Hoghton Street, Southport.
EMBÉR- LAND	Thurs., Fri., Sat., Feb. 8, 9, 10th	Y.M.C.A. "Little Theatre," Farocett Street, Sunderland	7.30 p.m.		Tichets (1s. 6d.) from Saxon's (S'land) Ltd., Holmside, Sunderland.





Quick threading is a characteristic Ambro feature retained in the new Stylist projector. The photograph (left) shows the film path. As an other Ambro models, the gate opens forward. The pressure plate can be removed for cleaning (right)—a good point as it is in the amulsian side of sound film.

We Test the New Apparatus

AMPRO STYLIST PROJECTOR

This reasonably priced 16mm. "single-case" sound machine gives an extremely good performance. It weighs only 32 lb. Minus the lid (which contains the speaker and cable) the weight is only 23 lb. Amplifier motor and lamp work on 115 volts AC or DC. A very nest step-down transformer for use on 200 to 250 volt mains, with hollow end compartment to take the cable, is provided.

The lamphouse and mechanism are similar to those of the Ampro Premier, but the amplifier casing has been completely redesigned. With 5 of the modern miniature type valves plus metal rectifier, the amplifier is surprisingly small, considering its fine performance. One 8D5 pre-amplifier, one 12A7 voltage amplifier and phase splitter, and two 50C5 output valves in push-pull, are used, giving 3½ watts output. This may not sound much but tests show it to be ample for a large room or small hall. There is plenty of gain (amplification) enabling full use to be made of the output available.

Sound quality is exceptionally good. Pleasing reproduction of an orchestral filma stringent test—was given with the tone control at about the mid-setting, indicating nice matching of the amplifier to the quality of sound-on-film. 40 ft. of thin coaxial p.v.c. covered speaker cable is wound for storage on a 400 ft. 16mm. reel.

The sound head follows the usual Amproprinciple of a flywheel on an outrigger bearing with a miniature photo-cell located in the hollow of the scanning drum, so that the light falls on it directly. Several improvements have been made: the bearing has been lengthened for even smoother running, and the flywheel is now dish-shaped so that it does not protrude unduly despite the longer bearing.

The sound optic, of the now usual crossed cylindrical lens type, has been redesigned and now gives a narrower slit—about 0.0005 ins. This is partly responsible for the good high frequency reproduction. The exciter lamp is a 4 volt 0.75 amp type with special pre-focus ring base. The lamp is fed with high frequency current from a 50C5 oscillator valve in the amplifier. This procedure, standard on many projectors, avoids mains hum from the exciter lamp. A

jack socket on the amplifier allows a gramophone pick-up or microphone to be used.

Although the mechanism of the projector has the usual Ampro triple claw, which will run film even if two successive perforations are damaged, the intermittent movement has been completely redesigned. On other Ampros, the claw travels up and down three times per frame cycle, twice withdrawn and once for the pull-down. The Stylist, however, reverts to a non-skip movement, in which the claw just goes in, pulls down, comes out, returns to the top and so on. The pull-down ratio is stated to be about 81 to 1, i.e., the pull down occupies between one eighth and one ninth of the cycle. The shutter, located immediately behind the gate, is of the barrel type, and gives three obscurations per frame.

In addition to giving greatly increased life to the drive parts, the slightly slower pull-down has the advantage of being unusually quiet. This new machine is, without a doubt, one of the quietest 16mm. projectors available. It is no exaggeration to say that it is quieter, even though it has no blimp, than many projectors in a blimp case. Helical gears of laminated construction containing graphite lubricant—an Ampro

feature-are incorporated.

The mechanism is driven by a small flat rubber belt (easily replaced) up from the motor to the vertical cam-shaft. The motor is a 110-115 volt AC/DC type, with electrical covernor control at sound speed. An anusual but pleasing feature is that a theostat is provided to give smooth control of speeds below 24 f.p.s., and the projector will run as slowly as 10 or 12 f.p.s. if required.

Framing of the picture is adjusted by moving the rear aperture plate up or down, from a screw on top of the machine. This is non-optical framing—the outline of the picture moves when the rack is altered.

As on other Ampro models, the gate on the Stylist opens forwards but in this case the entire front pressure plate can be slipped out for cleaning and inspection—a good point as it is on the emulsion side of sound film and should be properly inspected. The gate aperture itself is in the rear half of the gate, but as the lens carrier opens about \(\frac{1}{2}\) in there is plenty of room for cleaning. Gate and sprockets, etc., are properly relieved so that they do not touch the picture or sound track areas of the film. Side pressure springs at the gate prevent side float.

The normal lamp for the machine is a standard 110 volt 750 watt pre-focus type, but a 1,000 watt lamp can be used. Cooling is provided by a good blast of air which comes up past the amplifier, to the lamp and out through the top of the lamphouse. Vertical fins on the lamphouse ensure radiation of any heat that comes through though three layers of baffles round the lamp direct most of it out through the top


grille.

The concave reflector behind the lamp, and the double condenser in front, are mounted on the side of the lamphouse—removable for easy cleaning. The condensers have been redesigned and are bloomed for extra light transmission. The projection lens is a standard f/1.6 bloomed type, one of 2 in. focus normally being supplied.

Light output is stated by the manufacturers to be 160 lumens, the intensity measured with a light meter during our tests was found by calculation to be approximately 20 foot candles

on a 3 ft. wide screen.

One panel contains all the controls. The motor/lamp switch is a rotary type with three positions, off, motor on, and motor and lamp on. The machine can be tilted by a single screw on the front; this has a quite light feel about it and gives smooth adjustment. Spools up to 2,000 ft. can be accommodated, and films can be rewound on the machine without the belts having to be changed. No reverse is provided. In



The Stylist projector less lid, which contains speaker and cable, weighs only 23 lb.

our opinion it is not called for on a sound

projector.

Features making for lightness include special section ribbed spool arms, bakelite pulleys and lightweight magnesium alloys for certain parts such as the lens holder. The appearance of the machine is up to the usual stylish Ampro standard. The die castings have a copper-brown Dimenso hammer finish, and other parts are plated. Altogether this is a very good machine, for anyone interested in serving smaller audiences than the earlier projectors were intended for.

Price: £157 10s. Transformer £10 10s. (Submitted by Simplex-Ampro Ltd., 167-169 Wordour Street, Landon, W.1.)

JUBILAR 16-B. 16mm. PROJECTOR

This new Czechoslovakian machine gives the impression of being an "engineer's projector". It follows the well-proven 'classical' layout, similar to that of 35mm. machines. We definitely approve this layout and we like the straightforward manner in which the design has been executed. It makes the machine particularly adaptable, provided you are an engineer and don't mind adding bits.

Having said that, we have to express surprise that a machine apparently intended for home use has to be so hefty. The results on the screen do not seem any different from those given by similarly priced machines which are smaller and lighter. However, the Jubilar will certainly appeal to some enthusiasts for its ruggedness.

It is built in two parts: the mechanism, and the base which contains the transformer. The transformer has tappings only for 110, 120 and 220 volt mains (A.C. only, of course). It would be desirable to have more tappings in the 200-250 volt range, to match the mains voltage and so ensure that the lamp receives the rated voltage.

There are outputs of 110 volts for the motor, and a choice between 110 and 50 volts for the 250 watt lamp. We tested the machine with a 50 volt 250 watt central

filament (not offset) type lamp.

The light output, using the machine set at the 220 volt tapping on 230 volt mains, was 4½ foot candles on a 3 ft. wide screen. Although definitely a good performance, it is not quite as much light as we believe could be obtained from a 250 watt lamp on a 16mm. machine. The reflector seemed in rather poor adjustment, but we were unable to better the factory setting. The lamp can be adjusted from the outside of the lamphouse.

To demonstrate the adaptability of the Jubilar, we fitted a 110 volt 750 watt lamp,



The Jubilar body is mounted on the base by a sleeve fitting around the motor. This permiss sideways as well as up-and-down adjustment.

fed from an external transformer (our own) and threw an 8 ft. wide picture with an intensity of approximately 1½ foot candles—dim but just acceptable with a beaded screen. The cooling was scarcely enough for continuous running with the 750 watt lamp, and 500 watts would probably be a practical maximum.

The projection lens is an f/1.5 Meopta Polar of 50mm. focus. This is quite a big lens—in a barrel about 1 in. diameter, and larger at the front—which seems more than large enough to accommodate the filament image from the 250 watt lamp. Indeed, the optics would seem to be matched to a higher wattage lamp than that supplied. The lens has a helical quick-thread; and

an arm for easy focusing.

To open the gate, the front half of which is carried on the lens mount, a knob below the lens is turned, and this operates an eccentric pin which moves the lens and front half of the gate forwards. By pulling out this knob, the entire lens mount and gate plate can be slid forwards and taken off. Both halves of the gate can readily be cleaned, and the aperture itself in the rear half is completely accessible. No side pressure is provided, but there was negligible

sideways float on the projected picture. The gate tension seemed just about right for projection at silent speed.

The sprockets are unusually large (14 teeth) and have fixed rollers for retaining the They hold the film very efficiently, but make it rather difficult to unthread it should this prove necessary.

The sprockets and claw movement have teeth on only one side and therefore will run single perforation (i.e. sound) film. gate is not relieved over the sound track area though, as all authorities consider it should be, to prevent damage to the track.

The intermittent movement seems to have a quick pull-down, to give good lighting efficiency. A normal three-bladed shutter is fitted, and the claw has two teeth in The intermittent movement incorporates true optical framing-a good point-and is adjusted by a small knob on top of the mechanism. As the rack is adjusted, the claw itself moves relative to the gate, so that the outline of the picture remains still on the screen.

Pressing the button behind the mechanism where the spool arms pivot on the casting enables them to be folded for storage. With a machine as sturdily built as this, we should like to have seen provision for running larger

reels than 400 ft. The spring belt to the take-up runs crossed to make the reel turn the usual way. There is no reverse action. The sprung carrying handle is pulled up against the spring pressure when the machine has to be lifted.

The mechanism on the base is mounted through a two-way tilting adjustment. Sideways and up and down tilting is provided. This refinement is achieved by the base casting gripping the mechanism by

the circular motor body.

The fan on the motor shaft blows air straight up into the lamphouse. The mechanism is driven via a small V-belt. The front end of the motor has nearly 1 in. of shaft sticking out. Its purpose is unspecified, but presumably it is for a centrifugal governor. A very nice moulded rubber cable is provided, with a continental-type plug. This is flexible enough to fit 5 amp sockets, although no earthing is then provided.

The Jubilar 16-B is a soundly designed machine, well engineered, and although it has not what might be termed an "instrument" finish, it gives a satisfactory

performance.

Price: £48.

(Submitted by W. F. Dormer Ltd., 14 Edgeworth Avenue, Landon, N.W.4.)

SPECTO DUAL PROJECTOR

For many years it has been possible to have a 9.5mm, or 16mm. Specto converted to dual gauge. Now the manufacturers of these machines have themselves produced a dual gauge projector, and they will also convert

existing machines.

Externally, the Dual is very like the single gauge models, except for the claw withdrawal lever located just below the lens carrier. An important feature is that the gate assembly cannot be swung outwards until the lever has been pushed down out of the way, and hence the claws withdrawn. This avoids one of the snags found on many conversions to dual gauge—the possibility of swinging out the gate without withdrawing the claws, and so smashing off the tips. It also avoids the business of holding back the claws with screwdriver, necessary on certain conversions.

Conversion of the Specto Dual from one gauge to the other requires no tools, and took us only about 50 seconds. sprocket slips on until a ball catch engages a groove in the shaft and the driving pin engages the slot in the sprocket. spindles of the reel arms are held on with knurled screws, and the pulleys are on nonremovable centres into which the reel spindles are fitted-a good point.



To change from 16mm. to 9.5mm, with the Dual, the alteration required to the gate is to slip in the 9.5 pressure plate.

An extra rear pressure plate for 9.5mm. is slipped into the gate (see photograph). It is attached by studs held in keyhole shape slots, and it is a matter of a moment to open the gate and attach or remove it. The 9.5mm. pressure plate must, of course, be removed when 16mm. film is being projected.

The 16mm. sprockets have teeth on one side only (the "outside" or operating side) and the intermittent movement has two claws in tandem, also on the "outside"—unlike the Standard 16mm. model. The Dual can therefore be used for the silent projection of sound prints, without any modification being required, since the gate and sprockets are relieved over the track area.

Our only criticism of the particular Specto Dual projector we tested concerns the running of 16mm. film. Since reels of 16mm. film are wound emulsion out, the film comes off the front of the reel, and with a full reel this gives very little wrap of the film around the top sprocket. A similar state of affairs occurs on the lower spool

when that becomes full.

This small amount of wrap of film around the sprockets on the standard 16mm. Specto has very little effect on performance, but on our test model of the Dual we found a slight tendency for the film to ride over the teeth of the sprocket, particularly on joins. This was attributable to the fact that there is only the one row of sprocket teeth, and that the retainer rollers are not quite so closely shaped around the sprocket as on the 16mm. single gauge model. We have raised this point with the manufacturers who had themselves noted the trouble and already modified the design of the rider rollers to retain the film more efficiently.

Our model had a 50 volt 250 watt lamp the so-called Educational projector, which incidentally seems to us excellent for use in a large room at home, or a small hall. The Dual is also available with the standard 30 volt 100 watt lamp at a rather lower price.

The light output of Specto machines is exceptionally good. We obtained an illumination of 8 to 9 foot candles on a 3 ft.

KAM-LOK TRIPOD ATTACHMENT

The use of this simple accessory overcomes once and for all the often exasperating screwing required when attaching camera to tripod. Consisting of two interlocking metal components it measures $1\frac{2}{16}$ in. in diameter by $\frac{2}{16}$ in. thick. The top half has a $\frac{1}{2}$ in. Whitworth thread protruding from a circular plate beneath which is a wedge-shaped dovetail slide which fits into a similarly designed socket in the base which is threaded to take the tripod screw. The two are locked together by a spring loaded plunger and



The Specto Dual can be recognised by the claw withdrawel lever situated just below the lans mounting.

wide screen, using the 16mm. gate. We know from previous tests that the standard 100 watt model gives an illumination of 4 foot candles under the same conditions. The projection lens fitted was a T.T.H. f/2 of 2 in. focus, bloomed; this gave unusually sharp and "crisp" pictures. Altogether the Specto Dual is a very nice machine which can be recommended. Price: Specto Dual projector, Standard 100 watt model, £43 10s. Educational 250 watt model, £56. 800/900 ft. arms, if ordered with machine, £2 5s. extra.

An existing single gauge 9.5mm. or 16mm. Specto can be converted for £9 15s.

(Submitted by Specto Ltd., Vale Road, Windsor)

freed by a light pull on the attached chain.

If one half of the device is attached permanently to the camera and the other to the pan and tilt head, or tripod, the two can be assembled in an instant. By fitting one top half to a frame focusing device and another to the camera socket they can be interchanged for close-up work and there is no risk of parallax error.

The Kam-Lok, very well made, is finished in satin chrome. It can be recommended.

Price: 17s. 11d.
Submitted by Johnsons of Hendon Ltd., Hendon Way, London, N.W.4.

Don't Talk Too Much!

Emmett's jokes are by no means killingly funny in cold print, and let this be a solemn warning. You need the right voice and a sense of comedy timing to be able to put this sort of And Emmetts are few and thing over. far between. At the same time the use of native wit or a genial disposition is not to be despised. A disembodied voice can express a great deal of the personality of its owner, and your friendly tones putting across a quip or two might well improve your film.

Instead of attempting a commentary you might, in the case of family films hot at random, try recording sponuneous remarks made by the subjects then you show them the pictures you have taken of them. I have done this most successfully with pictures of my ece, who is three. To Kodachrome hots of herself blowing bubbles she exclaims: "Oo!. That's a big one!" d "That's a pretty one!" and so on. When she saw herself charging down a path with a pram containing a toy "Here I come!" and "Uncle bought me that rabbit!" With occasional prompting from her mother she keeps

> Safeguard Your Lamps! (Continued from page 764)

trip that gives an 'instantaneous' break on a 500% or more overload. Models are available for 21 amps upwards.

The great point of all this is that you et automatic protection now, but not fully. If you want to extend the life of your lamps and you want to do so utomatically, the circuit breaker or other device must be capable of acting to this specification:

When switching on, the device will immediately switch a ballast resistance into the lamp circuit and keep it there until the surge of current has passed (probably the biggest single factor in lamp life) and then switch it out. The device will then continue automatically to provide a small percent overload protection, so that if the running current of the lamp should rise by a dangerous

up the chatter all through the film. Earlier I said that the commentary can make your film more adventurous and So far I have discussed individual. nothing ambitious, but if you're feeling that way, what about a commentary in verse? Could you write it yourself, or if not, do you know someone who could?

These thoughts are prompted by memories of that fine Post Office documentary, Night Mail, and W. H. Auden's verse which was recited as accompaniment, in a manner which imitated the rhythm of train wheels:

This is the night mail crossing the border, Bringing the cheque and the postal order, Letters for the rich, letters for the poor, The shop at the corner and the girl next door, Pulling up Beattock, a steady climb-The gradient's against her but she's on time . . .

It's aiming high, but you will agree that a poetic commentary would make an unusual film. But perhaps you would not need serious verse. A commentary in doggerel might have its points. fairly easy to write and could be amusing. A P.F.B. film, Ballad of the Battered Bicycle will show you what I mean.

In a future article I hope to say more about the preparation of a script for a commentary and about the style and

method of delivery.

amount, the main supply will be completely disconnected.

I don't think such devices exist but there is no reason why they shouldn't. A little bird whispered to me that if there were enough persuasion at least one large firm might contemplate manufacture. There is a good deal of technical design in the problem I have only hinted at here, and I should like to go further into the matter. I should like to show you some curves of lamp life against short circuit voltages, and circuit breaker operating time curves in similar circumstances. There is a very closely related problem in the matching of a flash-bulb synchroniser and camera shutter with various types of flash-bulbs.

If you, dear reader, like the idea of extended lamp life and some guarantee of protection, then please write to the Editor. Between us we will do the rest.

SYNC. SIMPLIFIED

Complicated apparatus is not necessary to attain reasonable synchronisation with S.O.D.

A simple stroboscope, used as described, does the job adequately.

By HARRY WALDEN, A.R.P.S.

Although this method is not suitable for attaining lip-sync, it is certainly accurate enough for a spoken commentary where a difference of about half a second or so in three or four minutes does not matter. simplification of the system sometimes used of a stroboscope on both the projector and the gramophone turntable, but in this case there is no stroboscope on the projector; the intermittent light of the projector (48 per second with a three blade shutter) illuminates a special stroboscope on the turntable. instead of a stroboscope to control the turntable speed by reference to the 100 per second fluctuations from the A.C. mains light, the turntable speed is kept constant and the rate of intermittent light from the projector is modulated by changing its speed. It will be obvious therefore, that whereas a strobe line creeping to the left (anti-clockwise) normally requires the turntable to be speeded up, in this case it means that the projector must be slowed down.

I came across this idea when I paid a visit some time ago to the Cine Section of the Birmingham Photographic Society, one of whose members, Mr. Frank L. Brookes, B.Sc., originated it. He has, in fact, devised a quite elaborate disc of three (or four) strobes, the centre being the normal 77 line strobe to show 78 turns a minute on the turntable, with a

50 cycle A.C. main.

Outside that is a 37 line strobe, which is the one which must appear stationary when the projector with a three blade shutter is running at 16 frames a second. Outside that again is a third strobe for use at 24 f.p.s. This third strobe is novel in that it consists of two strobes, one of 55 lines and one of 66. The correct speed is reached when the two appear to

move in opposite directions at the same speed, a very neat way of obtaining accuracy without the use of very small

segments.

In use I find it preferable to have a "synchronising" strobe alone, i.e., 37 lines for 16 f.p.s. The larger one occupies too much of the turntable and one strobe alone is less confusing. The discs I use are cut for me by a friend with his M.S.S. equipment and blank discs.

My method is first to adjust the turntable by means of the usual strobe for 78 turns per minute (though synchronism does not depend on that).

The projector is run until it has warmed up and the speed settled down: running speeds are then matched with a

film in the projector.

It is not necessary to have the disc near the projector; in fact, the farther the microphone is away from the sound of the projector the better, though a certain amount of projector noise on the record does not matter, as it is cloaked by the projector noise when acreening. It is surprising how clearly the stationary lines of the disc show up from normal reflection from ceiling or screen, but if this is not bright enough, a white card reflecting the projector beam on to the turntable will be all that is needed.

The projected picture contains the starting cue, either the first frame of a shot, a marked frame, or a flash. The starting point does not present difficulty if one uses a good gramophone, but, as the disc is intended for use on my own low priced reproducer (Collaro Microgram, with my own additions) I have adopted

the following practice.

The automatic stopping device on gramophones is actuated by the "scrollout," a widely spaced spiral which is made after the end of the recording by pushing the cutting head quickly to the left. By means of a "scroll-in," lasting less than a quarter of a second at the start of the record, one can make a spiral less than a quarter of an inch wide on which it is possible to place the pick-up needle with an error in starting of less

than a quarter of a turn.

Two cues were therefore used on the projected picture; the first to start cutting, and after the recorder had had time to gather speed, a second cue to make the scroll. In playing back on the ordinary gramophone the method would be to start the turntable and drop the pick-up needle on to the scroll when the second picture cue appears. But I do not find this necessary. All that is needed is to rest the needle on the scroll and, when the picture cue appears to start the gramophone turntable, turning up the amplifier when it has gained speed.

The method of synchronising when playing back is therefore to warm up the projector, use the special strobe on the turntable and adjust the projector speed until the strobe appears perfectly still. Switch off the projector. Set the pick-up needle on the scroll-in on the record, start the projector and, when the cue appears on the screen, start the gramophone. No attempt is made to control the speed during the running, which

takes about four minutes.

When making the preliminary adjustment to the projector speed it is, of course, necessary to have film in the projector and a disc of the same drag on the turntable. Although I have not tried it there is no doubt that the preliminary adjustment can be made during the running of the previous film, by playing a disc of the same type and sending a message by code or otherwise from the turntable to the projectionist.

Two final points about the "Microgram." Cellulose discs wear much more easily than commercial pressings. My method is to place a piece of lead as a counterweight, on the overhang beyond the pivot of the pick-up arm. This is only used for these records and is kept in place by means of a piece of wide selfadhesive tape. I find that "one-time" needles serve quite well, but trailer

needles are officially recommended.

This machine, in common with other machines fitted with an automatic stop, can be started only by pulling the pick-up arm to the right. Moreover, if with a commercial record one wants to start in the middle, the movement of the arm to the left immediately stops the machine. A suggested remedy is: Remove the turntable to reveal the auto-stop mechanism. There is a brake, consisting of a leather pad at the end of a short lever, which, when the stop actuates, rubs against the inner rim of the turntable. To this hard-solder a short metal bar (I insulated mine) so that it projects beyond the edge of the turntable.

The motor can thus be started merely by moving the lever and if the pick-up arm is moved to the left the motor can be kept running by holding back the small lever until the needle is in the

groove.

When playing my specially-recorded discs there is no difficulty in placing the needle on the "scroll-in" and starting the motor by moving the small lever. An alternative would be, of course, to jam the auto-stop and fit a separate mains switch to the motor.

This Year's Competition

There will be a minor innovation in the arrangements for this year's Ten Best competition. In order to lessen the administrative work we shall be issuing entry forms to intending competitors. There will be an announcement about their availability in next month's issue, so please do not apply for them before then. Whenever I am sent a form which does not require prompt attention, I invariably have to spend hours looking for it when the time comes, and if you are anything like me I am sure you will welcome the opportunity of saving yourself similar trouble.

Applying for the form places you under no obligation. We shall ask for the forms to be returned to us by January 5th, 1951. Last day for the receipt of films is January 31st. May I add, for the benefit of new readers, that amateur films of any gauge, length and subject may be submitted, that there are no classes and that the prizes are ten handsome silver plaques, to be won outright, plus a total of £100 in cash awards. Our new competition, Intermediate, closes in September next.

PLANNING A HOME OR CLUB SHOW?

You Can Hire These Amateur Films

Can you tell me what societies have films for hire? This is a request we frequently receive from both clubs and lone workers. In an effort to meet it in something more than piecemeal fashion we have compiled the list below with the co-operation of the societies themselves. It is not, of course, complete but it does, we think, provide a very useful starting-out point for the exhibitor, both club and individual, who wants occasionally to add an amateur film to his programme. Details of the I.A.C. and B.F.I. libraries are given at the end of the list.

Seeing what one's fellow amateurs have done can be instructive as well as entertaining. One profits by their example or learns from their mistakes. And, most importantly, exchange of films often leads to exchange of views and information.

KEY

KEY

(a) comedy, (b) drama, (c) documentary, (d) personal, (e) interest, (f) abstract, (g) comedy-drama, (h) colour, (j) monochrome. Hire fees are indicated thus: (k) Ss. Where the films are not available for straightforward hire the terms under which they may be borrowed are classified: (1) for exchange with other clubs only, and (m) exchange with other clubs if possible or hire fee by arrangement. The "Yes" or "No" following (n) shows whether the film is available for hire to individuals. The name and address of the club official to whom application should be made is given at the end of each paragraph. All films are 16mm, unless otherwise stated. In those cases where it has been supplied, the year the film was made is given in brackets after the title. was made is given in brackets after the title.

Ace Movies. Driftwood, 1,100 ft. (b), (j), (k), 15s. Luna Park, 300 ft. (b), (j), (k), 5s. The Miracle, 1,100 ft. (b), (j), (k), 15s. Then Miracle, (b), (j), (k), 15s. Then Floors Up, 800 ft. (b), (j), (k), 10s. (h), 15s. Three Floors Up, 800 ft. (b), (j), (k), 10s. (h) Yes, by special arrangement. From Ben Carleton, 119 Melfort Road, Thornton Heath, Surrey.

Blackburn Arts Club (Film Section). Then Came Isobel, 1,025 ft. (b), (j), (k) 15s., (n) Yes. From J. Eastham, 33 Darwen Street, Blackburn.

Blackpool Amateur Cine Club. That's Torn It, 100 ft. (a), (j). Blackpool Illuminations, 400 ft. (c), (h and j), ell (l), (n) No. From T. Wilkinson, 157 Westmorland Avenue, Blackpool.

Bradford Cline Circle. 'Orse Reddish and Owd Rope, 600 ft. (a), (h). Once in a Lifetime, 800 ft. (a), (h). Once Upon a Sheep, 1,200 ft. (c), (h). Thief of Time, Britin. 300 ft. (a), (h). Evacuation School, 1,200 ft. (c), (j). Our Annual Release, 9. Srinn. 300 ft. (a), (j), all (l), (n) No. From F. T. Goodwin, 26 Heston Park Drive, Bradford.

Bristol Amateur Cinematographera.

Bristol Amateur Cinematographers. Long Ashton Cider Institute, 400 ft. (c), (j). Tabbile Colebrations 1935, 600 ft. (c), (j). Albert's Treasure Box, 400 ft. (a), (j), (k) each 2s. 6d., (n) Yes. From E. J. Worsell, 2 Maytree Close, Headley Park, Bristol 3. Cardiff Amateur Cine Society. City of Cardiff, 400 ft. (c), (j), (k) 5s. Freemon's Roll, 350 ft. (e), (j), (k) 5s. Bath and West Agricultural Show, Cardiff, 400 ft. (e), (j), (k) 7s. 6d. Royal Visit in Cardiff 1948, 200 ft. (e), (j), (k) 2s. 6d., (n) No. From J. R. A. Griffith, 33 Thornhill Road, Lianshen, Glama. Crouch End Amateur Cine Society. Brichs Without Strate, 400 ft. S. O.D. (c), (j), (k) 3s. 6d., (n) No. The Chance to Dream, 300 ft. (g), (j), (k) 2s. 6d., (n) Yes. Two O'clock Yamp, 9.5mm, 150 ft. (a), (j), (k) 1s. 6d., (n) Yes. A Little Bit Too Much, 9.5mm, 200 ft. (c), (h), (k) 2s., (n) Yes. Yorkshire Trip, 150 ft. (c), (h), (k) 2s., (n) Yes. From I. Smith, 2 Twyford Avenue, East Finchley, London, N.2.

Dundee Cine Society. Tosnorrow's Samdbonks, 400 ft. (c), (h), (k), 2s. (d), 2s. 6d. each, (n) Yes. From G. D. H. Doig, 61 Camphill Road, Broughty Ferry, Dundee.

Edinburgh Cine Society. East West, 400 ft. (c), (h), (k), 2s. 6d. each, (n) Yes. Edinburgh Cine Society. East West, 400 ft.

Edinburgh Cine Society. East West, 400 ft. (a), (j). The Ever Open Door, 600 ft. (c), (j), (k) all free, (n) No. From W. S. Dolsson, 23 Fettes Row.

tree, (n) No. From W. S. Dosson, 23 Pettes Rown Edinburgh 3.

Elatree Cinegroup.

Castalis, 800 ft. (b), (j).

(k) 10s. each, (n) Yes. Available after March 31st, 1951. Specially recorded musical accompaniments. From Mrs. S. Palmer, 7 Eldon Avenue, Boreham d, Herts

Wood, Herts.

Pilm Sextet. Windfall in Bohemia, 8mm. 225 ft.
(a), (j), (k) 3e. 6d. Head of the Form, 8mm. 120 ft.
S.O.D. (f), (j), (k) 1s. 6d., (n) Yes. From R.
Wrenhurst, 11 Lynn Road, Balham, London, S.W.12.
Fourfold Film Society. Time to Consider, 400 ft.
(k) Sa. 6d. Printing with a Silk Screen, 200 ft. S.O.F.
(c), (h), (k) 7e. 6d. Meet Me in the Local, 400 ft. (c),
(j), (k) Se. 6d. Only For Telling, 400 ft. (a), (h and)
(k) 7s. 6d., (n) Yes. From Miss K. Lunniss, 16
Chalcot Crescent, London, N.W.1. The Milton
Case, 350 ft. (b), (j), (k) 3s., (n) Yes. From C.
Saunders, 34 Lansdowne Road, Muswell Hill,
London.

Case, 350 ft. (b), (j), (k) 3s., (n) Yes. From Casunders, 34 Lansdowne Road, Muswell Hill, London.

Halifax Cine Club. New Horizons, 400 ft. (a), (h); To Strengthen Thy Church, 400 ft. (c), (h), (h) ios. esch, (n) No. From H. Mallinson, 291 Skircoss Green Road, Halifax, Yorks.

High Wycombe Film Society. Full Circle, 400 ft. (b), (j), (k) Ss., (n) Yes. Leave It To Me, 650 ft. (a), (j), (k) 9s., (n) No. High Wycombe Show, 600 ft. (c), (j), (k) 5s., (n) Yes. From Mrs. P. Lay, 13 Desborough Park Road, High Wycombe.

Huddersheld Cine Club. The Royal Visit, July 1949. 400 ft. (c), (h), (k) 5s. The Wharfe in Wharfe-dale (1950), 300 ft. (c), (h), (k) 5s. The Wharfe in Wharfe-dale (1950), 300 ft. (c), (i), (k) 2s. 6d. Edale and the Hope Vailley, 300 ft. (c), (h), (k) 5s., (n) Yes. From A. W. Shaw, c/o N. C. Ashton, St. Andrews Road, Huddersheld (1950), 400 ft. (a), (j). A Scandalous Affair, Sunn. 200 ft. (a), (j). Pestgang Girl, Smm. 200 ft. (a), (j). Folded Again, 350 ft. (a), (j), all (h), (n) No. From S. W. Lucas, 112 Villiers Avenue, Surbiton, Surrey.

Ledbury Amateur Cine and Dramatic Society. The 38 Strides, or the Mystery of Passust Grange, 9.5mm. 300 ft. (a), (j), (k) 2s. 6d. Everything is Blunder, 9.5mm. 200 ft. (a), (j), (k) 1s. World's End, 9.5mm. 500 ft. (b) Religious, (j), (k) 2s. 6d. Everything is Blunder, 9.5mm. 200 ft. (a), (j), (k) 1s., (n) No. From D. J. Tow, 243 Homend Street, Ledbury, Herefordshire. Lincoln Cine Club. Borehole to Tap, 300 ft. (c), (j), (k) 2s., (n) No. From E. E. Horner, 16 Albert Creacent, Lincoln.

Lyceum Cine Society. Money Far Old Yunk, 9.5mm. 300 ft. (a), (j). Chester, 400 ft. (c), (j). Checkmate, 300 ft. (b), (j), (k) 1s. Proof of the Pudding, 5

350 ft. (a), (j), (k) 1s. 6d. each, (n) No. From J. Mee, 55 Oxford Street, Oldham.

Manchester Cline Society. Magic Lighter, 300 ft. (a), (j), (k) 3s. Easy Come, 800 ft. (a), (j), (k) 6s. Slate Club, 600 ft. (a), (j), (k) 6s. Ring of the Brachlyms, 900 ft. (b), (j), (k) 6s. Safety First, 450 ft. (c), (j), (k) 3s. Aunt and Ankle, 700 ft. (a), (j), (k) 6s. Leske Makes Sure, 400 ft. (a), (j), (k) 3s., (n) No. From Norman S. Battersby, VI Moorfield Road, Pendleton, Manchester 6.

(a) 3a. Aunt and Ankle, 700 ft. (a), (b), (c) 3a. (a) No. From Makes Sure, 400 ft. (a), (j), (k) 3a. (a) No. From Norman S. Battersby, vi Moorfield Road, Pendleton, Manchester 6.

Newcastle and District Amateur Cinemategraphers Association. The House in Dockerty Square (1948), 700 ft. (b), (b). Beyond the Horizon (1938), 750 ft. (b), (j). What Shall I Wear (1937), 700 ft. (g), (j). Out of the Drawn (1936), 400 ft. (g), (j). Sippenaye (1935), 800 ft. (b), (j). It Happened Thus (1938), 9.5cmm. 300 ft. (b), (j). It Happened Thus (1938), 9.5cmm. 300 ft. (b), (j). It Happened Thus (1938), 9.5cmm. 300 ft. (b), (j). Kid Stuff (1948), 9.5cmm. 150 ft. (a), (j). Training (1949), 8cmn. 150 ft. (a), (j). Training (1949), 8cmn. 150 ft. (a), (j), (j). (j). Kid Stuff (1948), 9.5cmm. 150 ft. (a), (j), (j). (j). Spann. 150 ft. (a), (j), (k) 3c. Symphony of Calculomian Market, 9.5cmm. 400 ft. (c), (j), (k) 3c. Symphony of Calculomian Market, 9.5cmm. 400 ft. (c), (j), (k) 3c. Refuge, 1,200 ft. (b), (j), (k) 13c. 6d. Death in a Tube, 400 ft. (b), (j), (k) 4c. 6d. Charlie's Chance, 800 ft. (a), (j), (k) 9c. Bells of Tormeent, 400 ft. S.O. F. (b), (j), (k) 15c. (i), (j). Spann. 150 ft. (a), (j), (k) 2c. Rippling Water, 200 ft. (c), (n) No. From A. O. W. Shepherd, 7 Hadley Hall, Hoppers Road, Winchmore Hill, London, N.2:

Polygian Film Society. The Will, 800 ft. (a), (j), (k) 2c. Rippling Water, 200 ft. (c), (j), (k) 2c. Overlooking Paris, 200 ft. (c), (k) 3c. 6d. Irist to a Nusrery School, 300 ft. (c), (j), (k) 2c. Rippling Water, 200 ft. (c), (j), (k) 2c. Overlooking Paris, 200 ft. (c), (k) 3c. 6d. Irist to a Nusrery School, 300 ft. (c), (j), (k) 2c. From Gerald M. McKee, 65 Blockley Road, North Wembley, Middlesex.

Slough Film Society. Stop Thief, 75 ft. (b), (j). (k) 3c. 6d. Irist to a Nusrery School, 300 ft. (c), (j), (k) 2c. Rippling Water, 200 ft. (c), (j), (k) 2c. Overlooking Paris, 200 ft. (c), (j), (k) 2c. 6d., (n) No. From D. Water, 2

Warrington Cine Society. Fishy Business, 400 ft. (a), (j). A.R.P., 400 ft. (c), (j). Prints of the following available shortly: House Business, 400 ft. (a), (j). Lohing After The Boys, 400 ft. (a), (j). This Man Is Wanted, 400 ft. (b), (j). Pearls, 9.5mm. 300 ft. (b), (j). In the Can, Smm. 200 ft. (a), (j), (k) 3a. 6d. each or exchange, (n) Yes. From J. M. Langdale, \$1 Whitefield Road, Stockton Heath, Warrington, Lance.

Welwyn Garden City Film Society. Opus One, 400 ft. (c), (j), (k) free, (n) No. From J. B. Johnston, 2 The Old Drive, Welwyn Garden City,

West London Flim Unit. Double Crossed, 400 ft. (b), (j). Premature Decease, 350 ft. (b), (j). Black Magic, 8mm. 150 ft. (a), (j). Full House, 9.5mm. 200 ft. (a), (j), (c) is. 3d. each, (n) Yes. From A. F. Shave, 77a Adelaide Grove, Shepherds Bush, London, W.12.

W.12.

Hampton Court, Strom. 100 ft. (c), (h), (k) 1s. 3d. (n) No. From T. P. Honnor, 22 Shepherds Bush Road, W.12.

Wimbledon Cine Club. Mr. Handyman, 9.5mm. 200 ft. (a), (j). What the Eye Doesn't See, Smm. 80 ft. (a), (j). Elistive Len, Smm. 125 ft. (a), (j). The Cat Came Back, 400 ft. (a), (j). Coffee Stall, 300 ft. (b), (j). Unknown Motive, 400 ft. (b), (j). Wholly Smoke, 400 ft. (b), (j). Smoke, 400 ft. (b), (j). Smoke, 400 ft. (a), (a) hill free, (a) No. From G. Alexander Howe, 106 Manor Way, Mitcham, Surrey. Surrey.

BRITISH PILM INSTITUTE

BRITISH FILM INSTITUTE

Five films are available at present from the amateur film library of the British Film Institute: Black Legend, 4 reels, S.O.D. by Mount Pleasant Productions; Paper Boat, 2 reels, by High Wycombe F.S.; Indian Gold, 1 reel, colour, by Edinburgh Boy Scouts; Marionettes, 2 reels, by Ace Movies and Neighbourhood 15, 4 reels, S.O.F. by Look and Learn Film Unit. Table Top Ballet, Happy Weehend and Derby Shatchbook, all silent, are soon to be added. All films are 16mm. Hire: 7s. per reel; 25% discount for B.F.I. members. Details from the Film Distribution Section, B.F.I., 4 Great Russell Street, W.C.1. W.C.1.

INSTITUTE OF AMATEUR CINEMATOGRAPHERS

CINEMATOGRAPHERS

The number of films in the I.A.C. library is much too large for them ail to be tabulated here. Practically all are amateur productions but there are a few professional films included in the grand total of 118. Seven of these are 16mm. S.O.F., 93 are 16mm. silent, ten 9.5mm. silent and eight 8mm. Hirecharges to I.A.C. members: 2s. 6d. per reel monochrome and 5s. per reel colour. Slightly different rates apply to sound films. The films are available to non-members at an increased hire charge. Details from the I.A.C. Film Library, Blackheath Film Unit, 9 North Street, Leatherhead, Surrey.

From Our

A selection of replies to recent enquiries. All enowers are sent by post if a stamped addressed envelope is forwarded.

The samples of damaged film all show claw damage due to the film not being free at the gate. Since there are no gate acratches, we may assume that the gate guides and pressure are in order, and this means that your trouble lies either in bad loading of the film or in less of top loop. Loss of too loop can be due to one or more of these errors: --Credio spring too weak, cradie out of alignment, cradle damaged, sprocket teeth damaged or badly ern, speol with bent sides or sticking for some reason

Postbag

ELIMINATING CRACKLE

My dual gauge 2008 is fitted with a home-mode so My dust gauge 2008 is ricted with a none-mode soundnesse. When operating with the mike in circuit I can obtain the correct 100 cycle note, but with the mike disconnected a terrific crackle drowns everything. All the valves have been checked. Can you also explain why the tone control only functions when the amplifier is inverted ?—S.M., Huddersfield.

There are numerous factors that can cause unexpected crackling: but by far the most common, assuming that you have properly checked all components both for their values and for their insulation resistance, is faulty earth-ing. The fault may lie with such terms as the insulation of the PEC mount and base, both from direct mechanical of the PEC mount and base, both from direct mechanical connection with the projector frame, or perhaps the insulation and screening of the lead to the first valve. The fact that your tone control works only with the amplifier chassis inverted clearly indicates poor wiring and loose wires and components, by the tracing and elimination of which you are sure to cure your trouble.

Instantaneous Exposure Readings ... for every type of ciné camera ...



CINE EXPOSURE METER

Here is the exposure meter which all ciné users have been waiting for!...a meter specially designed to give instantaneous readings for every type of ciné camera...a meter incorporating all the features of accuracy, sensitivity, stability and wide range coverage which have made the Weston Master world famous. Just set the dial for the shutter speed group of your camera and the film being used... and from then on the correct stop can be read off instantaneously against the brightness figure indicated on the light scale. High and low light scales are automatically changed by operating the built-in baffle over the photo-cell, giving accurate readings over a very wide range. See the Weston Master ciné exposure meter at your photographic dealer's NOW.

The Weston Master Cine Exposure Meter \$.74/729. Price in U.K. (Inc. P.T.) £9 15s. 9d. Leather case 16/6d.

SANGAMO WESTON LIMITED ENFIELD, MIDDX.

Telephone: Enfield 3434 (6 lines) & 1242 (4 lines).
Telegrams: Sanwess, Enfield.

Branches: Glasgow, Newcastle-on-Tyne, Leeds, Manchester, Wolverhampton, Bristol, Southampton and Brighton.

It's a

Earn undying gratitude from your cine-minded friend or relative by giving a Weston "Master" Cine Exposure Meter. No other present could give such real and lasting pleasure ... no other present could bring so many economies in years to come by avoiding wasted footage.

Sound Films

Very Large Selection of 16mm. Feature Films and Shorts available for Hire SEND FOR OUR NEW ILLUSTRATED CATALOGUE

The following is a scene from:-

THE QUEEN OF SPADES



Anton Walbrook
Edith Evans
Ronald Howard
Yvonne Mitchell

Authorised Sales & Service Agents for B.T.H. DEBRIE and VICTOR SOUND EQUIPMENT

BAKER & HYMAN Led Cine Dept., Portland Cres., Leeds 1

> Telephone 32366 (4 lines) Telegrams "Bakman" Leeds



B & T SOUNDHEAD for Bolex G916, G3, G16, etc.

No Drilling or Flxing Necessary Shows both Ismm. and 9.5mm. Sound Films

Write for illustrated Folder-

BONEHAM & TURNER LTD HANSFIELD, NOTTS. 'Phone 8% (6 lines)

G.B-L 516 SOUND PROJECTORS For £89 0s. 0d.

Guaranteed SIX Months

D.H.P. TERMS

DEMONSTRATIONS WITHIN
50 MILES, RADIUS



LAUREL CINE EXCHANGE

624 BATH ROAD, CRANFORD, MDDX.

'Phone: Hayes 0742

News from the Societies

We want to thank most heartily all those Societies who have kindly sent us Christmas greetings, and we acknowledge on behalf of the club movement the good wishes which so many of the contributors to 'News from the Societies' offer to their friends and rivals. If we have not included their greetings in the reports below, it is not because we are curmudgeonly-only that we have to keep a watchful eye on space.

Albany P.F.U. (How. Sec.: G. Denman, 111 St. Leonards Road, Hove, Sussex). Two films—9.5mm. and 16mm.—will be made during the coming season. Editing continues on the latest production-a 16mm. nonting continues on the latest production—a format, comedy—which, it is hoped, will be completed in time for the December film show. The concensus of opinion at these popular monthly shows appears to favour silent films. An interesting talk was given recently by a member of the location unit which worked on the Arctic exteriors for Scott of the Antarctic. Membership is increasing but there are still some

Name Alpha F.P. (Hon. Sec.; A. J. Andrews, 16 Pamela Road, Northfield, Birmingham 31). Two sequences are now complete for the 9.5mm. comedy World of Boys. The club reports complete success with its first attempt at reversal processing. A public film show, to take place at Christmas, is being arranged. Membership, which continues to rise steadily, now stands at sixteen—all teen-agers. stands at sixteen-all toen-agers.

stands at sixteen—all teen-agers.

Ashley F.U. (Hon. Sec.: John Duborn, Woodhayes, S. Ashley Drive, Walton-on-Thomes, Surrey). First draft script—consisting of 300 scenes—for the club's next animated cartoon, The History of Walton, has been completed. The film, which will run for 20 minutes, traces the history of Walton from neolithic times. An idea of the scope of the film, which is expected to be two years in the making, may be gained from this extract from a lengthy local newspaper report: "...once again Roman legions will ford the Thames at Cowey Stakes; the veil of time will be partially lifted from St. Mary's Parish Church; there will be intimate glimpses of the early revelries at Oatlands Palace".

Astral C.C. (Hon. Sec.: Ron Thompson, 20 Downsview Road, London, S.E.19). Re-takes are now being shot for Suburban Week-end. 9,5mm. and 16mm. units have been formed. Each unit will operate indepenhave been formed. Each unit will operate independently, preparing its own scripts and handling the production of the films from start to finish. New members are welcome.

Belfast Y.M.C.A. Cine Society (Hon. Sec.: E. Silver, Wallington Place, Belfast). Heart of a City, dealing with activities of the Belfast Y.M.C.A., and dealing with activities of the Bellast Y.M.C.A., and To Keep You Moving, showing physical training in Eelfast schools, were presented at a special showing of 16mm. club films on October 16th. The latter was produced for the Belfast Education Committee. At a later meeting W. McCracken screened his latest colour travel film, Mediterranean Cruise.

Birmingham C.A.S. (Hon. Sec.: F. A. Inshow, 8 Corrie Croft, Sheldon, Birmingham). Youth club activities in the city of Birmingham are the subject of an 800ft, film to be made at the request of the Youth Advisory Committee of the Birmingham Education Committee. Filming will take a year, as activities throughout the seasons must be depicted. Work on The Mask will continue concurrently with the worth club film. The club's tags recording conservations youth club film. The club's tape recording apparatus is to be modified in accordance with the system devised by the Tower F.U. Shows of pre-1949 Ten Best Films are being planned for early next year; producers willing to loan copies are invited to write to the secretary. New members are welcome.

Blackburn Arts Club (Film Section) (Hon. Sec.: Miss E. L. Gray, 56 Gramville Road, Blackburn, Lancs.). Visitors from all parts of Lancashire attended the society's presentation of the 1949 Ten Beat Films. on November 9th and 11th. It was necessary to give two shows to accommodate the large numbers who applied for tickets. Meetings are held each Monday evening at 13 Victoria Street.

Biackpool A.C.C. (Hon. Sec.: T. Wilhinson, 157 Westmorland Acome, Blackpool). Bad weather having delayed work on City of Pleasure, the unit has switched to the filming of interiors. Titling methods, demonstrated recently, were filmed for inclusion in a trailer dealing with club activities. Most members visited Lytham St. Annes on October 25th to attend the presentation of the 1949 A.C.W. Ten Best Films. New members, with or without apparatus, are welcome.

Bradford C.C. (Hon. Sec.: A. C. Whitehead, 58
Pasture Lane, Clayton, Bradford). Only the titles
remain to be filmed for the documentary on Wharfedale. It was agreed at the A.G.M. to "refurnish the
club rooms as far as available funds permitted",
Menhaute and the company of the company of the club rooms as far as available funds permitted." Members have co-operated enthusiastically and much of the work has now been distincted in the work has of the work has now been finished. Brown velveteen curtains have been fitted to the proscenium, and the projection box is being re-designed to provide for greater comfort. Mr. Clarke of Kodak discussed colour filming when he visited the club recently. The first public show of the season was held at Southgate Hall on October 26th.

Southgate Hall on October 20th.

Burghclere & Newtown Productions (Organiser; J. B. Legard, The Rectory, Burghelere, Newbury, Berks). An audience of 200 attended a film show given in the Parish Hall recently. Scenes from Village Life and Impressions of Beaconsfield (Kodachrome)—the society's own productions—were screened with Instruments of the Orchestra and Mr. Jones Takes the Air (Crown F.U. road safety film). Admission was free but there was a collection which realised £30 in aid of the Bishop of Winchester's Appeal. Local enthusiasm has prompted the society to undertake to undertake enthusiasm has prompted the society to undertake more ambitious productions. A fictional film, designed to feature local residents and the surrounding countryside, is being scripted.

Circle Nine Five C.C. (Hon. Sec.: T. E. Terrell, 33 Pembrohe Road, Walthamstow, London, E.17). One meeting each month during the winter season One meeting each month during the winter season will be devoted to lectures from visitors and demonstration of new equipment. The film dealing with old people's welfare is now complete and will be screened in early January. A script competition has been arranged. New members are welcome.

City Films K.S. (Hon. Sec.: E. R. Wilson, 10 Asline Road, Sheffield 2). Arrangements are being made for the public presentation of a sound film feature show in Sheffield for two or three evanings in the near future. Admission will be free but a silver collection is to be taken in aid of The Sheffield Telegraph and Star Creswell Colliery Disaster Fund.

Cosmo Film Productions (Director: Alec Jaye, 21 Rundell Crescent, Hendon, London, N.W.4). Cosme Film Productions (Director: Alec Jaye, 21 Rundell Crescent, Hendon, London, N.W.4). Membership of this newly-formed society for enthusiasts in the Hendon, Mill Hill, Edgware and Wembley districts now stands at eighteen. The first club production has been scripted. Full dislogue for the 30-minute thriller will be recorded on disc and later transferred to S.O.F. Ample floor space for filming interiors is available in the large workshop which is loaned to the society for week-end use. At one meeting each month all suggestions and new ideas published in A.C.W. are discussed and those of value to the club noted for future reference. New members, in acting and technical sections, are members, in acting and technical sections, welcome.

Coventry F.S. Film Production Unit (Hon. Sec. : E. J. Smith 28 Ludlow Road, Coventry). All location shots for Quiet Sunday have now been filmed. Preparatory work is under way for a 16mm. production—as yet untitled. The first two talks in a series dealing with cine apparatus and technique have been

easing with cine apparatus and technique have been given. Members visited Sutton Coldfield C.S. on November Ird for the screening of the A.C.W. 1949 Ten Best. New members are welcome.

Crouch End A.C.S. (Hon. Sec.: I. Smith, 2 Twyford Atomus, East Finchley, N.2). Editing and titling are the main activity now that filming for all three productions has been completed. During recent months a sound film has been made for the Forces' Aid Society and Lord Roberts's Workshops for the Disabled. A S.O.D. production, Lakeside Ministans Railway, deals with the installation and operation of the ministure railway at Alexandra Palace.

Diamond F.U. (Hon. Sec.: R. C. Morgan, 124 Oatlands Drive, Slough, Bucks). Premisess of the Slough and Windsor. Total cost of producing the film and arranging the two shows is about £40. Arrangements are being made for a party to attend the U.N.I.C.A. Festival in Glasgow in 1951. There will be some vacancies for new members next January.

Dundee C.S. (Hon. Sec.: G. D. H. Doig, 51 Camphill Road, Broughty Ferry, Dundee). Over sixty members, including fifteen newcomers, attended the first meeting of the winter season. Criff Highland Gemse.

Road, Broughty Perry, Danacey. Over saxty memoers, including fifteen newcomers, attended the first meeting of the winter season. Cri ff Highland Games 1950 (16mm. colour), made by T. H. Thoma and J. R. L. Halley on behalf of the Scottish Film Council for the Crieff Highland Games Committee, was screened with Make Leisure a Pleasure (16mm.) and Peter's Paradise (16mm. colour).

Peter's Paradiss (16mm. colour).

Durban Clase Eight Club (Organising Sec.: C. R.

MacKenzie, 2 Carn Brea, St. Thomas Road, Durban,
S.A.). Mother's Night Out (monochrome) by E. G.

Frow gained first place in both "The Beat Film of the
Year" and "My Best 50ft. Film" competitions,
winning the Claude Whysall and the Stafford-Mayer
floating trophies. Dr. V. A. Wager was a very close
second in both competitions. Final judging for the
Kodak Concompetition took place on October 13th Kodak Cup competition took place on October 13th.

Edinburgh C.S. (Hos. Sec.: Wm. S. Dobton, 20

Barnshot Road, Edinburgh 13). A new scheme for

filming has been introduced: the society has been

divided into a number of small groups which, during the next two months, will each produce a number of two-minute comedy camees. A still photography group has been formed. A programme of films from Planet F.S. has been arranged for December 1st. Membership is the highest in the history of the

society.
E.N.S. Cline Club (Hon. Sec. : W. Kiberd, 4 Eastdown House, Amhurst Road, London, E.S). This month should see the completion of the filming for Next Please. Setbacks encountered by the unit making the film for the local borough council are being steadily overcome. A members' film competition is being organised; a short script has been written and the organised: a start series into phases with directors and camera crews changing jobs. A record will be kept of the experiment, and it is hoped in this way to find which members are most suited to the technical work. which members are most suited to the technical work. Film Sextet (President: R. Wrenkurst, 11 Lynn Road, Balham, S.W.12). Windfall in Bohemia and Head of the Form having been completed, a script is now being prepared for the third production: filming will begin shortly. Meetings are held every Saturday. Finchley A.C.S. (Hon. Sec.: Mrs. L. K. Diffey, 160 Fordwych Road, N.W.2). Twenty-one today! Well, not today, but this month the society will have completed twenty-one years of pleasurable and useful activity. Ivor Smith (Crouch End A.C.S.) and Keith C. Blain of the Wanstead and Woodford C.C. visited the club in October and R. H. Alder has promised to come in November. Leonard Roques, an old Finchley member, screened some of his productions with sound-on-tape accompaniment at a recent meeting.

recent meeting.
Fourfold F.S. (Hon. Sec.: Miss Audrey Morris,
Park House, 217 Winchmore Hill Road, London, N.21).

Le Chien Andalou, L'Idee and Papageno were shown at the first of the "history of the film" programmes of this season. Three scripts have been prepared and discarded by No. 2 unit who are working on The 9.45 p.w. Production of Life Cycle has been halted until the whole team has had the opportunity of discussing the rough-edited rushes. Unit No. 3, making Terwick Mill, have another journey ahead of them to shoot some essential exteriors. Old Father Thamses, House Quest, Spring and Albert's Treasure Box comprised a programme of Commended films from the 1949 Ten Best Competition.

Groevenor F.P. (Hon. Sec.: R. B. Brinkworth, 19 Grosvenor Flace, Bath). So many more people wished to attend the annual film show at the Pump Room than could be admitted that a second performance was arranged. At this, too, there was a full house. A script for a thriller—as yet untitled—is being prepared. Hale Congregational Sunday School F.S. (Hon. Sec.: J. A. Sugden, 6 Broom Road, Hols, Altrincham, Sec.: J. A. Sugden, 6 Broom Road, Hols, Altrincham, Michief at Mobberley, directed by 13-year-old Michael Dawson, and Royal Adventure (9.5mm.) by David Charles, aged 15, were screened for the first time at the October monthly show. The latter film is the tale of a boy king of a foreign country kindnamed by colitical engenies while at acknowled. atter film is the tale of a boy king of a foreign country kidnapped by political enemies while at achool in

England.

Harrogate A.C.S. (Hon. Sec.: D. Johnson, 32 St. John's Road, Harrogate). Local interest has been aroused by a note of club activities which appeared in a local newspaper. Talks on film production and a showing of members' 9.5mm. films were features of

a showing of members' 9,5mm. films were features of October meetings. Early this month B. Topham gave a talk on "Twenty years in Cine", illustrated by some of his own films. Membership increases steadily and new members are welcome.

Haywards Heath & District A.C.S. (Hon. Sec.: P. Higgs, Barnmead, Balcombe Road, Haywards Heath). F. E. Davis, chairman of the society, visited Guernsey recently at the invitation of The Guernsey Star to show his 1,200 ft. Iomm. colour film, Island Holiday. Three performances were given at which collections were taken in aid of the St. John's Ambulance Brigade and the Guernsey Rotary Club's Boys' Camp funds. Societies in the south of England wishing to show this film are invited to write to the wishing to show this film are invited to write to the

wishing to snow this limit are interest to the secretary.

High Wycombe P.S. (Hon. Sec.: D. Gravett, 8 High Wycombe). Additional scenes for the Road Safety film, Indictment, have now been filmed. The Miracle and The Hour of Darkness were screened at a recent meeting when Martin Benson, a professional actor, attended to comment on the acting. Of particular interest to those contemplating a sound film were his remarks on the problem of cost, synchronisation from the actor's point of view. post-synchronisation from the actor's point of view. Hounslow P.S. Clae Section (Hon.Sec.: G. Hanney, 167 Ellerman Avenue, Twickenham). Monthly film shows have been arranged by the projection unit for the Hounslow Hard-of-hearing Group. Member-ship is now complete and the names of future applicants will be entered on a waiting list. Filming has Sixteen—the club's first begun for Nine Fivproduction. Closing the club competition is December 31st. Juag. Ill be on January 6th. Hull & District A.C.S. fon. Sec.: C. Smith, 4 Victoria Square, Ella Stree, Hull). October 23rd saw the opening of the winter session with the screening of the 1949 Ten Best Films. Several evenings ing of the 1949 Ten Best Films. Several evenings are to be devoted to the making of a publicity trailer illustrating club activities. 9.5mm. home processing was demonstrated recently when a film was shot, processed and acreened in the same evening, a home made developing tank being used. Competitions have been held again this year; the judging will take place early in 1951. Meetings are now held every Friday evening. New members are welcome. Ickenham F.S. (Hon. Sec.; J. G. de Cominck, 7 Hill Rise, Russilp, Middx.). The first of a series of monthly shows of other acciences illus opened the accond winter season. Refuge—from Planet—was shown. Associate members are to form a film shown. Associate members are to form a film appreciation group. Work continues on They're Hard to Catch (9.5mm.), while other members are



31 BIG STARS IN ONE FILM

Run the film through and get your friends to remember as many stars as possible. Then with pencil and paper let then make their lists.

16mm. £2 10 0 8mm.

. and for the Kiddies stockings!

FAIRYLAND STRIPS

A complete fairy story in each strip

THE TRAVELLING MUSICIANS
(by the Brothers Grimm)
BEAUTY AND THE BEAST
PUSS IN BOOTS
THE SLEEPING BEAUTY
THE THREE BEARS
CINDERELLA
JACK AND THE BEANSTALK
DICK WHITTINGTON
TREASURE ISLAND

THE NIGHTINGALE
(by Hans Andersen)
ALADDIN AND HIS WONDERFUL LAMP
TOM THUMB
LITTLE RED RIDING HOOD
ALI BABA AND THE FORTY THIEVES
SNOWDROP AND THE SEVEN
LITTLE MEN
THE BABES IN THE WOOD
SINDBAD THE SAILOR
THE PIED PIPER OF HAMELIN

26 EACH

The above film strips are captioned.

Obtainable from your local dealer or :-

Associated British-Pathe Ltd

* The CROWTOWN TITLER *

Now you can make "professional" Titles the easy, Crowtown way. "Eight point" superiority makes the new Crowtown the finest Titler on the market today. Ask to see one today at your local dealers.



- · All metal construction.
- Camera carriage ABSO-LUTELY FIRM.
- Full length of 1 metre makes supplementary lenses unnecessary for most cine cameras.
- Full size 12" x 9" frame.
- Spun aluminium reflectors can be put in any position including behind title frame.
- Titler can be used vertically and screwed to wall.
- Accessories for all title effects are available.
- The usual CROWTOWN superb finish.

from your usual dealers or from :

TOWNSEND & CROWTHER LTD

'CROWTOWN' WORKS . CAMBRIDGE ROAD . HITCHIN

See and Hear THE NEW MODEL SCOPHONYBAIRD TAPE RECORDER £45

(complete with Microphone).

An ideal way of providing your background music and commentaries to your own films. Quality reproduction on playback. Visit our Cine-Theatre now for a demonstration. Lists on application. Spare reels of tape, 600ft. 25/-, 1,200ft. 47/6.

Also

The New Specto "Dual" Projector, 16 and 9.5 mm. ... 643 10 0

The New Aldis "Two-Fifty" Strip Projector £24 15 6


The New Aldis "Seven-Fifty" with blower and transformer ... £45 18 6

MIDLAND CAMERA CO., LTD. 106 GRANBY STREET, LEICESTER

Phone: 65351

E. G. TURNER

SCREEN MAKER



CATALOGUE ON APPLICATION

43-9 HIGHAM STREET WALTHAMSTOW, E.17

Tel. LARKSwood 1061/2

preparing a script for a thriller. A colour fantasy based on "Peter and the Wolf" and incorporating live and pupper action is to be made. A presentation programme has been printed for distribution at the first public showing of The Country Pumpkin. New members, interested in production, are welcome.

Isle of Wight A.C.S. (Hon. Sec.: R. Mellamby Highfield, Newsham Road, Binstond, Isle of Wight 150 attended the first show of the season when Mariometes, Charley's Chance and Death in a Tube, were acreened for the first time in the lele of Wight.

Merionettes, Charley's Chance and Death in a Tube, were acreened for the first time in the lele of Wight. At the meeting on November 6th a number of members' personal films were shown.

Kingston C.C. (Hon. Sec.: W. J. Kelsey, 24 Sandhurst Avenue, Surbiton, Surrey). Production of A Tale of Two Tichets has again been delayed through the state of the state A Tale of The work can be resumed it is intended to experiment with table-top photography. "Light, Lenses and Filters" were discussed at a recent meeting by member Malcombe V. Morris, F.B.O.A. The annual dinner-dance has been arranged for December 16th. New members are welcome. Leicester & Leicesterahire P.S. (Cine Group) (Hon. Sec. R. Hill, 43 New Way Road, Leicester). Because of an increased membership, meetings are now held in larger rooms at Holy Trinity Hall,

Because of an increased membership, meetings are now held in larger rooms at Holy Trinity Hall, Trinity Lane, Leicester. Highlights of the winter season to date include a visit from J. L. Petcher, A.R.P.S. and the presentation of the I.A.C. prizewinning films. Experiments have been made with magnetic tape recording. New members are welcome. Liverpool A.P.A. Cine Group (Hon. Sec.: E. L. Jones, 17 Eaton Close, Liverpool 12). A member's 8mm. colour films, some of them taken on the Continent, were received at a recent meeting and Continent, were screened at a recent meeting and later discussed. Good progress with the editing of the 8mm. film of Chester Zoo is reported. A producer of several 16mm. colour films of Scotland will show if several 16mm. colour films if Scotland will show his work at a future meeting and explain his methods. Lytham St. Annes F.S. (Hon. Sec.: C. P. Ramsbotkam, 23 Anseell Road North, Lytham St. Annes Nearly all the 300 tickets for the presentation of the 1949 A.C.W. Ten Best were sold well in advance of the show. An audience of more than 200 attended the showing of the I.A.C. 1949 prize-winning films. Membership has been closed at 250 and a waiting list introduced. With the arrival of a tape recorder, work will commence on the production of a sound-on-tape short.

Maidstone F.S. (Hon. Sec.: Aubrey Evans, 27 North Down Close, Maidstone, Kent). The making of By Christopher! (40-minute 8mm. comedy), with its Kentish background and portrayals of local legends, has aroused great interest in the Maidstone area. The film will be screened for the first time on December 14th with a programme of French documentarie A proposal for amalgamation with a local scientific film club is being studied. Films recently shown included World of Plenty, Instruments of the Orchestra and Quai des Brumes. Membership has passed the 150 mark but new members would be welcome for production work. Applications should be addressed 150 mark but hoppications should be addressed to Mrs. R. Wynn Evans, 267 Boxley Road, Maidstone.

Manchester C.S. (Hon. Sec.: H. Percival, 97

Ashton Lane, Sale). Showmanship was the keynote Ashion Lane, Sale). Showmanship was the keynote of a projection evening when a newcomer screened Rape of the Earth, Thoroughbreds of the World and Tomorrose by Air—all sound—on his 601. Colour floodlighting of the screen was a feature of the evening and records were played during the intervals. Aunt and Ankle and Ring of the Bracklyns—both club productions—and a member's colour film showing the use of Econasign titles were shown at a later

meeting.

Molesey A.C.U. (Hon. Sec.: R. Newman, 157
Beauchamp Road, West Molesey, Surrey). Plans are
being discussed for the production of documentary
shorts dealing with the public services of the local
authority. At a meeting at Hinchley Wood a number
of films made by a new member were screened.
Sports events organised by the Molesey Monarch
and Cycle Speedway Club have been filmed on recent
Sunday afternoons. Sunday afternoons. Newcastle A.C.A. (Hon. Sec.: George Cummin, 143

Baymester Road, Nessenstle-on-Tyne 2). Final shots for Stair-rod to Heaven and for the motor-cycling film have now been taken. Films shown at recent meetings included selections from the Edinburgh, Sunderland, Crouch End and Oldham societies and the Italian Four Steps in the Clouds.

Norwich A.G.S. (Hon. Sec.: 7. Chettleburgh, 130 Magdalen Road, Narwich). Films for the club competition are now under way. The author of each script selects his own actors, director and editor, each of whom is bound to take part unless he has a very good reason for refusing. In this way every member will have an opportunity of playing some part in film production.

member will have an opportunity open part in film production.

Nottingham A.C.S. (Hon. Soc.: R. H. Yelley, 3 Homiton Road, Broxtone Lane, Nottingham). "History of Photography"—a Kodak lecture—was delivered at the last meeting in October. A selection of films from the I.A.C. library was shown to members and a recently.

guests recently.

Oldham Lyceum C.S. (Hon. Sec.: H. Hilton, 3 Chamber Hall Close, Oldham). A magnetic tape recorder was demonstrated and several amateur productions ecreened at the first meeting of the winter session. A selection of members' first attempts a film-making were shown at a later projection. at film-making were shown at a later projection evening, and a presentation of their latest films has been arranged for the near future. A short publicity

been arranged for the near future. A short publicity trailer is being made and production continues on Moorland Incident.

Planet F.S. (Hon. Sec.: Miss Hilda Collins, "Beam Ends", Belimont Avenue, Cockfosters, Herts.). The thirteen entries—mostly colour—in the club's sixth annual competition were judged by Leslie M. Froude, Ben Carleton and Edgar J. Chard. Go West Young Man, an animated colour film, gained for Jack Barton the Planet Trophy for the best film. The Edgar J. Chard Cup for the best factual film and the Hilda Coles Trophy for the Best film the factual film and the Hilda Coles Trophy for the Best film the factual film and the Hilda Coles Trophy for the Best film the factual film and the Hilda Coles Tro

1949 A.C.W. Ten Best. Films to be shown during the winter season include Safety Last, Le Million and Goata Berling. The premiere of The Will is to be held shortly. Social activities are to be expanded

held shortly. Social activities are to be expanded during the coming months. New members, particularly those interested in acting, are welcome. Potters Bar Cline Society (Hon. Sec.: P. Johnson, 4 Oakroyd Avenue, Potters Bar, Middx.). Following the inauguration meeting of this new society on October 9th, J. L. Bennett's 300 ft. 9.5mm. production One Fine Day was screened. New members are welcome.

Preston & District C.S. (Hon. Sec.: J. H. Swainson, 5 Park Road, Fulwood, Preston, Lance). This new society meets every Thursday evening when the club production and projection arrangements are planned.

At the first meeting, appreciation was expressed for the help given in the formation of the club by George Sewell, F.R.P.S. New members are welcome. Queensway Film Productions (Hon. Sec.: Miss Peggy Phillips, 37 Honeysgreen Lane, Liverpool 12). This new Merseyside society intends to work on 16mm, only. The first production is now being serviced.

Sale C.S. (Hon. Sec.: H. Percival, 97 Ashton Lane, Sale, Manchester). 600 ft. of stock have been donated Sale, Manchester). 600 ft. of stock have been donated by a member for the first production, plans for which are now well under way. Interiors will be shot at club headquarters where there are ample facilities. Sound films from the Petroleum Board and the Oxford University sound film Our College were shown recently. Nancy's Garage, It Never Rains, Dismond Cut Dismond and Murder—all from Stoke-on-Trent C.S.—have also been screened this session. Meetings are held on siternate Thursdays. New members are welcome.

Slough F.S. (Hon. Sec.: Miss Joan Weedon, 11 College Avenue, Slough). Kameradschaft (edited and titled for screening in this country by the club's president, Adrian Brunel, F.R.P.S.) was screened to

an audience of ninety members and guests which included the Mayor and Mayoress. An audience of 1,000 attended the lecture by Feter Scott at which he acreened his film of a "wild guose chase" in the Arctic. His visit was arranged in co-operation with the Civic Society, Natural History Society and the Geographical Association. Chairman for the evening was John Snagge. Proceeds were donated to the Severn Wild Fowl Trust, of which Peter Scott is president. Shots taken of members being shown over the projection room of a local cinema are to form part of a trailer, The Film Society and You, depicting club activities. A class for amateur films is to be included in next year's Slough Arts Festival ter the first time. Southall P. & C.C. (Hon. Sec.: W. B. Oliver, 42 Betham Raad, Greenford, Middx.). The premiere of The Second Man will take place on January Ist. A trailer advertising the film is being screened at public shows. At next month's public show, on December shows. At next month's public show, on December 13th, part 4 of the 2mm. serial, The Lighthouse by the Sea, will be shown with My Boy and some shorts. Visitors are invited to the cine social to be held on December 20th. Tickets are available from the hon. December 20th.

Secretary.

8t. Andrews A.F.G. (Hon. Sec.: Brism R. Everett,
27 Mendowride Road, Cheam, Surrey). The editing of
The Black Case is now reaching its final stages. A
special amplifier is to be used with the club's Wearite
Tape Deck for experimental sound recording work. Synchronisation will, it is hoped, present no great difficulty since synchronous motors are fitted to turntable, projector and tape deck. First public show the season will be at the Sutton Public Hall on

of the sesson was one of the sesson was one of the sesson was one of the sesson of the velcomé

Sunderland C.S. (Hon. Sec.: W. L. Davie, 95 Stratford Avenue, Grangetonon, Sunderland). Copying by means of a back-projection image was demonstrated by means of a back-projection image was demonstrated at the opening meeting of the session. A section for "art members" has been formed for those not interested in the technical aspects of film-making. They will pay a reduced subscription. Although permanent headquarters are not available, a suitable meeting room with studio and store for propa has been hired. A complete living-room set has been built.

Trees F.U. (Hon. Sec.: A. Nunn, 16 York Road, Middlesbrough). A short is now being made—the first production since the club acquired its new club-room. Plans for expansion are being discussed, club-room. Plans for expansion are being discussed, and those interested are invited to attend the weekly

and those interests.

Tuesday meetings.

Tower F.U. (Hon. Sec.: L. L. Julien, 22 Upper
King Street, Leicester). Work continues on the first
film to be made by the society's own magnetic sound
members engaged on
Members engaged on recording-on-film methods. Members engaged on research have scored another success with the manufacture of their own magnetic oxides.

Natural of their own magnetic couldes. Victorian A.G.S. (Hon. Sec. B. A. Bennett, Box 1270L, G.P.O., Melbourne, Australia). It is not only societies in Great Britain which have accommodation difficulties! An "urgent appeal" is published in the September issue of "Victorian Movie Makers", this excitation for ideals of mixels of control of the control of mixels of mixels of mixels. the september issue of "Victorian Movie Makers", this society's journal, for details of suitable premises. A. J. W. Moore gained first prize with his colour film, All For Twopenes-Halfpenny, in the 1950 V.A.C.S. Smm. competition. Closing date for the "Five Best Films" competition was October 25th. Production estimates the production of the competition of the second colour sections. Films "competition was October 25th. Production activities began at the end of August with six cameras operating—three 16mm., two 9.5mm, and one 8mm. Wallassey A.C.C. (Hon. Sec.: John Broadbent, 306 Portland Court, New Brighton, Wallassey, Cheshire). Club organisation is now fully geared for a first-class presentation of the 1949 Ten Best on December 5th-7th. One short has been completed during the past season and two full length productions are now in their final stages. Sound films from the Central Film Library have been acreemed fortnightly for the past four years. Membership increases steadily an a healthy bank belance has permitted the purchase of

a healthy bank balance has permitted the purchase of a sound projector. Wanstead & Woodford C.C. (Hon. Sec.: W. E. Dodd, 43 Burshem Road, Chingford, E. 4). Worthwhile discussions on film-making followed the screening of personal films made by sighteen members—three of them ladies—during the pest month. R. Dobbs of R. G. Lewis recently demonstrated new equipment which ranged from titling letters and filters to sound recording apparatus. Pictorial composition was the subject of a later talk by P. R. Dale.

West London F.U. (Hon. Sec.: A. F. Shave, 77a Advisable Grove, Shepherds Bush, W.12). Schedules for next year's productions are now being drawn up. Destiny—a drams—will be filmed on 16mm. Death Plays Whist (thriller) will be made by the 9.5mm. enthusiasts, while the 8mm. section will produce an "interplanetary" film provisionally titled To Other Worlds.

Worlds.
Whitehall C.S. (Hom. Sec.: W. J. Dear, 166 Winchsever Hill Road, N.21). Meetings are held twice
monthly in the Ministry of Works cinema, Lambeth
Bridge House, at 6.30 p.m. On the first Thursday
in the month the programmes are technical and
include lectures and demonstrations. On the third
Tuesday, films of particular interest to amateurs are
shown and criticised.

shown and criticised.

Wimbledon C.C. (Hon. Sec.: Miss D. M. Shepperd,
35 Denmark Avenue, Wimbledon, S.W.19). A series
of six lectures on various supects of film-making has of six lectures on various aspects of film-making has been arranged. The first took place on October 17th and the rest will follow at monthly intervals. There Was An Old Woman was enthusiastically received by Wimbledon Corporation and is now being acreened at local halls. Meetings are now held at club head-quarters—The Guild House, 30 Worple Road—on alternate Tuesdays at 8 p.m. Next meeting is an November 28th. Membership now stands at 27 but there are still some vacancies.

Wisbech & District F.S. (Joint Hon. Sec.: G. W. Unber, 19 Wellington Terrace, Wisbech, Cambs.). It Concerns Ut All was shown at the society's first meeting of the current season. The End of the Tvail, a pre-war production, was screened on October 30th, when plans for 1951 productions were discussed. Membership has recently increased to 116.

Woolwich & District C.C. (Hon. Sec.: R. Johnson, 90 Eltham Road, Lee, London, S.E.12). The First 300ft. is to be the title of this newly-formed society's first 9.5mm. production, the script for which has

300ft. is to be the title of this newly-formed society's first 9.5mm. production, the script for which has now been completed. New members are welcome. Wulfrun A.C.C. (Hon. Sec.: G. Hayward, 32 Rupert Street, Wolverhampton). Many enquiries were received from prospective members after the presentation of the 1949 Ten Best. Copies of a special edition of the club magazine—"The View-inder"—giving details of club activities and of the making of Eggs for Breakfast, were enclosed with each programme. A S.O.D. recording was made of the commentary to Nature's Way. Eggs for Breakfast was shown in full. Two 1,000 wait Ampro projectors were used with a third machine set up as a stand-by. Members were guests of the cine section of the Stafford Film Group at a private showing of Filming for Fun. Visitors are welcome at the weekly Friday meetings at 7,30 p.m. at the new meeting place, Compton Grange, Compton Road.

NEW CLUBS


NEW CLUBS

Enthusiasts in Plymouth are invited to contact Mr. Joseph Evans of 56 Glendower Road, Peverell. Plymouth with a view to forming a cine society there. Mr. S. W. Lucas, 112a Villiers Avenue, Surbiton, Surrey and Mr. Oliver of 6 Grove Court, Grove Crescent, Kingston are seeking support for their proposal to form a society in the Surbiton area. All gauges would be entered for, and the society would concern itself with both film production and appreciation.

Reports for the January issue, on sale December 15th, should reach us not later than November 20th.

THE NATIONAL FILM AGENCY

SPECIALISTS IN ALL CINEMATOGRAPH EQUIPMENT A PROFESSIONAL SERVICE FOR THE AMATEUR



THE NEW AMPRO "STYLIST"

lómm. sound film projector

Something you have been waiting for ! A sound film projector complete in one case, and weighing only 33 pounds when packed ! 750 watt or 1,000 watt lamp, 3½ watts sound output, ample for the home user or for classroom and small halls; sound or silent speeds; automatic rewind; amazing quality sound reproduction; 8' Goodman speaker.

Price, complete with transformer

£168.0.0


Come and see a demonstration in our theatre



G.B.-Bell & Howell
"Sportster "8mm. camera, Taylor Hobson (1/2)
bloomed lens, 4 speeds
(16, 24, 48 and 64 f.p.s.),
buitt-in viewfinder for
three lenses; single
picture, built-in exposure guide.
Price 437 9 3

THIS MONTH'S

A REVERE 8mm. CAMERA, with Somco-Revere 12.7mm. f/2.5 bloomed lens, interchangeable, five speeds (8, 12, 16, 24 and 32 f.p.s.), built-in telescopic type viewfinder, governed motor with 15' run on one wind, built-in exposure guide. Smart brown crackle finish, complete with wrist strap and leather carrying case. Price £40 0 0



G.B. - Bell & Howell
"Screenmaster" 8mm.
projector, ali-gear drive,
400 watt tamp, built-in
resistance, 110v.-250v.,
still picture, automatic
rewind, etc.
Price ... 257 8 8

WE WISH ALL OUR PATRONS THE COMPLIMENTS OF THE SEASON

62-64-74 VICTORIA ST., MANCHESTER, 3

TELEPHONE: BLACKFRIARS 0334-5

'GRAMS " ANIMATED "

Two Sound Propositions!



THE SOUNDMIRROR TAPE RECORDER

Housed in a beautiful cabinet, and using inexpensive magnetised paper tape, the "Soundmirror" gives reproduction equal to the best radio. If you want a good looking, versatile apparatus to record commentaries to your films, the "Soundmirror" is the answer.

THE CARPENTER JUNIOR 16mm. SOUND PROJECT

Incorporating all the distinctive features of the standard "Carpenter," the "Junior" has all-in-one case, twin Synchronous motors, triple claw action, micrometer racking and focusing. You will admire its quiet running,

clear speech, efficient cooling.

500 WATT LAMP - 8 WATT SOUND OUTPUT

Price £145 inclusive



Secondhand Bolex Cine Camera, Model H.16, with 15mm. 2.5 Dailmeyer, 1" 1.5 Dailmeyer, 3" 3.5 Dallmeyer, complete in case, in excellent ...£145 0 0 condition

Bell & Howell 70DA, with I" 1/3.5 T.T.H., 2" 1/3.5 T.T.H. coated, 31" f/3.5 T.T.H., 6" f/4.5 T.T.H., and with I" modifier duplicator, filters, etc., a ... £172 10 0 comprehensive outfit

Latest Bolex Accessories

Boleev Cine Fader, automatic accessory for fading in and fading out, and making lap dissolves in various shapes £15 18 4

Leica lens adaptor for Bolex camera to enable the Leica user to use his Leitz lenses with the Bolex Cine Camera 13 7 4

54. ALBION STREET, LEEDS

Tel.: 28261

LEWIS NEWCOMBE LE 41. Old Bond St Dondon W.I.

'I ALWAYS HAVE COMPLETE CONFIDENCE N EVERYTHING YOU SUPPLY . . . " said a

f/1.9 lens Magazine Cine Kodak, 16mm., f/1.9, and instruction book
Pathe Cine Camera, 1/3.5 Trianar,
9.5mm, complete with case
Pathescope, 1/3.5 Trianar, 9.5mm,
complete with case
Li2
Pathescope, 1/3.5 Trianar, 9.5mm,
complete with case
Li2
Dekko 9.5mm. Cine Camera, metal
body, 1° 1/1.9 Ross lens
Specto 8mm. 100 watt Projector, new 236
Kodascope 8/46/200 watt projector,new 233
Dekko 8mm. Projector, 500 watt lamp,
new and instruction book £12 12 G.B. Bell-Howell Model 601, 16mm.

Cine Sound Projector Yade 16mm. Animated Viewer, giving a crystal clear 3 x 2 Projected image 25 Sportico 8, 16 or 9.5 mm., 1,600fc., double gear rewinds, new Johnson's Universal 8mm., 9.5mm. or 16mm. Splicer, new ...

Films for the Home Show

A selection of new and recent additions to the film libraries. Abbreviations used: M. minute; D. director; number in brockets thus: (2), indicates number of reels; P. indicates film is

16mm. SOUND FEATURES
Associated British Pathe
For Them That Trespass. 90m. Richard Todd,
Patricia Plunkett, Stephen Murray. An innocent
man is gaoled for murder. On his release he
determines to track down the man who put him there and reveal the truth.

Uneary Terms. 90m. Michael Rennie, Moira Lister.

Peter Cheyney thriller.

Trinty House. 50m. Documentary.

Spring Meeting. 92m. Michael Wilding, Nova
Pilbeam, Sarah Churchill. Romantic comedy.

Baker & Hyman

Abilene Town. (10). D, Edwin L. Martin. Randolph
Scott, Ann Dvorak. Vigorous, competentlydirected western. Penn of Pennsylvania.

F.H. Co.

Her First Romance. 78m. Alan Ladd, Edith Fellows. Romantic musical. Convict's Code. 60m. Robert Kent, Anne Nagel,

Sidney Blackmer.

Man With Two Lives. 65m. Edward Norria, Eleanor Lawson.

Farewell to Fame. 70m. Gale Storm, Frankie Darro.

G.B. Pilm Library
Passport to Pimlico. 87m. D, Henry Cornelius.
Stanley Holloway, Hermione Baddeley, Margaret
Rutherford, Paul Dupuis. Really entertaining
comedy with excellent acting. The discovery of a comedy with excellent acting. The discovery of a 15th-century toyal charter decreeing that part of Pimlico shall be forever Burgundian soil sets in train a delicious series of zestful incidents.

Il Over the Town. 88m. D. Derek Twist. Norman Wooland, Sarah Churchill, Cyril Cusack. Newspaper drama with exciting climax and satisfying ending. The editor of a local newspaper exposes

All Over the Toton.

ending. The editor of a local newspaper exposes the machinations of a corrupt local councillor, looditide. 89m. D. Frederick Wilson. Gordon Jackson, Rona Anderson, John Laurie. Capable direction and camerawork in this drama of the Clydebank shipyards.

Ron Harris

and House. 95m. D, Jean Negulesco. Ida Lupino,
Cornel Wilde, Celeste Holm, Richard Widmark.
As an act of vengeance Jefty Robbins frames his
partner on a robbery charge, then persuades the
judge to parole him in his, Jefty's, custody. Smooth Road House.

Judge to parole him in his, Jetty's, custody. Smooth acting and interesting story.

That Wonderful Urge. 82m. D, Robert B. Sinclair.

Tyrone Power, Gene Tierney. Elegant settings in comedy romance about a journalist who writes a series of scathing articles about an heiress only to find, later, that he loved her all the time. Competent

production

Come to the Stable. 95m. D. Henry Coster. Loretta Young, Celeste Holm. The tale of two nuns who come to America from France to build a children's come to America from France hospital in fulfillment of a vow made during the war.

The Return of Frank James. 98m. Henry Fonda,

Gene Tierney. Frank sets out to avenge the

Gene Tierney. Frank sets out to cowardly murder of his brother Jesse.

aequel to Jesse James.

aequel to Jesse James.

aeau Geste. 114m. Gary Cooper, Ray Milland,
Robert Preston, Susan Hayward. Exciting tale of
the adventures of three brothers in the French Legion. Adapted from the novel by oreign Wren.

Frank E. Jessop

Tom Brown's Schooldays. 83m. Sir Cedric Hardwicke,
Freddie Bartholomsw.



"You're an interfering old cat", Carol (Google Withers) tells Jum Agnes in this scene from "Once Upon a Dream Other stars in this recent G.B. release ere Griffith Jones and Guy Middleton.

Swiss Family Robinson, Edna Best. 86m. Thomas Mitchell

Frontier Justice. 57m. White Stallion. Westerns.

Metro-Goldwyn-Mayer

The Doctor and the Girl. 98m. D, Curtis Bernhardt. Glenn Ford, Charles Coburn, Gloria de Haven, Janet Leigh. Medical drama about a young doctor who forsakes his ambitions and a brilliant future to marry a penniless girl and become a G.P. in a

to marry a penniless girl and become a G.P. in a poor district. Technically very good.
Complete programme with Those Good Old Days, 9m.; and The Bear and the Bean, 8m.
The Forsyte Saga. 113m. D, Compton Bennett. Errol Flynn, Greer Garson, Walter Pidgeon, Robert Young. Book 1 of John Galsworthy's novel provides colour and romance and captures on the street of the streets of the streets.

novel provides colour and romance and captures something of the atmosphere of the period.

With The House of Tomorrow. 7m.

Madame Bovary. 114m. D. Vincente Minelli. Jennifer Jones, James Mason, Van Heftin, Louis Jourdan. The famous novel translated into a sumptuously mounted novelette. With The

sumptuously mounted novelette. With Interiable Mouse. 7m.
Neptume's Daughter. (Colour). 93m. D. Edward Buzzell. Esther Williams, Red Skelton, Ricardo Montalban. Melody, romance and revelry in this well staged musical. Spectacular aquatic displays. With Mr. Whitney Had a Notion, 11m.; and Abdul the BulBul Ameer, 8m.

16mm. SOUND SERIALS

Dich Barton Strikes Back. Five Episodes. Don Stannard, Sebastian Cabot, Jean Lodge.

16mm. SOUND SHORTS

Baker & Hyman The Chimp. (3). Laurel and Hardy comedy. Several of the Most Important 1949 Races; 1950 Derby; 1950—City and Suberban.

Ron Harris
(2). "World Today" series. Ron Harris
Draftsmen of Dreams. (2). "World Today" series.
Future Champs. Sports review.
Fashions of Yesteryear. "Ferminine World" series.
Satisfied Saurians. "Dribblepuse Parade".
As Hill-Billies. "Speaking of Animals" series.
Nothing But Nerves. Robert Benchley comedy.
Ina Ray Hutton and her Orchestra, Musical.
Susmeapades. Grantland-Rice Sportlight.

Frank E. Jessop
Varies & Vida; Emerson Mountaineers; Miniature
Variety; Al Donahue and his Orchestra; Lani
Meintyre and his Orchestra; Johnny Long and his
Orchestra. All one-seel musicals. P.

Walton Films

A Survey Symphony; A Sussex Symphony, (Colour or black and white), 12m. each. Both by Matthew Nathan. The first was Highly Commended in the Nathan, 1949 Ten Best Competition. Frank Phillips.

11m.; Snowland Sports. 12m.; Sub-titled silent copies of the Speedway Racing. 11m. Helvetia.

above also available.

16mm. SILENT SHORTS
Walton Films
outh African Wonderlaus; Farm Show; Down
Southampton Water; Rayal Palaces; Bikini
Bathing Beauties; Shi-Thrills; Round the Cinder
Track; Sports Parade; West Sustex Beauty Spote;
Caxtles of Sussex; The Isle of Wight. All 4m. black South and white

9.5mm. SOUND FEATURES Nine Five Limited

Hold That Woman. (6). James Dunn, Frances Comedy. Gifford. Warren Hull, Isabel Jewell. Marked Men. (6).

Pathescope

Secret Evidence. (6). Charles Quigley, Margaret Evans. Thriller. The District Attorney's fiancee becomes involved in a case of attempted murder. South of Panama. (6). Roger Pryor, Virginia Vale. Murder and romance in this tale of a gang of agents who are out to steal a secret government formula.

Targan and the Green Goddess. (6). Bruce Bennett, Ula Holt. Sequel to New Adventures of Tarzan.

9.5mm. SILENT FEATURES Premier Film Service

69m. Drama. Secret Lives.

9.5mm. SOUND SHORTS

Pathescope
(1). Travel film of Scotland's

(1). Travel film of Scottanders. Commentary by McDonald West of Inverness. Western Highlands. First in War. (2). Charley Chase comedy.

9.5mm. SILENT SHORTS

Pathescope
Trooping the Colour 1950; Roamin' Vandals, (1);
Jack & Dapline. Newsreel record of London Zoo's brown bear cubs.

Premier Film Service Last of the Knights; Joyous Journey. 15m. Comedies. 8mm. SHORTS

Walton Films Walton Films

A Survey Symphony; A Sussex Symphony; Speedway
Racing; Snoveland Sports; Helvetsa; South
African Wonderland; Farm Show; Down South
ampton Water; Royal Palaces; Bikini Bathing
Beauties; Ski-Thrills; Round the Cinder Track;
Sports Parade; West Sussex Beauty Spots; Castles
of Sussex; The Itle of Wight.

New Movie-Paks G.B. Film Library

No Indians Please; Fun on the Run. Bud Abbott and Lou Costello comedies. Charlie the Champ. Chaplin comedy with commentary

by Tommy Handley.

Western Feud. Johnny Mack Brown. Bar 20 Rides

Western Fessi. Johnny Mack Brown. Bar 20 Rides Again. Bill Boyd as Hopalong Cassidy. Gems of Song. Deanna Durbin. Rhumba Congas. The Ritz Brothers and The Andrew Sisters. Knockout Thrills. Famous big fight climaxes. Fiching Fun; Dare Devils on Ice. A Day in Venice. James A. Fitzpatrick travel picture. A Thrill a Second; Yesterday Lives Again. Mary's Little Lamb. Cartoon. (All the above available in 16mm. sound, 16mm. silent and 8mm. with the exception of Gens of Song and Rhumba Conneas which are 16mm. sound only.)

and Rhumba Congas which are 16mm, sound only.)

End - of - Reel

BY THE EDITOR

I wish that the distinguished professionals who criticise amateur films would not pay us such sugary compliments. It isn't that I am suspicious of the Greeks when they bring gifts. The gifts our mentors generously offer us are worth having. They give up their time to us. They give shrewd advice. But would they please couch their praise in less extravagant terms? As a member of the amateur film movement I find it rather embarrassing to be lauded to the skies when I know, and am sure the critic knows, that the encomiums just can't be merited. And I am no less sure that many amateurs take the same view.

Arthur Elton, with John Grierson, offered some most stimulating comments on the Commended and Highly Commended A.C.W. 1949 competition films at the Federation of Cine Societies' first meeting of the season some weeks ago; and they gave valuable advice on film production, but how many of the audience believed Elton when he said: "I should like to invite you all into the professional fold. You are not amateurs but professionals.

You have proved it on the screen." But perhaps the reason why he would like to have invited us to make films for a living was not necessarily because we make good films but because we enjoy making films even when they are bad. "I am tired," he continued, "of the cinema being in the hands of the specialists. Great Britain is surely a literate country, and it is quite time that everybody learned to handle a camera so that it is a familiar instrument. Until the camera is as readily used as a pen or portable typewriter we shall not have attained full power of expression."

And in discussing Eric Freeman's hatching a Hayrick: "What a blessing Thatching a Hayrich: "What a blessing there is no talking! The sheer simplicity and direct-even naive-approach is something we professionals have lost. cleverer we become the less direct we are. There must be er thusiasm. The maker of this film has got it. He demonstrates that photography is not so much a matter of lenses and camera angles as of feeling and

With Grierson and Elton addressing a

meeting it is almost a crime to stay away. If the amateurs do not crowd the hall as the professionals do, it can only be because they have less opportunity than the professional of knowing what they are missing. Grierson's racy criticism, his occasional descent into disarming slang, his ebullience, his shrewdness and penetration et the subject of his comments into vivid relief. "Why isn't A Young Man's Fancy, such a satisfying piece of work as Thatching a Hayrick? Because the maker of the latter knew more about thatching than the producer of A Young Man's Fancy knew about love-making."

On amateur actresses: "Don't cast any girl until you have seen a screen test of her. The camera can be very kind. A girl that looks ordinary can be a startling personality on the screen. And vice versa. You may find miracles in the most unexpected circumstances."

In discussing the 100ft. Aquila Aquantics, Grierson paid tribute to technical competence but wanted more gags, pointing out that in the old alapsticks gag was piled on gag at lightning speed. But was it? I think that, if we don't actively dislike them, we tend to view the early milestones of cinema history through rose-tinted spectacles. The circumstances of our first seeing them colour our recollection.

I am a hugely appreciative customer of the British Film Institute's weekly programmes of films designed to illustrate the comedy tradition. I heartily enjoy some of the slapstick, but I must admit that I am bored by much of it. It is certainly not as quick moving as I remembered it. The gags in so many of the films are repetitive and the

build-up wearisome. But there are compensations. For example, when I first saw Buster Keaton's The General I thought it was a riot-but I was much younger then. though it amuses me less, it enchants me more, for Keston's technique most rewarding to study.

If you want details of this B.F.I. comedy series-it is given at the Institut Français theatre in Kensington—you can get them from the Institute at 164 Shaftesbury Avenue, London, W.C.2. It is a great bargain for London readers: twelve long programmes, each consisting of selected extracts and a full length feature film, for a few shillings-and nothing at all to Special Members of the Institute. Apart altogether from their high entertainment value (Danny Kaye's Secret Life of Walter Mitty was shown recently) they are most valuable for anyone wanting to learn about film technique.

Elton almost persuades us that we know it siready, giving high praise to Peter Hall's delightful film, Spring. "When I saw the title", he said, "I was filled with foreboding. Most people have wanted to make a film about spring and most of them have. This director has done as well as anyone anywhere. To me the film combined freshness and professional quality in photography of which I have rarely seen the

And as an example of production values he singled out two flower close-ups. were almost the same-but not quite. they been identical, the second one would have fallen flat. In fact, it was distinguished from the first in slight but subtle fashion: a few rain drops softly falling on the petals.

The next F.C.S. meeting, on December 19th, promises to be no less lively. Paper Boat will be shown, and Tony Rose, the director, will be there to meet the criticisms of George Sewell. In addition, some amateur films of the early twenties will be screened to afford us an opportunity of assessing just how far we have gone-and in



PRINTING AND ENLARGING

By O. R. CROY

O. R. Croy has continuously broken new ground in using the camera as an unusual tool for serving science and also as an end, creating unusual pictures for the sheer fun of it.

This book on how to make prints-ordinary prints and elaborately controlled prints, straightforward prints and very tricky printsoffers a wealth of technical knowledge and personal experience without parallel in any other single volume.

256 PAGES 191 PHOTOGRAPHS 252 DIAGRAMS CLOTH BOUND CROWN 4to PRICE 18/6 NET



* EXPOSURE

By W. F. BERG, D.Sc., Ph.D.

In explaining fundamentals with great accuracy and in much detail, this book helps you to pick the right tools and materials, to suit your filters to your film and your subject, to arrive at the correct exposure and to decide what is best and what is just good enough. It does so in commonsense terms and by stages of careful reasoning. It always tells you "how" and never forgets the "why".

432 PAGES

140 ILLUSTRATIONS

74" x 5" PRICE 21/-

CLOTH BOUND

PUBLISHED BY FOCAL PRESS

Distributed by R. F. Hunter Ltd., 51 Gray's Inn Road, W.C.I, and Neville Brown & Co. Ltd., Newman Yard, W.I.



THE FOCAL FLASH DISC

THE FIRST instrument ever designed to give at a glance the right flash exposure. For use with either flash bulbs or speed flash it tells the correct exposure with any bulb, with any film, at any distance. Of colourful design and made in durable plastic, it is streamlined for easy, one hand operation. PRICE 5/- what direction. This meeting will be at the Abbey Community Centre Hall, 29 Marsham Street, S.W.1, beginning at 8 p.m., and refreshments will be available from 7 p.m. Anyone can attend by applying for a ticket to the Hon. Sec., E. S. Honeyball, 95 Castelnau, Barnes, S.W.13. A stamped addressed envelope is requested and you are asked to state if you wish to use the cafeteria.

Filming Stage Shows

This is the time of year when the amateur, seeking sequences for his local newsreel or cinemagazine, turns to the theatre: the boards now ring with the boisterous delights of pantomime and are the setting for colourful children's plays, circus acts and the like. Stage plays and even lavishly mounted musical comedy are most intractable material for the cine camera, for even if one is given permission to film and sufficient light is available, the odds are all against one getting a satisfactory result.

getting a satisfactory result.

Where the emphasis is on spectacle and movement the prospects are brighter. The absence of sound does not seem so peculiar and the painted backcloth is more acceptable (or, more correctly, less unacceptable). Among last year's Commended films in the Ten Best competition was a record of a number of circus acts filmed in a theatre. It was a good, lively production which owed its success to the nature of the material and to the fact that it was filmed from a variety

of positions.

Both these qualifications are of prime importance in this class of work, because stage convention is an unreal convention, and a monochrome reproduction of it in two dimensions, minus the essential sound, is bound to be yet more unreal. At the best one should rarely attempt more than a few shots, being content to give a fleeting impression rather than anything remotely approaching a record.

And now, after saying this, let me add that a month or so ago I saw a silent 16mm. record of a well-known musical play and liked it. It was a Kodachrome record of Ivor Novello's King's Rhapsody, and very colourful it was but—and this is the significant point—it was not made for public consumption. The producer, Stanley Schofield, filmed it for a specific purpose: Novello had already had sound records made of the play; he wanted a film version to serve as a record of the decor and grouping and also to show the cast how they looked from the front of the house.

It would be nonsensical to suggest that

such film versions, photographed during the actual performance, could ever be sufficiently polished for public exhibition even to people who had seen the play and who might like a memento of it, but as utility pieces they have a definite value. The staging of at least one famous American musical play was facilitated here by a 16mm. film of the native version.

But utility records have to be made with as much care as more elaborate productions and, though they are on substandard, they can't be cheap. In the case of the King's Rhapsody film, for example, the complete show had to be put on specially for the camera unit, because there had to be a minimum of three camera positions—positions which could not be taken up during a public performance. The whole cast, technicians, stage hands and theatre staff had therefore to be paid: and the fees had to be added to the cost of the film.

Schofield used two Bolex cameras and a Cine-Kodak Special. One camera was set up in the front row of the dress circle, another (fitted with wide angle lens) was placed at the back of the circle and the third was mobile (on stage, at front row of stalls, in boxes, etc.). The production unit had attended so many performances of the play that they knew it almost by heart and were therefore able to pinpoint the entrances and exits.

During the filming the director signalled to each of the three cameramen when to start turning and when to stop by blasts on a whistle. Lighting was provided by Photofloods—some fifty—to the limit of the fuses: the colour gelatines were taken out of the footlights and Photofloods inserted and there was a bank of them in reflectors in the orchestra pit low enough to permit of shooting over them. And there were spots to illuminate the background.

It is one thing, however, to take all this material and quite another to condense it into an hour's running time. The editor, Miss Bobbie Jeffs, has done an excellent job but—I couldn't understand the story from the visuals alone. Stanley Schofield had to explain it to me as the film unfolded. This is no criticism of the editing—no one could have made the action speak for itself when robbed of its easential counterparts, dialogue and music—but it does enable me to emphasise once again that straight film records of stage plays are not for public consumption.

A few shots for an interest feature are all right—but leave it at that. Even for these the same meticulous attention to detail that Schofield gives should be a sine qua non. Of course, it is highly unlikely that you would be able to secure comparable diversity

of camera position for a few feet shot for your own amusement, but if you are filming an amateur stage production, then certainly Schofield's methods are the ones to copy.

Help Yourself

Committee members who have spoken to me about it are in a pleasurable state of anticipation over the R.P.S. Kine Section's bright idea for its new season's programme. It is proposed to hold a sort of "help yourself" course on amateur cinematography. There will be five meetings devoted to basic technique, and while an experienced film maker will be in charge of each, his job will be less to deliver a lecture than to stimulate questions from the audience and guide it into seeking solutions to its own individual problems.

Amateur film making is an essentially personal affair (that, with the resultant freshness which should emerge, is what distinguishes the amateur approach from the professional) so this method should yield tangible results. The "classes" are aimed chiefly at amateurs who are making, or who want to make, films for specific purposes: for school and industrial work, scientific study and so on, but the amateur who makes films entirely for his own pleasure

is just as welcome to attend.

The first, on pre-shooting technique, directed by our old friend, George Sewell, will have taken place by the time these notes sppear. The second, on shooting, by Hubert Davy, will be given on January 12th, 1951. And on November 24th Ken Annakin, who directed Holiday Camp, Miranda and other successful films, will talk on the director's problems, illustrating his remarks with "The Colonel's Lady", from Quartet.

The Kine Section's meetings are arranged for members of the Royal, but anyone who would like a foretaste of the fare offered by the Society can attend at the invitation of a member of the group or on application to the Secretary, 16 Princes Gate, S.W.7.

Composite Film

Ivor Smith, genial Vice-Chairman of the I.A.C., tells me that there has been an excellent response to the Institute's circular to affiliated societies suggesting the production of a composite film showing how Britain spends its leisure in winter. The idea is to provide a film of national interest for exhibition during Festival of Britain year.

Each club is to be responsible for a 100ft. of film taken in its own locality. Gauge and stock are specified to secure uniformity—16mm. Kodak Super Pan Reversal—and it is hoped to be able to specify a particular

make and type of camera. These are all sensible precautions, though I am myself inclined to think that the requirement that only one make of camera be used is scarcely necessary. I know that frame line variations do occur as between different makes, but ideally they shouldn't. And there is the exasperating fact that they can occur in the same make.

When the 100ft. of film has been shot, the club will be asked to forward it to the Institute who will appoint an editor and provide titles, commentary, duping, etc. How will the production as a whole be handled? There are many interesting possibilities. If each 100ft. is supplied unedited, the Institute's editor is likely to have a heavy task unless he decides to ignore regional interests and regards the total footage as so much raw material to select from at will. If individual identities are to be preserved, an unedited 100ft. will not be very much to work on.

On the other hand, it will surely be necessary to prepare a detailed treatment of the entire production from data supplied by the contributors. Each contributor will therefore know what is required of him, which means that he will work to plan, which implies that he will need at least to rough edit his own shots. The experiment is indeed a worthwhile one, and one awaits

the result with keen interest.

Arrangements are now almost complete for the Institute's 1951 convention on March 1st, 2nd and 3rd. Full details of what the I.A.C. can offer lone workers and clubs can be had from the Hon. Secretary (who is also this year's U.N.I.C.A. President) Leslie Froude, 8 West Street, Epsom, Surrey.

Leaders and Trailers

Although there is, I think, quite a lot to read in this issue, we haven't been able to get in all we should have liked. Among the "casualties" is the complete data, announced for this number, on the length and cutting of leaders by the processing stations. Full information will, however, be published next month. Meanwhile, if you are using Kodak film this Christmas, allow for a 7ft. leader on 100ft. of Super XX and 6ft. on 100ft. lengths of other Kodak 16mm. stock, with 4ft. and 3ft. respectively for the trailers. The length of leaders and trailers on 50ft. lengths is a little less. The leader on all Kodak 8mm. film is 3½ft., and the trailer is 1ft. longer.

Finally, a very happy Christmas to amateurs everywhere and good shooting in 1951.

REAL BARGAINS in PROJECTORS

These are just a few examples of the wonderful value that you get by dealing with Westminster Photographic. For everything you want in Cine, come to us—you will be delighted with the personal service we give.

16mm. Kodascope A, 250 watt, ideal for			
	(29		
16mm. Bell Howell 57G, 400 wett, all volts 16mm. Bell Howell "LS", 750 watt, all-gear		10	0
drive, all volts AC, almost new, worth £110 16mm. Keystone, 300 watt, all volts AC/DC,	447	10	
perfect condition, worth £40	627	18	
16mm. Kodascope "C", 100 watt, all volts 8mm. G.I.C. Camera, f/1.9 coated Berthiot,		15	
double-run, as new, list over £50 9.5mm. Dekko Standard Camera, 1/1.5	a	17	
Dallmeyer Speed, excellent condition		15	
Ensign Cine Tripod (Thalhammer type), full movements, excellent condition, worth £18		17	4

	AL. 16m					
	1/2.7 and					
	excellent	cond	noisi	through		
outlit	***	***	***	2.66	6153	

At 119 Victoria Street

Pet 112 Treatment day and 1			
PROJECTORS			
9.5mm. Pathescope 2008, 200 watt, all volts	£19	15	. 6
9/16mm. Pathescope 2008 Plus, 200 watt			
lamp, all volts, complete	633	15	
16mm. Kalee, 500 watt, 1,600 ft. arms,			
complete, all voits AC/DC, ex. cond		15	. 0
16mm. Kodascope "L" Projector, 750 watt,			1
all volts AC/DC, perfect order	438	12	
16mm. G.B. Silent S.516, 500 watt, self-	***	-	
contained in case, almost new, worth £80	644	12	
16mm. Ampro "Imperial", 500 watt, all volts			
AC, as new, cost £100		10	
16mm. B.T.H. 301 Sound/Silent Projector, 500 watt, with transformer, complete			
9.5mm. Pathe H Moto-camera, 1/2.5, as new			
9.5mm. Dokko, standard 1/1.9 Ross, variable	-10		
speeds, excellent condition	417		-
shears' avenuers countrion	mar.		

THE WESTON MASTER
"CINE" Exposure Meter is
the one you will eventually want.
In stock at all Westminster shops
at 49 15 0 (case 15/6) or you
obtain this beautiful instrument for only 50/- deposit and 15/- monthly under Westminster H/P terms.

WI To Cumula Chess stone, At-Port			
16mm. Kaiee, 500 watt, all volts AC/DC, almost new condition, worth 660	629	10	
16mm. Kodascope K, 500 watt, all volts AC/DC, perfect condition, worth £85	634	10	
16mm. Bell-Howell IS, 750 watt, all-gear drive, all volts AC/DC, as new, worth £100	667	10	
16mm. Elmo, 500 watt, all movements, new condition, worth £40	£18	18	
16mm. Ensign Portable, 300 watt, all volts AC/DC, excellent condition, worth £40	424	19	
16mm. Siemens Talkie, complete (personal shoppers only)	657	10	j
16mm. Gebescope L.516 Talkie, complete and guaranteed perfect	695		l
8/16mm. Paillard-Bolex G.816, 500 watt, 2 lenses, all volts AC, as new, worth £150£	110		
8mm. Kodascope 8-25, 200 watt, almost new	418	18	ä

AT III Oxford Street, W.I :			1
16mm. Siemens Standard, 4 amp lighting, perfect condition, worth £70	638	15	1
16mm. Kodascope "B", self-threading, 500 watt, all volts AC/DC, cost £100	639	10	3
16mm. Keystone (latest), 750 watt all volts AC/DC, as new, worth £70	646	18	į
16mm. Agfa Record, all volts AC/DC, ideal editing machine, excellent condition	616	10	ı
16mm. Bell-Howell, 200 watt, very good condition, worth £50	(3)	10	į
16mm, Beli-Howell 129C, 1,600 ft. model, 750 watt, all volts as new, worth £140			Į
16mm. Specto, 3 amp lighting, all volts A.C., as new, cost £36			P
9/16 Ditmar-Duo, 500 watt, all volts AC/DC, perfect condition, worth 675			ľ
9/16 Paillard Bolex G.916, 500 watt, all volts AC/DC, very good condition, worth £90			
majorati cari sana sanamani man mi ara		-	а

BE READY FOR CHRISTMAS
Get your Pathescope "ACE" Projector now before stock sell out. A real cinema for only £\$ 10 0. Orders b post executed by return, carefully packed, and at no extr

HIRE PURCHASE through Westminster Photographic really is private. We finance transactions ourselves and can give very quick delivery. Write, graphic really is private. We finance tra ourselves and can give very quick delivery. call or 'phone for full details and order form.

WESTMINSTER PHOTOGRAPHIC EXCHANGE LIMITED

2, ST. STEPHENS PARADE, WESTMINSTER BRIDGE, S.W.I 121 CHEAPSIDE, E.C.2. 119 VICTORIA STREET, S.W.I.
111 OXFORD STREET, W.I.
24 CHARING CROSS ROAD, W.C.2.
81 STRAND, W.C.2.
149 NORTH STREET, BRIGHTON

TRAfalgar 1611 MONarch 2918 VICtoria 0669 GERrard 1432/2239 TEMple Bar 7165/9377 TEMple Bor 9773/9221 Brighton 28596

ACE

9.5 & 16mm. SOUND PROJECTORS

MOST COMPACT, EFFICIENT AND CHEAPEST YET PRODUCED

EQUALLY SUITABLE FOR CLASSROOM, CLUB OR HOME
NO EXTERNAL RESISTANCE OR TRANSFORMER
12 WATTS UNDISTORTED SOUND OUTPUT
OPERATED FROM ANY PLUG OR LIGHT SOCKET
NO ADJUSTMENTS EXCEPT PICTURE FOCUS
UNIQUE METHOD OF SOUND SCANNING
MINIMUM OF SPROCKETS AND ROLLERS

COMPLETE SOUND PRO-JECTOR WITH SPEAKER IN CARRYING CASE TING CASE ... £84 0 0 ... £97 10 0 I6mm.

Sound unit with speaker in case 9.5mm. ... 448 10 0 16mm. ... 497 10 0 PROJECTOR AND ACE SOUND UNIT, SPEAKER and CASE 495 12 0 499 10 0

9.5mm. 16mm. 9.5mm. and 16mm. UNITS only, from 454 10 0



ACE TAPE RECORDER NEW!!

9.5mm.

gns. Microphone 6 gns.

2 HALF HOUR TRACKS ON I REEL OF TAPE RECORDINGS INSTANTLY ERASED 12 WATTS OUTPUT

I GRAMOPHONE AND 2 MICROPHONE INPUTS
BUILT-IN PROVISION FOR "SYNCHRO" COUPLING TO PROJECTOR, etc., etc., CALL FOR DEMONSTRATION or SEND Id. STAMP FOR ILLUSTRATED LEAFLETS

EQUIPMENTS ASSOCIATED CINE

353 BEXLEY ROAD, ERITH, KENT

E CINEMA SERVICE

OFFER YOU THE BEST & LATEST FOR XMAS

NEW PROJECTORS		
16mm. B. & HGaumont Model 613 £100	10	
	10	
16mm, Specto Standard Model 436	0	
9.5mm. Cinesmith Sound "Gem" (83	0	0
	10	
9.5mm. Specto Standard Model 436	0	
8mm. B. & HGaumont Model 606 457		0
8mm. Specto Standard Model (36	0	0
9.5mm. Pathescope "Ace" and Motor 610	10	0
	19	4
9.5mm. Pathescope "Ace", H./turn (S	10	
	10	0
Johnson Film Strip Projector (1	5	0
SECONDHAND PROJECTORS		
9.5mm. Cinesmith Sound "Gem" £70		
9.5mm. Pathe 2008 £22	0	0
9.5mm. Pathe "Super Vox" (85	0	
9.5mm. Pathe "Vox" 440		
9.5mm. Pathescope "Ace" 64	15	
9.5mm. Astor 22, Motor driven 45	5	0
NEW CINE CAMERAS		
9 Smm. Pachescope "H". [/2.5 lens (28	13	4

NEW ACCESSORIES			
16 and 8 mm. B. & H. Diagonal Splicer,	48		
Model 604	8.3		
16mm. B. & H. Rewind, Model 612	48	15	. 0
I6mm. Premier Rewind	64	4	
16mm, and 9.5mm. Pathe Rewind	64		
16, 9.5 and 8 mm, Cinecraft Rewind	62	15	
-16mm. Dekko Rewind Head	41	4	
9.5mm	61	4	
9.5mm. Pathe "Ace" Motor	65	0	
9.5mm. Pathe "Ace" Attachment	61	12	
9.5mm. Cinesmith "Gem" Sound Unit	647		
16mm. Specto Carrying Case	61	11	
9.5mm	41	11	
Premier Projection Stand	65	15	
16mm. Splicer	66		

	SILENT	FILMS	FOR	HIRE	AND	SALE	
9.5m	m. SOL	IND F	LMS.	All	Good	Cond	lition
"I Ta	ke This	Oath",	6 reels			£12	15 0
"Rad	io Lover	". 6 ree	ds			612	15 0
	d Withou					612	
Manu I	Ducha O C		EMT E	2M II	E/- 0/4	. 33/4	-/ma

a 16mm., 9.5mm. & 8mm. SOUND AND

9.5mm. Pashescope "H", (2.5 lens ... £28 13 4 Land Without Plains , oresis ... £12 15 0 (2.5 V.S. ... £30 2 8 New Pathe 9.5mm. SILENT FILMS 5/-, 9/6, 32/6, 50/LARGE STOCKS OF SPOOLS AND CANS, SCREENS, LAMPS, FILM CEMENT, etc., etc.

82 Wellington Street, Stockport, Cheshire

LOOK HERE FOR THE BEST VALUE-



NEW OR USED SPECIAL BARGAINS!

9.5mm. and	I6mm.
THE BEST	VALUE
IN NE	W
DUAL PROJ	ECTORS

						no.	
400ft, model	***	643				Seme	
							Ī
OTHER	NEW	PR	ונס	C	O	22	
9.5 Pathe Ace,	300ft		· ·	***	63	10	
9.5 Pathe Ace.				***	610	10	
9.5 Pathy Gem	, 12v100	hw	(8)	***	£37	10	
9.5 Specto, 30s	r100w.			***	634	. 0	
9.5 Specto Edu	cational !	Model		***	648	10	
8mm. Kodak 8				***	633		

8mm. Specto, 200w	()	6 8	- 0
8mm. Dekko, 500w., very powerfi	ul (3	9 10	. 0
16mm. Specto, 30v100w	(3	6 0	.0
16mm. Ampro Imperial, 750w.	69	9 10	
16mm. Bell-Howell 602, 750w.	610	0 10	
Any of the above, over £10, may	be put	rchas	ed
for 38 0/ deposit balance (2.)			

NEW ACC	CESSO	RIE	5		
Weston New Cine Mode	d	***	69	13	
Avo, very easy to read	444	***	69	13	
SPLIC	ERS				
Pathe 9.5 Junior Model		***		15	6
Ensign Popular-cuts a	end scra	pes.	ma	de	in
3 sizes, 8, 9.5 and 16 e	ach		61	17	6
Ensign Universal for 8, 9.	5 and 16	mm.	45	5	
Marguet Universal 8, 9.5		***	0	15	
16mm. B & K double gear		s un f	o L	600	ft.
spools			64	10	
9.5mm. Dekko double		tak	85	up.	to
400 ft. spools	988	200	63	3	

	POOL	SAI	ND C	ANS			35
BEST QUA	LITY '	. CYL	DON	" AL	UMIL	UIN	M.
EXTRA STI	LONG	WIT	H FC	DATO	3E S	CA	LE
8mm. 200ft.	2	9:	Can	***	***		4
9.5 400ft.	3	9:	Can	***	200	2	0
9.5 800ft.	9	6					
16 200ft.	2	9:	Can	***	***	1	4
16 400ft.	3	9:	Can	***	***	2	
16 800ft.	9	6 :	Can	1000	413	4	
16 , 1600ft.	15	0:	Can	***	***		6
	Po	stage	extra				

	.5mm. 'P	ROJE	CTO	15			
Pathe Ace, 300ft. s	pools, not	latest	***	***	6	3 10	
Pathe Home Movi				***	6	6 10	
Pathe 'H', reconditi			***	844	(1	6 10	
Pathe 'Gem', 1948 n	nodel	444	100	444	62	5 0	
Pathe 'Gem', 1949,		***	***	***	62		
Specto pre-war mod		XNX:			(1)	1 10	
Specto latest, as nev		***	***	***	625		
Triplice, motor driv		ket fed		***	611	10	
	lámm. P	-	CTO				
	nessenses a			-	43		-
Specto pre-war mod		252	248	***	(2)		
Specto latest, as nev		886	*88	966	62		
Specto 1947 model		***	Rek:	344	(2)		
Kedascope 'C' 10	nw., Epos	one	558	848	612		
16mm	. SOUN	ID PI	ROJEC	TORS			
Carpenter, 1948, as		***	818	910			
B.T.H. 381, 750w., I	948 mode	l, as no	ew	200			. 0
9.5mm. Pathe Vox,	200w., call	kie, lik	W80 9)	***	66	0	0
	CAL	MERA					
8mm. Eumig, f/2.5 (411		
8mm. Emel, 1/2.5 co				881	622	10	-
9.5mm. Dekks, (/1.9				ere.	610		- 2
2.3mm. Denno, 1/1.2	athe Lux	(/2.7	Zaisa T	orear la			
	used pre						
	led, limit						
	rgain price				614		
	m. Zeiss						
	to 30ft. s					10	
	m. Sieme						
	Revere						ä
13 0 0	. mevere						
4 0 0			ım. Fi			-	
	lightly use					3	
16 0 0 200ft	. 'M' reels	from	888	460	61	0	
9 10 0		16m	m. Fl	LMS			
	sical Shor	ts, nd	w. unse	belood	each £1	10	
rchased							7
oths.		80	REEN	18			
N							- 1

'Raybrite	Roll-	up.	Si	lugr		Bo	aded	
14" x 18"	442	***	61	7	6	61	2	1
30" × 22"	***	***	41	15		62	10	4
40" x 30"	***	***	62	12	6	(1)	12	-
52" x 40"	***	***	a	18	4	45	- 5	1

Penrose Universal Titler—all metal, a fine model with all movements. Send for brochure
New price 47 17 6
Wondersign Magnetic Title Letters—easy to
White Felt letter sets in 3/8 caps: 4 6
Complete range of all types always in stock. No waiting. Lamos by return of post.

(CINE)

69, STREATHAM HILL, LONDON PHONE: TULSE HILL 6756

The 16mm. SOUND FILM LIBRARY

for the connoisseur

WRITE NOW FOR THE 1950/51 CATALOGUE

OVER 100 feature films

-HIGHEST QUALITY

50 cartoons (colour & black & white)

60 short comedies

-LOWEST CHARGES

25 Western pictures

400 titles

Please note - now operating from our new London premises

SPECIAL ANNOUNCEMENT

9.5mm. SILENT FILM LIBRARY — LONDON CALLERS SERVICE (no postal despatch) commencing December 1st



7/9, GLENTWORTH ST., BAKER ST., N.W.I.

FILM HOUSE, EAST ST., BRIGHTON

Tol.: Welbeck 1157 (2 lines)

Tel.: 25918 (2 lines)

ARTHUR READMAN

CINE CAMERAS

16mm. Ensign Kinecam and case	***	435			
16mm. American Cinklex, 1/2.5					
9.5mm. Dekko, f/1.9 and case		430			
9.5mm. Millar, 1/3.5 and case	***	£16			
9.5mm. Pathe H, 1/2.5, new	***	cm	2		
Empty 9.5mm. Chargers	***		2	6	
Empty 16mm, Chargers	888		5		
9.5mm. Pache 2008, as new	***	£30	0		
Specto 9.5, 16 and 8 mm	***	636			
Kodatoy I6mm., motorised	***	48			
9.5 Pathe Ace	***	63	10	0	
9.5 Pathe Ace, with motor	***	£10	10		
9.5 Pathe Gem	***	437	10	0	
35mm. Imperial, hand operated		410			
16mm, 400ft, Kodak Reels, per do	zen	41			
9.5mm, 30ft, Reels, per dozen	***		10	0	
100v. 300w. Pre-focus Lamps	***		12	6	
110v. 500w. 3 pin	***	41			
230v. 80w. Pre-focus Fluorescent		61	10		
230v. 400w. E.S. Fluorescent	***	0		0	
Ex. Govt. Pointolite 5 bank resists with switch and lamp holder, wei					
16 lb	888	2.1	A		

Generous allowances and Hire Purchase Terms STOCKPORT CAMERA EXCHANGE

4 Park Street, Market Place, Stockport Telephone 4874

Morton Rowland's CINE SERVICE

SALE OF SHOP-SOILED CINE SCREENS

Actina Self-erecting 52 x 40 Witelite, Matt White surface. List price £8 17 6, Sale price £4 10 0

No. 2 Coffix Self-erecting 52 x 40, Bead surface. List price £13 17 6, Sale price ... £10 10 0

No. 3 Celfix Self-erecting 63 x 47, White surface, List price £16 17 6, Sale price ... £11 11 0

No. 1 Celfix Self-erecting 40 x 30, Silver surface, List price £9 17 6, Sale price ... £6 17 6

Cinepro Compact Screen, 40 x 40, Silver surface. List price £6 16 10, Sale price ... £4 10 8

Cinepro Compact, 46 x 35, Silver sur ace. List price £6 16 10, Sale price £4 10 0

Cinepro Compact, 30 x 40, Silver surface. List price £6 1 6, Sale price ... £4 .0 0

Morton Rowland & Co. Ltd.

126 Old Christchurch Road, Bournemouth

Phone 4716

GET YOURSELF A

MARGUET TRI-FILM SPLICER

for Christmas

AND MAKE


SURE

YOUR

SHOW

GOES

WELL



- 4 simple operations ensure faultless splicing.
- Maximum speed of operation with perfect results.
- For 8, 9.5 and 16mm. film.
- New dry scraping device.
- Beautifully finished and accurately machined.
- Highly competitive in price—only £3 15s. Od.

and to complete a faultless

show-a

Celfix'

Patent Nos. 345926 376385 416403 456133

The finest Screen in the world .

In all the popular sizes and surfaces from

£9 17 6 From your Photo or Cine Dealer

Send stamped addressed unvelope for the New Edition of booklet "Projector Screens" which gives full details of the "Celfix" and the comblete range of Hunter Services also details of the Marguet Splicer.



R. F. HUNTER LIMITED

CELFIX HOUSE, SI GRAYS INN ROAD, LONDON, W.C.I.

Holborn 7311/2

CROYDON CINE EXCHANGE

offer these fine Cine Projectors for Cash or H.P.

PATHE ACE 9.5mm	KODAK 8/46 8mm £33 0 0 TRIPLICO 9.5mm £18 18 0 ATOM 8mm £21 0 0 ALDIS Side, latest model £21 18 6 ACE Sound Unit for Specto 9.5mm. £59 12 0
USED PRO	DIECTORS
PATHE LUX 9.5mm (23 0 0	
AMPRO 16mm. 750 watts Transformer, carrying case	PATHE 2008 Transformer Model £22 10 0 ENSIGN 16mm £11 10 0
ACCES	ORIES
PREMIER I6mm. Splicer 46 0 0 ENSIGN 8, 9.5, 16 mm., any one size £1 17 6	BLEX Super All-Metal Titler
NtFIER, takes all sizes (2 10 6 REX Titling Letter Qutfit (modern	GEM Carrying Case £2 17 6 DEKKO Re-wind Heads, each £1 4 0
PATHE 30', 60', 200', 300' films, LARGE SELECTION	
SILVER SCREENS, 24 x 18 21/o :	30 x 22 35/- : others up to 96 x 72.

PAY US A VISIT

You can if you wish pay weekly in advance for your Christmas requirements.

No extra charge.

CROYDON CINE EXCHANGE SOUTH END - CROYDON

Phone : CROYDON 0236

SALANSON LTD.

Best in the West

\$/h. Kodascope, 8, 45, 200w., with case £27 15 0
New Specto, 200w. complete ... £36 10 0
New Dekko, 500w. complete ... £39 10 0 G.B./Bell Howell, 400w., in case 9.5mm. S/h. Pathe 2008 Plus 9.5 & 16mm. ... £35 0 ... £28 15 ... £5 10 ... £37 10 £35 S/h. Pathe Gem, 100w. lighting New Pathe Ace New Pathe Gem, 100 watt New Specto, 100 watt lighting 16mm. S/h. Keystone Model K160, 750 watt lighting, complete with transformer and Case and Case S.h. Zeiss Ikon, single case, 250w. . 677 10 0 750w. G.B./Bell Howell '602', complete with transformer Dekko, 500 watt, Model 126 ... £48 0 0 ... £36 0 0 Specto, 100w, Standard Model 16mm. SOUND S/h. G.B. LS16, 500w., complete with £125 0 0 resistance Used Burville, 750 watt, complete 8mm., 9.5mm., 16mm. Sound and Silent Library, available within a radius of 100 miles by post. Write for Catalogue, price 6d.

17, 18, 19 Castle Mill St., Bristol, 1. Tel .: 24374

BARGAINS

in new 16mm. Silent Films, PRINTED ONLY TO ORDER. Delivery about 14 days.

Terms: cash with order.

Reels	Title	1	Price	,
1 (225')	Jimmy & Jams (Toytown com.)	42	15	0
1 (230')	Goldilocks and the 3 Bears			
	(Toytown comedy)	42	15	
1 (220')	Dolly's Doings (Toytown com.)	62	15	0
1	Golden Spoon Mary (Cartoon)	64	0	0
1 (250')	The Ventriloquist (Cartoon)	63	0	0
2	Junior Luck (Comedy)	68	10	0
2	The Mild West	63	10	0
2	Bang	68	0	0
2	High & Dry	€8	0	0
2	Knight of the Trail (Western)	68		0
1	Mystery of the Silent Death	64	5	0
1	Pie Covered Wagon (Comedy)	64	5	0

PLUS

A UNIQUE AND REASONABLY PRICED 16MM. SOUND FILM HIRE SERVICE.

Lists 2|d. stamp

CLIVE PATMORE FILMS

3 VALENTINES ROAD, ILFORD, ESSEX

Valentine 6195

TWO PROJECTORS COMBINED IN ONE.

THE DUO PROJECTOR -

We are proud to announce the re-introduction of these famous machines after an enforced absence of 11 years. TWO models are available, viz.:—8/16mm. and 9.5/16mm. These projectors offer the enormous advantage of enabling the operator, in prompt succession, to project two films of the economical 8 or 9.5mm. sizes and who also wish to add variety to their programme by including 16mm. library shortfleatures.

The salient features are :-

- All parts for the two sizes are permanently in position for immediate use. (Built-in Double Track.)
- The change from one size to another is effected by 4 simple movements, performed in a matter of seconds.
- REVERSE PROJECTION AND STILLS.

The optical system is devised to ensure highest light efficiency. For this reason a direct lighting system has been selected and the concave mirror and lamp are adjustable even during the performance.

The Ditmar DUO can be used as a self-contained projector with 250 watt lamps of mains voltages or with a 500 watt, 110 volt lamp in conjunction with an external resistance. Price 687 0 9. Resistance for use with 500 watt 64 12 6 extre.

Detailed, fully illustrated Brochure available upon request.

SELF ERECTING SCREENS

of quality in REXINE Covered Boxes



"Witelite" Surface Entirely non-directional hence no loss of intensity at any viewing angle, good rendering of half tones and colour. Will neither fade nor crease.

Bead Surface. Intensely brilliant. Colour-corrected. Beads will not rub off and are fine to avoid "graininess". Available in sizes 40 x 30 ins. and 52 x 39 ins.

Prices: 40 x 30 beaded £8-17-6 Witelite £7-5-0 S2 x 39 beaded £18-15-0 Witelite £8-17-6

Also Roller Screens, Witelite, Sliver and Beaded, in sizes 36 x 27 ins. and 46 x 36 ins. or larger.

ACTINA SPOOLS AND CANS



In hard aluminium, reinforced with ribs combining strength with lightness. Convenient anchoring device.

The cans incorporate a HUMIDOR device.

200ft., 8mm., spools 2/9; cans 2/3.

400ft., 9.5mm., spools 3/9; cans 3/6.

400ft., 16mm., spools 3/9; cans 3/6.

Also CECOL 800ft. and 1,680ft. SPOOLS & CANS

800ft., 16mm., spools 9/6; cans 7/9.

1,600ft., 16mm., spools 18/-; cans 17/-.

Also available in 200' and 400'.

Available from Dealers, or write :

ACTINA·LONDON

IS DANE STREET, HIGH HOLBORN, LONDON, W.C.I.

Chancery 7566/7

JOHN FROST

PHOTOGRAPHICS CINE SPECIALISTS

		C	AMER	LAS				
Smm. 6	Bell &	Howel	II-Gau	mont	1/2.5			
T.T.I	d. and o	310	***	***	***	636	16	
16mm.	Model	IV Vic	tor, t	urret	head,			
1/1.5	Dallme	yer and	case	***	***			
16mm.					***	447	16	
16mm.								
lens		***	-			670		
		PRO	JECT	ORS				
\$mm. II	lolex P	IBR. 50	Ow., t	he late	est in			
				***		448		
9.5mm.				245		437	10	
16mm.	B. & H	-G 60	2	***		LIBZ	10	
I6mm.				fe.	***	[102	10	
Iámm.						(237	10	
16mm.				777.5		210		
			-					-
SPEC	HAL (OFFER	OF	CEC	COL	REI	ELS	-
1	LI	mited	Supp	lies o	nly			-
1,600	ft., 16m	100		***	***	***	5/-	-
800 (t				***		3/-	
400 (t						2/-	

Plus Post, and Packing Agents for Ampre — Bell & Howell Gaument — Dekko — Specto — Pathescope — Kodak,

PARADE, SUTTON COLDFIELD, BIRMINGHAM

Telephone: SUTton 1006

New Name!

H. E. HOWORTH

THE CINE SPECIALISTS

Agents for all the Leading Gne Manufact Special Itams: S.H. Bolex G.916 Projector, mint condition New Ampro Stylist 16mm. Sound Projector £157 10

New Bell & Howell Auto Load, 1.5 lens, complete with case (magazines available)

" Zell-Em " Titling Sets, new comprehensive plastic outfits Write for Details

We stock every cine accessory, spares, Movie Paks, Peak and Pathe films, etc. In fact there is everything for Cine people at

THE CINE SHOP

Coronation Street :: Blackpool
Phone: 36045
and your enquiries would have the personal
attention of the Managing Director.

Make your £1 worth £1/15/0 £263 14 0

Carpenter I6mm. Silent/Sound Projector with Record Player, Stand, Screen and lots of spares. Nearly New. 400' 16mm. Reels, Stock Soiled.
(6 for 9/-, Post Free.)

T.T.H lens.//3.5.20mm

F/L fixed focus, new New 9'x7' silver screens £1 The Above Selections are from our Huge Stock of Bargains

New Cameras, Projectors & Sundries G.B. BELL & HOWELL, PAILLARD, SPECTO PATHE, DITMAR, KEYSTONE, etc.

ALL WATTAGES PROJECTOR LAMPS TITLING LETTERS IN : CARD, FELT, SELF

Everything from Film to complete Sound Installation . Heathcote (Phone 75851) 302 RADFORD ROAD, NOTTINGHAM

amera

GREEN LANES, PALMERS GREEN, N.13. Ine : PALMERS Green 8664

SCOPHONY-BAIRD HOME RECORDER
Entirely self contained. Everything necessary to
record your own commentary, or from radio etc.,
and many other uses. Built-in 6° speaker for reproduction. Automatic erasure. 30 minutes playing
time. Demonstration or literature on request.
Complete with Microphone and Tape ... 45 9 6
(Deposit 49 6 and 11 payments of 43 12 6)
Place your order now to ensure delivery for Xmas.

S/H BARGAINS
16mm. Zeiss Kinox, 500 watts, 2 motors, case 649 10
9.5mm. Pathe 200-8, 200 watts, with case ... 623 10
8mm. Specto, with transformer
16mm. Hagazine Cine-Kodak, 1/1.9 and 3'
1/4.5 leases, 3 filters, case, etc., mint. ... £105 0 condition, complete

CROOKES

CINE-SOUND SERVICE

(W. & J. Crookes & Son)

arge 16mm. Sound Film Library and Suppliers of all Photographic and Cine Equipment. Film Catalogue 2/6 post free.

NIGHT and DAY SERVICE

Office (Film Bookings) Phone 3897 SI NORTH MARINE ROAD

Two shops and Film Library at SCARBOROUGH, YORKS.

OFFER THE CHEAPEST EASY TERMS IN THE TRADE for any item of home cine equipment. 15% deposit and only 5% interest on a 12 months' purchase. For example:—

Standard Specto Projector ... £36 8 8 Less deposit of 3/- in £ ... £5 8 8 230 12 0 21 11 0 Plus 5% interest

Making 12 monthly payments 62 13 7 Do it now, send details of your require-

A. G. EGGINTON & SON. LTD. 83 Washway Road, Sale, Cheshire Tel.: Sale 3352

ABACUS FILM SERVICE

BOOK YOUR PROGRAMME NOW

for your XMAS party, while films are still available.

2A LANGLEY ROAD, WATFORD

I-8 words 2/-, additional words 1 d. each. Tinting 6d. per title extra. Delivery 5-10 days. Choice of style.

MOVIE TITLES BEM HOVIE TITLE

PRESENTING

"VALUE FOR MONEY"

SIMMONDS, OXFORD ST., HARROGATE

Zeiss Iken Sound Projector, very beautiful job for enthusiast. T

This is in mint G.B. L.S16 Sound Projector. This is in mint condition, not as W.D. With 5 spare valves, metal stand, and £40 worth of films. Complete

FREE

EDWIN GORSE

86 ACCRINGTON RD., BLACKBURN

GILBERT MASTIN

Photographic and Cine Supplies
DRUMMOND RD., SKEGNESS. Tel. 291 ... £100 0 Ampro Imperial Paillard Bolex G.3, Trira 8, 9.5 and London Tripod Pan and Tilt Head ... £1 18 6
M.P.P. Tripod with Pan and Tilt Head £15 18 6
M.P.P. Tripod with Pan and Tilt Head £14 8 11
Smm. Daltmeyer 2.7 iens, s/h £8 10 0
Screens, Splicers, Movie-Paks, etc. stways in stock

A quality guaranteed 9.5mm. film service.

LIMITED

VALE COTTAGE,
VALE OF HEALTH,
LONDON, N.W.J.

Latest feature release;
"TARZAN & THE GREEN
GODOESS" '6 real sequel
to the popular "New
Adventures of Tarzan."
Write for apecial freelist

Queen Street Tel., Cen. 6055 Tel.: Cen. 6729 BIRMINGHAM BIRMINGHAM WOLVERHAMPTON

- ACCREDITED AGENTS FOR AMPRO, B.T.H., BELL HOWELL GAUMONT, PATHESCOPE, SPECTO, DEKKO PROIS.
- DEMONSTRATIONS AND ADVICE ON INSTALLATIONS IN ANY PART OF THE COUNTRY.
- SCREENS IN ALL SIZES AND SURFACES. 27" x 20" to 8 ft. x 6 ft. FROM STOCK. WE WILL GLADLY QUOTE FOR LARGER SIZES FOR SPECIAL PURPOSES ON REQUEST.
- MINIATURE SLIDE AND FILM STRIP PROJECTORS BY ALDIS. THE NEW MODELS 'TWO-FIFTY', 'SEYEN-FIFTY', 'ONE THOUSAND' AND EPIVISOR AVAILABLE FROM STOCK.
- COMPLETE RANGE OF PROJECTION LAMPS ALWAYS IN STOCK.
- DUPLICATION SERVICE.
- B EFFICIENT SERVICING FOR ALL SOUND AND SILENT EQUIPMENT BY ACCRED-

FILMS

We have still a few available for the Christmas period. Book now before it is too late. Postal order 1/- will bring our catalogue of 9.5mm. Sound and Silent films. Latest features and shorts added each month. Hire charges from 1/6 reel per week. This month's Snips:

22 11 6. New ... £19 0 0 Pathe Vox 70mm. lens £7 0 0; 40mm. £5 0 0

Pathe Gern, 900ft, arms		637	10	0
Pathe Ace 300ft, Arms	***	65	10	0
Pathe Pax, 400 watt	***	6165		0
Specto Standard Model	***	636	0	0
Dekko, motor drive	***	620		
Dekko I 6mm. Model, 500w.	***	£48	0	0
G.I.C. Cine Camera, 16mm.		6.47	4	

Stock of Screens, Lamps, Spools, Cans, Films and all Accessories. 16mm. Sound Film Library. Catalogue 3d.

Our Service is reliable. Try us for that odd belt or a complete outfit.

GII

Prospect Cine Stores, 142 Leeds Road, Heckmondwike, Yorkshire

EALING PHOTOGRAPHIC EXCHANGE LTD.

Pathe 2008 9.5/16mm. Model, with Pathe "H" 9.5mm. Projector, trans.

Agfa 16mm. Projector, 50 watt Model,

with base and continuous film run-ning attachment, in perfect order ... £19 17 6 Kodascope 8mm. Model "35", 200 watt, lighting £23 10 0

Dekke Motor-driven 9.5mm. Projector, shop-soiled demonstration model, almost "as new", offered at £17 17 0

All new models of the famous Specto Projectors in stock, also Dekke 500 8mm., New Kodak 8/46, and many others. All accessories in stock at all times.

Pathescope 1/2.5 fixed focus "H" Model Cine Motocamera, in perfect . 615 17 6 order, offered at Ensign Pockette 16mm. Motocamera,

f/3.5, recently completely over-hauled, with 3 loaded film chargers, special bargain at £15 10 0 Large Assortment of Screens in White, Silver and Bead surfaces.
Stewart-Warner 8mm. double-run
1/3.5 Motocamera £14 14 0

41 BOND STREET, EALING, W.S Telephone : EALING 4401

4ID-CHES-Film Library for SOUND and

Send 6d. for 8mm., 9.5mm and 16mm. Silent Catalogue.

1/- for Sound Catalogue.

SPECTO DUAL 9.5/16mm. Projectors in stock for immediate delivery.

Easy payment terms.

40 HIGH STREET, NORTHWICH, CHES.

Grams and Phone: Northwich 2506

ORDER YOUR COPY NOW OF

"BIPPO'S REVUE"

HILARIOUSLY FUNNY 16mm. CARTOON 35/9 Post Paid C.W.O. Approx 130 ft. St.

Ideal Christmas Gift

SHIRLEY-HOLBIEN, 10, West Hill Road, London, S.W.IS.

CENTURION

Sound Film Library

PRODUCTIONS AT
FAIR RENTALS

"IT'S SCREEN VALUE THAT COUNTS"

39-40 Dudley Rd., Wolverhampton

-ALL the VALVES-

for your

AMATEUR CINE WORLD

AMPLIFIER

Complete set of five, brand new and boxed, 35/-, (postage etc. 1/-) C.W.O.

The Richard Maurice

Equipment Company PORTSHOUTH RD., COBHAM, SURREY

Scott of Edinburgh

HOME CINE SPECIALISTS

			-			
Specto, all models, from	484	***	636	0		
Dekke, 16mm., 500 watt	***	+45	648			
Dekko, 8mm., 500 watt	***	***	639	10		
Dekko, 9.5mm., 50 watt	***	011	€20	0	0	
				- 7	-	

ACE Sound Units. Pathescope Films and Accessories. Your requirements, Our Business. Call — Write — 'Phone: Central 3920.

Robert Scott

ITA DUNDAS STREET

VERO COMBINATION TITLER

★ Centred Titles	* Accurate Close-ups	
* Matte Holder	* Table-top Stand	
* Tracking Trolley	# ONLY 64 12	é
A New Accessory	for above:	
SLIDING HEAD.	Eliminates parallax at a	а

SLIDING HEAD. Eliminates parallax at all distances with any subject. For Bolex H and Filmo 70 models. For Tripod or Table-Top, £1 12 6. Our accessory list will interest you.

The Bowen & Verney Co., 147 Compton Rd., Wolverhampton

The Biggest Cine Stock in Wales includes:—

Hales melades.	
CAMERAS Bell & Howell 16mm. '75', Cooke	
1/3.5, filters, case, USED £48 0	
Giters, case, USED 690 6 G.BB. & H. 'Sportster' 8mm. 1/2.5	
Cooke, 4 speeds, case, NEW 657 9 G.I.C. Brnm. (/2.5 coated Berthiot,	3
single speed, NEW (39 19	
Berthiot, single speed, NEW 447 6	
photo, case, films, USED 432 10	
Amprosound 'Stylist' 16mm, Sound,	
Ampro 'Imperial' 16mm. Silent, 750w. transformer, case, NEW	0
(soiled)	
former, blimp case, NEW (220 0	
Bolex G.3 Silent 8mm., 9.5mm. & 16mm., transformer, case, USED 495 0	
Dekke 16mm, Silent '126' S00w, A.C./ D.C., NEW	
master 400w., A.C./D.C., NEW 687 0	
750w., transformer, NEW	
G.BB. & H. Sound 6mm '601' 750w.	
C.BB. & H. Sound 16mm. '609' Arclamp, complete, NEW	
Sofil Minor I6mm. Sound, complete,	
Victor model 40, 16mm. Sound, 750w.,	

ALL USED INSTRUMENTS are OVERHAULED and GUARANTEED MAGNETIC TAPE RECORDERS: Clifton 645; Scophony-Baird 645 NEW. SCOPHONY-BAIRD 'Soundmaster' with both motor and flex drive for synchronising, STOCK-SOILED. List 178 15 0. TO CLEAR 450. Send 4d. for Catalogues; NEW EQUIPMENT—BARGAINS—LIBRARY

SOUND-FILM SERVICES

27. CHARLES ST., CARDIFF 'phone 161

CINEPHOTO EQUIPMENT

LTD.

Come and hear the new Scophony-Baird Home Recorder, complete at £45 including microphone and tape. We can deliver in time for Christmas. Bargains in as good as new projectors:

Victor Greyline, 16mm, sound		6160	
Bell & Howell 575, 16mm. silent		440	
Specto Educational, 16mm, silent	ne.	642	
Specto 9.5mm, silent		630	
Minicine Animated Strip Projector		64	
Asses 9 Smm mater deluse annies			

Send for our extalogue of equipment, accessories, BEADED SCREEN MATERIAL, 16mm. SOUND and SILENT, 8mm. SILENT LIBRARIES. Free on request. 1950 now ready.

CINEPHOTO EQUIPMENT LTD.

172 Chapel Street, Salford 3, Manchester
Blackfriars 6287

PEACH PHOTO & CINE EQUIPMENTS LTD.

Everything for Cinematography

	2001)	0	J		Circulato Brapity	
SILENT	PROJ	ECTOR	s		SOUND PROJECTORS	
16mm. Bell & Howe 400ft. arms, case 16mm. Specto Stand 16mm. Gern, 100w., 16mm. Agfa, 100w., 16mm./9.5mm. Path 200w., 900ft. arms 9.5mm. Pathescope 9.5mm. Dekko, 50w. 9.5mm. Motor Driver 9.5mm. Specto, new	lard, 100m lice condit 400ft. are secope 26 "H", 100m		1 0 4 0 5 0 7 10 4 0 8 10 6 0	000000	16mm. G.B. K.16, 200w., 4 watts sound, 1,600ft. arms	
9.5mm. Gem, new			, 10		16mm. Sound G.B. News Reels, spooled,	
8mm. G.BBell & He 400w 8mm. Specto, as nev 8mm. Atom 8, 200w	 ., new in c		0 0	0	price each	
15 PLUMS	STEA				· WOOLWICH · S.E.18	3
7	7	G.	r	T	ADELM	

A. SIMPKIN

(Deepdale Radio and Cine Service)

DRS dd	6125	0	0
dd	6125	0	0
.5 and	6125	0	
***	6125	0	
***	6125		
***			- 5
	5.20	0	-
	620	0	
0.00	-20		
h mint,		-	-
***	£24		- 5
	435	0	
			-
	h mint,	filters, £75 h mint, £24 e £35	filters, £75 0 h mint, £24 0 £35 0

Dekko 8mm., 500w	-	639	10	
Specto Standard, 8, 9.5 or 16 mm.	***	636		
Specto Dual, 9.5/16mm		643		
Specto Educational, 9.5 or 16 mm.	***	£48	10	
Specto Educational Dual	. ***	654		
Your present Specto converted to	dual	69	15	
				_

Have you seen the new lightweight Ampro? 16mm. Sound.

NEW CAMERA	S.	etc.		
	***	£147	16	3
H.8 with f/1.5 lens		6202	16	4
Bell & Howell 8mm. Sportster	F	657	9	3
Bell & Howell I6mm, Autolog	bi	6128		
Keystone 16mm. A.9, 1/2.5	***	642	19	11
Deletes Rose Develo Cista	***	645	3	
Pathe 9.5mm., f/1.9, focusing	***	636	1	4
Cinesmith 9.5 Sound Uhit for	Ge	m £47	0	

We have in stock all sundries, including titling letters, titlers, viewers and editors, screens, screen material, a wide range of projector lamps, films, Kodak sundries and films, etc.

MAY WE DEMONSTRATE IN OUR MODEL THEATRE OR YOUR OWN HOME!

178, DEEPDALE ROAD, PRESTON 'phone 2625

recial Christmas Of 16 m.m. SOUND FILMS

Make this a bumper Christmas with the best in cine fare. Almost everything is back to pre-war abundance and good selections of cameras and projectors, screens, titlers, letters, filters, lenses are in stock for your inspection. At University Cameras not only is the selection as wide as can be found but each assistant and manager a cine enthusiast. Service is guaranteed and backed by a completely equipped and expertly staffed repair shop.

要發發於發為於於於於於發發發發發發發發發發發發發發發發發

400' CARTOONS & COMEDY 20/-

400' SUBJECTS, TRAVEL, ETC. 30/-

800' ALL SUBJECTS £2 - 15 - 0

GIVE ALTERNATIVE TITLES WHEN ORDERING

COMEDY AND CARTOONS

- "The Cactus King " 600
 - Arn't They Wonderful " Viva Willie "
 - "Technocracked "
 - Reducing Cream "Rasslin Round"
 - Insultin the Sultan "
 - A Good Scout
 - Davey Jones Locker "
 Jungle Jitters "

 - Sentimental Lovey "
 - "Dizzey Day"
 Play Ball"
 "Art for Arts Sake"

 - "Marching Along Vulcan Entertains "
 - Jolly Good Fellow
 - " Hi Ho Hollywood "

 - "Hi Ho Honywood
 "Getting an Eyefull"
 "Kootog Korrespondence School"
 "Bashful Buckaroo"
 "Cupid Takes a Holiday"

 - Swing-O-Nometry
 - " Playboy

BOO!

WITH SERVICE SATISFACTION

INTEREST AND LIGHT ENTERTAINMENT

- Eugene Pini " " Pathe Gazette
 - "The Craft of Coppering"
 "Alfredo Campoli and Orchestra"
 "Royal Wedding"
 "Harry Parry"

 - "Harry Parry Big Top"

 - "Salisbury "
 "Old Sailors Story "
 - " Petersborough
 - "Contractor in China"
 "Ely" "Cuba"
 - " Malaya " York "
- " Lincoln " "Song of the Sign "
- ROO "Song of the Sax "
 - Reginald King and his Orchestra " Royal Tour
 - Dates and Nuts
 - Spreading the News "
 - Smart Footwork
 - " Air Parade
 - Dime a Dance " Melodies of the Moment "
 - Amuse Yourself
 - Northern Outpost "

 - Cedric Sharpe
 - Mario-de-Pietro
 - Away to the West "
 - Sunshine Island "This Fow! Business"
 "Eugene Pini"

 - "Leslie Jeffries"
 "Slave Coast"

 - Victory Parade " (Colour) Face of Shanghai "
 - Sailors Courageous "
 - " Harry Parry

TY CAMERA

ST. MARYS PASSAGE . CAMBRIDGE Telephone. 55842

AND AT 22. BUTE STREET, LUTON



Dept. A.C.W., 35, BEAUFORT GARDENS,
Send for full BROMPTON ROAD, S.W.3.

and catalogue TEL .: KENSINGTON 1600 & 4300

STOP! PRESS United Nations Film BATTLE also

FOR BREAD

VATICAN

P. F. WILSON

Cine Engineer

Cine Cameras - Projectors - Accessories.

New and Secondhand. Repairs a Speciality. Extension Arms, 9.5mm. Non-Stop 1,600 to 1,800lt Reels. 1,800ft: "GEH" Arms 25/-.

16mm. Sound Library and Accessory List, 3d.

Offers wanted for Bell Howell 700A turret head Cine Camera, as new, with Kodachrome film.

17. ROBERTS ROAD, WALTHAMSTOW, LONDON, E.17.

Phone: LARkswood 1473.

16mm. WALTON FILMS FOR 8mm. CHRISTMAS

A grand selection to entertain the kiddles and your friends—animal films, sports and hobbies, glamour and delightful holiday seuvenirs of Britain and the Centinent.
One-reel sound films include—"West of Inverness", "Helvetia", "Azure Coast of S. France", "Along the Pilgrim's Way" (IT 18 each); "Speedway Racing", "Surrey Symphony", "Suesex Symphony" (IT 18 each); "Snewland Sports" (48), and many other silent films, PLUS our 35 BURHILL SHORTS (16mm. 30/s, 8mm. 20/e each, 4 mins), titles too numerous to mention.

(16mm. #)", mention.
numerous to mention.
Ask YOUR local dealer for full details, or write to:
WALTON FILMS
Walton-on-Thames
Walton-on-Thames
Walton-on-Thames
1295

Morland Braithwaite Ltd.

183 ALCESTER RD., MOSELEY VILLAGE, BIRMINGHAM IJ. 'Phone: SOUth 2211

SECONDHAND BARGAINS :-			
Agfa 8mm. Projector, as new	OS		
Siemens 16mm, Standard Projector, excellent condition		10	
Specto dual Conversion, 9.5 & 16mm.	632	10	
Model D Kodascope 300w, carrying case. Rewind, etc		10	
Bolex D.A. 400w 9.5/16 Projector	640		
Solex G3 Projector with sound con- version, complete in Blimp case for 3 sizes of silent and 2 sizes of sound			

● 16mm. SOUND FILM HIRE ●

We offer YOU first class Sound Films at third class rentals.

Send New for descriptive catalogus, price 2/refunded on first booking.

Cheap two-day hire rates. BOOK NOW
FOR XMAS.

Service and Satisfaction Guaranteed.

PREMIER FILM SERVICE Manchester Road, Westhoughton, Lancs.

CHARLES W. BRUCE

(AMPRO, G.B., VICTOR AGENT FOR ESSEX)

We can supply any new or s/h Projector for a down-payment of 25% of purchase price, the balance being spread over up to two years. Write for details now, giving make of mechine required.

TITLES. We are the "beited Earls" of the Title World! See November issue for details of our remarkable prices and services.

CHAPLIN FANS. Laugh yourselves sore this Xmas at our New Copies of Chaplin classics, all £12 19 8 each for 2 reels complete, 16mm. CHARLIE'S NEW JOB: CHARLIE THE TRAMP; CHARLIE'S ELOPEMENT; CHARLIE AT THE BANK; CHARLIE'S TRIPLE TROUBLE; CHARLIE'S TRIPLE TROUBLE; CHARLIE'S TRIPLE TROUBLE; CHARLIE'S THE CHAMPION. (All 2 reelers, £12 18 8 complete.)

Kadak limm. 8/46, 200 watt, new, £33 (or H.P.) Specto 8mm. or 16mm., 16mm., both 100 watt or 250 wats.

or 250 wats.

G.I.C. Smm. Camera, new, 1/2.5 ... £39 19 1
Ace 9.5mm. £5 10 0; Motors, each £5 0 0
Gem 9.5mm., new ... £37 10 0
Pathe 2008 Plus, 9.5mm, and 16mm., fine condition, one only complete ... £26 0 0
16mm. Keystone Camera, 1/3.5 Wollensak £32 0 0
Sound-Piirror. We are Essax Agents. Write

Sound-Mirror. We are Essex Agents. for demonstration.

5 & 7 West Road, Westcliff-on-Sea

'Phone: 3676

GORDON LOCK (Louth) LTD.

AI, EASTGATE, LOUTH

FOR CAMERAS, CINE CAMERAS AND PROJECTIONS

lell-Howell Sportster, 1/2.5 T.T.H. 453 IS 0 06 Screen Master Projector, 400w. 457 0 6 82 Bell Howell, 16mm., 750 watt

CAMERAS

G.I.C. 8mm., 1/2.5 Berthiot (39	19	
G.I.C. 16mm., 1/1.9 47		
Bell-Howell Turret Model 20, with		
Dall. 1° 1/1.9, 2° 1/3.5, 3° 1/3.56108		
Dekke Snm. 110 1/2.5, N.O 648	3	
Kodak Magazine, f/1.9 Ektar, 16mm.,		
new 6112		

and many others new and s/hand. CALL, WRITE or PHONE: LOUTH 130 (day): 135 (night).

CHRISTMAS SPECIAL

Gevaert 8mm. M/Pan, S/Pan	***	18	10
Kodak 8mm. Pan 8, Super X	***	18	
Kodachrome Smm. Type A		26	
16mm. Kodak, Gevaert as	ed M	AFREIN	ME.
Movie-Paks, new. Send for li	at of	Bargair	18.

£130 0 0

Cinecraft Announces A NEW DE LUXE MODEL FOR VERTICAL AND HORIZONTAL TITLING

HE range of Cinecraft Improved home cine aids now includes TWO first-class titling outfits, well designed, well made, highly efficient and reasonable in price.

CINECRAFT NEW DE LUXE TWO-WAY MODEL

R EPRESENTING the greatest advance in titling equipment since 1939, the titling equipment since 1939, the Cinecraft DE LUXE two-way model, equipped for VERTICAL as well as horizontal titling. is now at your service. It exceeds in simplicity and efficiency even the famous de Luxe Cinecraft Titler of pre-war days, making possible 101 styles, tricks and effects in titling. It provides unlimited scope for improving your production. For use with all cameras. Complete with accessories £8 8 0

CINECRAFT ALL-METAL MODEL

"HE most popular Cinecraft model ever designed for horizontal titling. Its features (also incorporated in the de Luxe model) include the much praised TWIN GROOVE title stand, ADJUSTABLE LIGHT-ING and runners STRUTTED for rigidity. For use with all cameras. £5 19 6 Complete with accessories ...

INFCRAF

-title makers and other 'Cinecraft' better cine aids can be seen-

AT MOST DEALERS

In case of difficulty, write for full particulars and the address of your nearest CINECRAFT stockist to Cinecraft Supplies Ltd., 340 Green Lanes, Palmers Green, Landon, N.13

BARGAINS IN BRIE

Rate 7d. per word (minimum 7/-). Box Number extra. Address Box No. replies c/o A.C.W.

All advertisements for the January issue must be received by the 30th November.

FOR SALE

Films & Film Libraries

Films for Xmas. The Sheffield Photo Co. Ltd. have a good selection of Movie Paks and others in stock. 8 and 16mm. Silent, 16mm. Sound, for sale. Ideal subjects for children and/or adults. Just the thing to keep at home for your friends when they pop in. Lists free on request. Sheffield Photo Co. Ltd., 6 Norfolk free on request. Sheffield P Row (Fargate), Sheffield, 1

Excellent value. 9.5mm. Silent and Sound films. Limited quantity only. S.A.E. Lists. Write call or phone. Kay Films. 40 Leicester Rd., Salford, 7, Lancs. Broughton 2628.

phone. Kay Films. 40 Lescester Rd., Castoria, Lancs. Broughton 2628.

Xmas Greetings To All from the 9.5mm. Librarian, "Film House", 5 Clark Ave., Grimsby.

8mm. Sale or Exchange. London River, Travel and Sports (200 ft.). Royal Visit to U.S.A. and Canada (200 ft.). Trooping the Colour (New Pathe 100 ft.). Royal Tour S. Africa (50 ft.). All spooled in first class condition. Osbourne, Hillcrest, Bobblestock, Here-

ford.

9.5mm. Sound Film Exchange. 2/6 per reel.
Large stock in perfect condition, including new releases. Satisfaction guaranteed. Ask for free list.
Gridley, 3 Lampits Hill, Corringham, Essex. Telephone Stanford-le-Hope 3148.
16mm. Silent Films for sale—Comedies, Drama, Travel. S.A.E. Ivey, 2 Dryburgh Road, Putney, S.W.15.

S.W.15.

9.5mm. Silent Sound Colour. Films bought, sold and exchanged. Good prices given. Star Film Trading Co., 174 Holders Hill Rd., N.W.7. Phone: Fin. 4468.

9.5mm. Film Exchange. 1]. per reel. Shannons, 48 St. Philip's Avenue, Liverpool, 21.

9.5mm. Hire Service. List and order form send S.A.E. to Freeman & Bray, 42 Railway St., Grimsby. 16mm. S.O.F. shorts new unused cond. S.H. prices, also a few 9.5mm. S.B's. Box 594 (S.A.E. please). Collection of superb 16mm. silent films for sale. S.A.E. for details. Box 602.

9.5mm. Silent Films for sale. S.A.E. list. Murray,

Collection of superb forms, silent hims for sale. S.A.E. for details. Box 602.

9.5mm. Silent Films for sale. S.A.E. list. Murray, 191 Downhills Way, London, N.17.

Few Pathescope films 15% off retail price: allowance against above 30/- SB, 17/6 'M'. Hundreds used films, sale/exchange. White, 28 Kingshill, Dursteen Charles and the control of the con

Glos. 16mm. and 8mm. Sound and Silent films for sale, feature films for outright sale. 16mm, Silent films for hire. 24d. stamp to L. Gelbier, 1 Stamford Mansions, Oldhill Street, Clapton Common, N.16. 9.5mm. Silent Films for hire, 2/- per reel. Week's hire, lists free. Chappell, 23 Queen St., Market Lines.

Quantity films for sale, 16mm. and 8mm. ailent and sound. S.A.E. List. Pinder, 13 Forfield Place, Learnington Spa.

Cameras & Lenses

Cameras & Lenses

8mm. Cline Kodak 25, f/2.7, and case. Blendux
meter. Kodascope 8/45. 300w. Raybrite screen.
55 gns. complete. Will sell separately. Hider. Forest
Lodge, Highfield Rd., Biggin Hill 0191.

Bell Howell 153-B Magazine Cine Camera 1" f/1.9
coated lens, 16-64 fps, Stop Motion. Plus 4 mags.
Kodachrome. Nearest offer £120. Carr, Mumfords
Farm, Mumfords Lane, Chalfont St. Peter, Bucks.
N120 8mm. Multispeed Camera. With Plasmat 1.5
focusing and Cassar 2.8 ienses. Box J.B., Smiths
Library, High St., Harpenden.

Stewart-Warner 16mm., f/3.5, 4 speed, 100 ft.
spool loading, sling case, excellent. £25. Box 603.

Special Offer. Bolex H16 Cine Camera, as new, fitted with Frame Counter, Prism focusing, Prism finder, Rangefinder, Switar 1º f/1.4, Cooke Kinic 2º f/3.5 and Dallmeyer 15mm, f/2.9, W.A., in specially made fitted Hide Case. £230. S. I. Shoot & Co. Ltd., 247 West End Lane, West Hampstead, N.W.6. Hampstead 1425.

8mm. Agfa Camera with film, Specto projector, M.P.P. Tripod. £48. "Hollymount", Victoria Crescent, Private Rd., Nottingham.

70 D.A. Bell & Howell 16com, Cine Camera and case. New condition and hardly used. Bronze model. case. New condition and hardly used. Hooke model, 7 speeds. Turret head. 3 coated lenses:—15mm. f/1.5 Dallmeyer, 1° f/1.5 and 3° f/4 T.T.H. Cooke. Instruction Book. 11 Optical glass fifters for B. & W. and Kodachrome. All in absolutely excellent and faultless condition. £220, or nearest offer. Box 604. Kodak D £25. Kodak EE Projector, BB camera £80. Woodcock, South St., Dorking.

Agfa Movex 30B, 16mm, with 20mm, f/1.5 and 80mm, f/3.5 lenses, both in focusing mounts, 50 ft. or 100 ft. spool loading, speeds 8, 16, 24, 32 f.p.s., auto stop. £56. Foster, 18 Third Ave., Heworth,

York.

Smm./16mm. Camera lenses unuscd—§ Kern Yvar f/2.5 bloomed, 20mm. Agfa Symmeter f/1.5, 1§ Taylor-Hobson f/3.5, 3 inch. Schneider Xenon f/2.8, all focusing. Also 1 inch viewfinder objective for Aristocrat. No reasonable offer refused. Box 608. Revere 8mm. Camera with case, f/2.5 lens, 5 speeds, perfect. Nearest £40 secures. Box 607.

Revere 16mm. magazine cine camera, 1/2.5, 3 ins. micromatic view finder. £60, Natco U.S.A. make 16mm. Sound motion picture projector, offers invited. Both excellent condition. Mordecai, 43 Redeliffe Sq., S.W.10.

Pathe 'H' 9.5mm. Camera, 2.5 Lens—single pictures—supp. lens—film—hide case. £15. Smith, 256 London Rd. South, Lowestoft.

Projectors

Pathescope 9.5mm. Sound Projector. Perfect order. \$55. D. E. Adams, 66 Regent St., Cambridge. Gaumont British 16mm. Sound projector, speaker, and accessories. Perfect working condition. acreen

695. Box 595.

Pathe Vox. 9.5mm. Sound Projector good condition, spare lamp, transformer. Offers Titmarsh, 159 Waterworks Rd., Norwich.

Pathe Vox Talkie Projector, complete, excellent condition. Inspection invited. Price 675. Films and Accessories also available. Waterton, Denton, Graves-

B.T.H. 301 Projector complete. Used two hours. Indistinguishable from new. £175. Seen and tried here. Capper, "Ravenshaw", Macclesfield Rd.,

here. Capper, "I Buxton, Derbyshire. Victor 40B 16mm. 16mm. Sound/Silent projector, trans-

former, Goodman speaker, large screen, spare lamps, valves, reels, etc. Recently overhauled £100. Or near offer. Garside, 11 Kings Rd., Shaw, Lancs. Bolex G.3. Tri-film projector in good condition. T.T.H. 2' coated lens, 500 watt spare lamp and transformer. R. Armstrong, 28 Hamilton Rd., Alford Lines.

Alford, Lincs.

601 Bell & Howell-Gaument Projector, loudspeaker
and transformer, with canvas covers. Like new, only
used four times. Compelled to sell owing to illness.

Price £155. E. J. Brown, "Dolgelly", Brook Ave.,
Weybourne, Farnham, Surrey.

A Specto Projector for you, and an ACE for the
youngster? Contact Scott Cine Services, 8 Portland

Stalybridge, Cheshire.

Ditmar Due projector 8mm. and 9.5mm. with two coated lenses and transformer. £45. Emery, Park-

coated lenses and transformer. £45. Emery, Parkfields, Silverdale, Staffs.

Projectors. G.B. L516, £75. B.T.H. 301, 750 watt, £115. Ampro, £120. De-Vry (Bantam) 750 watt, £135. Bell/Howell 601, £170. P.J. Non-atop £20. Bolex G916, £50. Bolex G16, transformer model, £60. Everything for the cine enthusiast, especially G.B. L516 owners, spares, lamps, 500 or 750 watt. Accessories, repairs and rebuilds by qualified technicians. Geoffrey R. Lewis, 134e Peascod St., Windsor, Berks.

NOW AVAILABLE IN

REVERSAL FILMS 8mm. SUPER PANCHRO

Combines latitude and colour correction with extremely fine grain.

The anti-halo backing cuts out all "flaring" round whites where contrast is strong.

Prices Exclusive of Processing: 25ft. x 8mm. (Double run) Tins of 3 Films 30ft. x 9.5mm. 18 Spools of 50ft. x 16mm. ... 21 10 ... Spools of 100ft. x 16mm. ...

(Including Purchase Tax)
When professional processing is preferred suitable Finishers may be recommended upon

Available from your Dealer or write for Cine List to :--

THE MERSEYSIDE CINE CENTRE

J. ALLEN JONES

1225OUTHRD., WATERLOO, LIVERPOOL Tel.: Waterloo 123

Immediate delivery of SCREENS - LAMPS - LENSES - AND EVERY-THING CINE

FILM PROCESSING

ALL MAKES

Repairs to all Cine Apparatus. Spares and Extension Arms for all Projectors. New and S/h. Accessories and Equipment. Send for Lists.

HOWELL'S CINE SERVICE, 23 Holtwhite Avenue II Enfield Middx. 22

Jano Portable Triple Lighting Outfit. Three handsome adjustable reflectors on long arms on solid folding stand (chromium). Adjusts to 7ft high, scarcely used. Complete in attractive carrying case, £10. Seen London. Box 615.

BATH'S SUPER

9.5mm. 16mm. 8mm. SOUND & SILENT

EXCELLENT QUALITY FILMS WITH ABSOLUTE RELIABIL-ITY OF SERVICE.

Our 1950-51 Film Library Catalogue with Free Projection Tables for 8, 9.5 and 16mm. Projectors, just published. Send 1/6 for your copy-post free.

Films 2/- for THREE Nights and no extra charge for week-end hire.

PERSONAL SERVICE



LOCK'S OF GRIMSBY

9.5MM. HIRE SERVICE

We are now equipping our Silent Library with all the latest releases in readiness for the coming season. Lists available shortly. M Reels 1/-; S.B. Reels 1/6.

We do not charge for membership or extra for week-end hire.

USED PROJECTOR BARGAINS

Victor Mod. 40 (Demonstration	model)	£160
Agfa Movector, 16mm	***	(35
Agfa Super Movector, 16mm	***	(35
Bolex G.916 (ex. cond.)	***	655
Ampre Premier 20, 16mm. Sour	d	£155
Eurnig 9.5mm. (ex. cond.)	***	£30
16mm. Kedascope HOD/C	***	£17 10
Any of the above can be bought Particulars gladly sent on reque	on H.P.	Terms.

GORDON LOCK

(GRIMSBY)

LIMITED

16a. OLD MARKET PLACE. GRIMSBY Telephone: 55088 (3 lines)

Pathe 200B; extensions for 900' spools; resistance; Chaplin film; like new in fitted case. £27.10. Bunyan, 15 Shamrock Way, Southgate, N.14.

Projector Bargains. Bolex G916 £49.10. G.B. L516 £69.10. Kodascope L., 750 watt, £57.10. Pathescope Gem, £29.10. Ampro, 750 watt, £59.10. Roll & Howell-Gaumont 601, £195; 602, £89.10. Kodascope 70R, 8mm., 500 watt, £48.15.0. Specto 9.5mm., £29. Officially Appointed Service Agents for Bell & Howell-Gaumont. All Models and Accessories in stock. Very large selection of Movie-Paks. Robinsons Cine Service, Purdis Croft, Bucklesham Rd., Ipswich. Telephone 78665.

Bell Howell 57A 16mm. 200w. Projector, excellent condition, £40. SA. Envelope for photograph. Mega-flash Electronic set, extra extension light with 20 ft. flex, nearly new. £40. Bacon, Hockliffe St., Leighton Buxzard.

Buzzand

Buzzard.

New 9.5 Sound projector Ace Gem in two cases,
Glass Beaded Screen, Splicer, Spare reels. Also
Electric Record player, the lot £60. Box 597.

16mm. Kodatoy home-made motor drive, 2,000 ft.
of film. £6. Bargain. 11 Devonshire Rd., Southall,

Middx. 200B 9.5mm. Sofil Sound, 900' Arms, 10 watt amplifier, 10' speaker. Offers wanted, or sell separate. Axe, 302 Ellerdine Rd., Hounslow, Middx. Por Sale. Carpenter de Luxe Sound Projector, lens 14' and 2' Pullin, 3 projection lamps, carrying covers. LTSO. Also Paillard Bolex Gl6 silent projector, £50. All in excellent condition. Box 605.

Kodascope E.E. 16mm. Transformer model. 2"
lens. Case. £32. Pathe H and 300 ft. Chaplin films
£15. Offers, exchanges. Dalby, 167 Showell Green
Lane, Birmingham.

Lane, Birmingham.
Victor 16mm. Sound Projector, complete and in perfect condition, £120. As above Demonstration Soiled £100. Or £200 the pair. Carpenter 16mm. Sound projector, very little used £95. Gray's Camera Shop, 1 St. James St., Taunton.

Specto Dual 9.5-16 Projector Educational model, 250 w. 900 ft. arms and carrying case. Used once only. Owner purchased sound projector. £45. Box 690. Guaranteed Pathescope Projectors. "200B" £25. "H" £19. "Kid" £6. Demonstrated. 67 Brentvale Ave., Alperton.

Smm. Kodascope Home Projector 200w., as new. Spares: 1 lamp, ‡" £1.6 Dalimeyer projection lens. £22. Clark, 27 Lygon Road, Edinburgh.
Ditmar Duo \$16, as new 1 inch and 2 inch lenses. Complete with resistance, etc. In case. £60, or near offer. Box 611.

Complete with resistance, etc. In case. £60, or near offer. Box 611.

Bell & Howell 16mm. 138F Sound projector in Blimp. Transformer, loud speaker, and all accessories in separate case. Recently completely overhauled by makers and in fine condition. Offers to Box 610.

Bell & Howell latest 16mm. magazine Autoload, fitted (7.7, complete with 1° 2° 3°, 4°, 6°, chrome view-finder objectives, reflex focuser, leather case, as new. John Barnett, 28 Maddox Street, Regent Street, W.1.

MAYfair 1323.

Pathe 9.5 Germ with Ace sound unit (in Blimp). Smart 2 case outfit. As new. With 1,600ft. sound film. S.A.E. for photo. £55. Smith, 256 London Rd. South, Lowestoft.

16mm. Carpenter-de-luxe Sound projector, reels, spare lamp, P.E. Cell, exciter lamp, and portable soundmirror magnetic tape recorder, as new-all at

(200. Box 613.

Bolex 6916. Resistance Model, 2' lens. Reconditioned by makers—Bargain. (55. Box 614.

Accessories

Boneham & Turner Sound head amplifier 1,600' Arms, speaker, complete for Bolex G916, used twice only, cost £65. First offer, £49.10. Bond, 24 Ali Hallows Rd., Preston, Paignton.

Presentation! Free Xmas-New Year trailer (18") with orders (10's upwards) received before December 5th. "Medici" 9.5mm. Titles and Announcements. "Censor Certificate"; "World"; Effects. Excellent testimonials. Established 1931. List. Box 598.

Wirek B. L. Wire recorder. Perfect condition. Wirek B.1. Wire recorder. Perfect condition. Complete £70, or offer. Hasdell, 22 Derby Rd., Portsmouth.

Projector Lamps: Quantity 110v., 200 watt, ype 40. Pre-focus lamps. New in original packs. Manufactured by firms of reputs. Suitable for most types, Koduscope, Ensign, etc., etc. Approx. size 1.5° x 1½° dism. Offered at less than half to-day's prices. Free of P.T. Send now for quotation stating quantity required. Uniproducts (M/c) Ltd., 142 folson Road, Pendleton, Salford, 6. PENdleton 1341/3 1341/3

1341/3.

Ex-Government Surplus. Reels 1,600 ft. 12/6.

Cans 2/6. 400 ft. Reels 2/6. Cans 1/-. Fibre Transit

Cases, to hold 2/1,600 ft. Reels, fitted straps, new, 7/6,
plus carriage. Midland Film Library, 137 Vicarage

Road, Langley, Oldbury, Nr. Birmingham. "Phone

Broadwell 1214.

New Screens, 40" x 30", on rollers, side stretchers.

Cancelled export consignment at manufacturer's cost.

S5/- each. C. W. Sperkes, 69 Fortis Green, N.2.

The "Inta" Attachment for your motorcamers,
produces interesting Wipes/mixes in your shots, 22/6,
perticulars 1d. Racet Designs, 46 Orchard Way,

Chesterfield.

Projection lenges for Pathe H and 2008. 2" focus

Projection lenses for Pathe H and 200B. 2" focus 35/- cs. 14" focus 45/- cs., Dallmeyer, Max-lite. 2" focus for 200B 70/-. 200B Lamphouse tops, 15/- and 10/6. Dalby, 167 Showell Green Lane, Bir-

mingham.

Extension Arms for 200B projectors, superior, 6/6
pair. "H" projector conversion, 15/6. 9,5mm. film
mender, 7/6. S.A.E. for particulars. Berry, 22 St.
Germain's Rd., London, S.E.23.

All New and Unused. 1 35mm. Aldis projector,
£15. 1 Nebro Spor Light £10. 1 G.I.C. Animated
Viewer, £20. 6 2,000 ft. 16mm. reels, £1 each. 1
Cinecraft Universal Titler, £5. 13 sets of Kays' self
adhesive plastic titling letters, complete £3. Box 596.
Scanhamy Scandingater tage recorder. Etitad motors Scophony Soundmaster tape recorder. Fitted motor, microphone, excellent condition. £39. Rox 606. Scophony Baird Cine Soundmaster. Brand new. £60. Genuine Castle 16mm. Films, £4.10 each. Higgins, 25 Newcombe Park, Mill Hill, N.W.7. Mill Hill 2805.

Celfix 5 x 4 Silver self-erecting screen. As new. (8.10.0. G., 49 Rupert St., W.1.

Miscellaneous

Miscellaneous

Everyone needs printing, we print for everyone.

Letterheads, Hire forms, etc. Send copy for estimate.

Edmondson, Oakenshaw, Bradford.

Fun for Family. Everyone from Baby to Grandpa will be delighted with real movies on ace projector, (5.16. Motor, (5. Films from 5/-. We use and recommend Pathe Products for dependable service at reasonable cost. Leisure Spot, Blewitt St., Newport, Mon.

Mon.

Perfection in Projection. The Newton N.A.50
Epidisscope, Double sliding carrier, 500 watt lighting
—Blower cooled lamphouse—8" Anas. and £7.3.8 16'
Anastigmat lenses. Prints, Plans, Maps, Lantern
slides, books and solid objects easily and quickly
projected. Mint condition, any trial (listed £110).
Best offer sccepted or exchanged for good camera.

J. D. Walmsley, Downham Market, Norfolk.
American Magasines, 1 year's post free supply
Home Movies 31/6; Modern Photography 32/3;
Popular Photography 28/6. Send for booklet quoting
all others from Willen Ltd. (Dept. 18), 101 Fleet St.,
London, E.C.4.

all others from Willen Ltd. (Dept. 18), 101 Fleet St., London, E.C.4.
London, E.C.4.
Build-Your Own Latest American Projectors, Sound conversions, Amplifiers, Enlargers, Driers, Timers, Titlers, Projection booths, etc., etc. 18 fine designs in three books, only 9/- post paid. Order now. Five illustrated Catalogues, 5,000 books, plans, magazines, 6d. by subscription or single copy. American Publishers' Service (CW), Sedgeford, Norfolk.

16mm. cine outfit, complete ideal for enthusiast or hearings comprising Specto projector. nearly new,

16mm. cine outfit, complete ideal for enthusiast or beginner comprising Specto projector, nearly new, in carrying case, Siemens model B camera with 2 daylight loading casettes and film all in carrying case, new roller acreen in case, new exposure meter in case, rewinder, splicer, spares and 1½ hours film programme. For sale privately at £100. Box G86, Lee & Nightingale, Liverpool, or 'phone Sefton Park 4374 (Léverpool) during day.

GRAY'S TAUNTON. Tol. 2966

instructions

Dekke 9.5mm. Cine Camera, 3 speeds, f/2.5 tens. ... 622 10

Coronet 9.5mm, Camera, 1/3.9 lens ... 46 0 0

Photox Pilot lamp, connects in mains, saves room

G.B. Strip Projector Model 38, delivery from stock 633 8

We stock a comprehensive range of apparatus accessories and books. Why not let us know your requirements?

I6mm. CAMERAS FOR

J. SCOTT-RUSSELL FILM LABORATORIES

7, Great Castle St., Oxford Circus, W.I.

Telephone: LANgham 4382.

Estd. 1912 @

Brun Camera Matte and Effects Box

Enables the amsteur to put many tricks into his films (lades, wipes, etc.), and provision is made for holding a filter. The owner of a turret head camera only requires one filter to use in conjunction with all his lenses if he has a Brun Matte and Effects Box. Bases are obtainable for most makes of 16mm., 9.5mm. and 8mm. cameras. Price 45-6-10, including P.T.

Brun Loop Absorber (3-8-4. Brun "Daylight" Screen 46-6-8. Educational Loop Films, Brun Shorta, "Old English Crafts," "Wonderful Britain" series, all obtainable on monochrome or colour stock. Send for lists. Send S.A.E.

Sole Distribution :-- BRUN EDUCATIONAL PILMS Ltd., IS Prestwich Street, Burnley.

Moxhams (Ciné Specialists) Ltd

609 Arc Model and all best makes. Wire and Tape Sound Recordings. Screen Accessories

Visual Aid Consultants Service Agents. Bell s Howell - Gaus Film Library

263 Portswood Road SouthAMPTON

We hold the largest stock of 8mm., 9.5mm. and 16mm, sound and silent films in the country. Hundreds of titles for hire, sale and exchange. We can give only brief details of each library in this advertisement-do not hesitate to enquire if you hire films regularly, we can quote special rates for block bookings. If you prefer to purchase films or take on long term lease then you must contact us particularly if you desire to exchange for other titles occasional

16mm. SOUND FILM LIBRARY. Illustrated catalogue of over 50 closely printed pages 1/post free., Hire fee for each film for one night or eek-end clearly stated. Special quotations for lock bookings. Please state exact requirements block bookings.

stock bookings. Please state exact requirements for special quotation by return. If the state of titles with synopsis of feature films available at 1/- post free. Dramas, Westerns, Comedies and Cartoons in excellent variety.

Smm. FILM LIBRARY. List of titles free semm, FILPI LIBRARY. List of titles free pending publication of new catalogue. Dramas, Cartoons and Comedies featuring Chaplin, Laurel and Hardy, Harold Lloyd, etc. Also full renge of G.B. MOVIE-PAKS for hire, sale and exchange. Used copies of MOVIE-PAKS for sale at £2 10 0. Allowance for your old MOVIE-PAKS in part exchange £2 per reel.

9.5mm. SOUND and SILENT FILM LIBRARIES. Illustrated catalogue I/- post free. A completely unrivalled service with a stock of thousands of films at your service. You may hire, purchase or exchange. Our price list gives a definite price for your films in part exchange for new or used copies. We do not issue special lists of films for sale—you may select from the complete catalogue. Here are some recent and complete catalogue. Here are some recent and popular releases selected at random from our stock.

A Fire has Been Arranged, 6 reels 619 16 6 Sound Comedy The Chinese Bungalow, 6 reels Sound Drama The Devil Bat, 6 reels Sound Thriller £19 12
The Night Alarm, 6 reels Sound

New Adventures of Tarzan, 6 reels Sound Drama 619 15 0 Another Fine Mess, 3 reels Laurel and Hardy

Across Europe With Jack Hylton, 66 S 0 2 reels Musical Prices quoted above for new copies. Used copies

available shortly at £2 2 0 per reel.

PROJECTOR SERVICE DEPARTMENT. Recently extended and reorganised we are in position to give really efficient service to all makes of projectors. All repairs carried out by factory trained engineers with latest equipment. We also offer emergency service for urgent repairs. Extensive overhauls carried out overrepairs. Extensive

PROJECTOR SALES. We are main sales and service agents for all leading projector manufac-turers including Bell-Howell, B.T.H., VICTOR, AMPROSOUND, DE-BRIE, PATHESCOPE, PAIL-LARD-BOLEX, etc. Also excellent stock of used and low priced new sound projectors including 3.8. Model L.516 £85; Bell-Howell Model 186 £125; Victor Model 40 £150. Also new Cinesmith Gem9.5mm. sound projector at £83 complete, or sound head only ready for fitting to your own GEM Projector at £47 including speaker and carrying case.

KIRKHAM FILM SERVICE LTD. 111-117, Winwick Rd., Warrington, Lancs.

'Phone: 245 'Grams: * Cinesound

WANTED

Wanted to buy or borrow Instruction Manual for Cine Nizo 8mm. Box 612. Pathescope notched short "Harold-Waiter" good condition essential. Johnson, "St. Mawes", Mill Hill

Lane, Pontefract.

Lane, Ponteiract.
Titling outfit wanted. Box 599.
Smm. Films including amateur productions, wanted.
Grosset, Rochfort, Uplands Rd., Saltford, Bristol.
Printer 16mm. required in good condition. Not
conversion. Warwickshire District. Box 600.
16mm. Sound Films Wanted. Features and
shorts. Price and details to Bourne House, Winterbourne, Glos.
Wanted. Co-operation Norwegian 8mm. Movie

wanted. Co-operation Norwegian 8mm. Movie workers in Trondhjem, Hamar, Oelo, for shooting, slasting sequences. Films provided. W. J. Carter, Histon Rd., Cottenham, Cambas, England. Wanted for cash. All projectors, cameras, films and apparatus. Good prices paid for apparatus in first-class condition. Penrose Cine Ltd., 69 Streatham Hill, London. 'Phone Tulse Hill 6756.

Wanted. Jonny. cassettes. Kodschrome for Kodak

Wanted. 16mm. Wanted. 16mm. cassettes Kodachrome for Kodak Cine Camera. Johnstone, New Park, Cranleigh. Urgently Wanted. 16mm. and 9.5mm. Sound and Silent films in good condition, top prices paid, films for sale or exchange. Midland Film Library, 137 Vicarage Road, Langley, Oldbury, Nr. Birmingham. Broadwell 1214.

Wanted. 1° and 11° Telephoto lens for 8mm. B. & H/G. Sportster 605 Camera; or would exchange above for turret-head model or similar, with cash

adjustment. Box 601.
16mm. Silent Films Wanted. All subjects. Good condition essential. All offers acknowledged. Excellent 16mm. Silent films for sale. BM/EDWM,

London, W.C.1. 16mm. Cine Kodak Model BB Junior cameras with 16mm. Che Kodak Model BB Junior cameras with [1.9] lens. Offers giving details of price, condition and where camera can be seen should be made in writing to the Director of Navy Contracts, Branch 10E, Admiralty, London, S.W.1.
45-70mm. Projection lens for Pathe Vox. 60 inch glass beaded screen. Spinks, Oxwick, Fakenham,

glass be Norfolk.

De Luxe Soundhead units for Specto 9.5 or 16mm. Pathe 9.5 or 16mm. Pathe H. 9.5, Ampro 16mm. All models complete with cell £10/10. Stamp for particulars and illustration

High performance Model 8 S.O.F. amplifier. Leaflet on request.

J. H. BALCHIN Woodham Park Road, West Byffeet, Surrey

PROJECTORS 5 Hand Guaranteed

Kodascope Model G, 16mm., 750 watt with 2" f/1.6 and 4" f/2.5 lenses, complete with transformer, spare lamp and carrying case, whole outfit identical to brand new ... 669 0 0

Eumig all mains model, 16mm., 250 watt, complete with spare lamp and carrying case ... 429 0 0

Gem all mains, 9.5mm., almost brand new

G.B. Model 38 Film Strip, complete in case with all attachments, as new, cost £34 ... £24 0

Aldis Film Strip Projector, fitted for 2 x 2 slides ... 616 0 only, in immaculate condition

BREEZE HILL

SPECIAL XMAS PARTY ATTRACTION
First in a NEW series of films specially made

First in a NEW series of films specially made for children:
"MICHAEL DECLARES WAR."

Michael and his sister Janet left in charge of the ageing Miss Bennett, proceed to torment her in one way or another culminating in a large scale attack.

Jemm. Silent 66 0. Smm. 63 0 Trade enquiries invited

LATHAM PRODUCTIONS

Parsons Street, LONDON, N.W.4.

Projecti

of your personality is aided by Yoga and the other Occult Sciences. For authoritative articles read PREDICTION; 9d. monthly from your Newsagent, or sample copy 10jd. from A. C. Burt, 24 Store Street, London, W.C.I.

CINE & PHOTOGRAPHIC EQUIPMENT

Ampro, Specto, Dekko, Bolex, Johnson, etc. 16mm, Sound and Silent Films for Sale and Hire. 8mm, for Sale. Lists 66.

Idmm. SOUND FILM EXCHANGE Mobile Cinema; Graham Farish Model Railways

JACK PEARSON 84 High St., Old Hill, Staffe, Tol. Crodicy 69317

@ 9.5 SILENT FILM HIRE @

Giving the best in 9.5mm. Silent Films. You will be spoiled for choice. SEND NOW for descriptive catalogue, listing hundreds of films, at cheap two-day rentals.

Price ... 2/- refunded on first booking. BOOK NOW - FOR XMAS

PREMIER FILM SERVICE Manchester Road, Westhoughton, Lanca.

INDEX TO ADVERTISERS

The state of the s		4 5	-
LOND	ON		
Action Ltd.		819,	829
Associated British-F	athe L	Ed.	108
Bell & Howell Co. I	Ltd.	200	716
Bird. S. S., & Sons I	.td.		713
Campra Craft Ltd.		714,	820
Cinecraft Supplies L	.td.	***	828
Cinemare			701
Cinex Ltd	224	200	688
City Sale & Exchang	e Ltd.	718,	719
Dekko Cameras Ltd	Same.	***	704
Dolland & Aitchiso			
provincial branch		720,	721
Ealing Photographic	Excha	nge	822
F.H. Co	146	754	714
Focal Press	430	416.	810
Fountain Press	***	110	722
G.B. Equipments Lt	G.	692.	693
Gevaert Ltd Heaton, Wallace Ltd	4	407	689
Hunter, R. F. & Co.	8.	987,	817
J. King Films	red.	717	816
Latham Film Produc	rinne		833
Lewis, R. G. (Cine)		4 6	
Morris, Harold (Can			694
Movie Titles		evil.	821
Lewis Newcombs L	14		806
Nine-Five Ltd.		***	821
Pathescope Ltd.	***	706,	710
Peach Cine Ltd.	***		824
Penrose Cine Ltd.	***		815
Photax Ltd			711
Photo Science Ltd.		-44	723
Rigby, Robert Ltd.	K++		698
Sands Hunter & Co.	Ltd.	***	715
Scott-Russell, J.	111	444	831
Service Co. Ltd.		11x	708
Shirley-Holbien	449	***	822
Shoot, S. I. & Co. Li			694
Simplex Ampro Ltd.		Co	ver
Trin Ltd.	144	255	700
Turner, E. G	200	244	802
Vauxhall Film Hire		154	694
Westminster Pho	COELAD		
Exchange Ltd.	+19		813
Wigmore Films Ltd.	245		826
Wilson, P. F	***	+49	827
Wondersigns Ltd. Woollons Cine Serv	121	***	707
44 COUGUS CTUS 261A	10.00	1.05	101
PROVIN	CES		
Beds.			
University Cameras		1225	825
Service and Service as			
Berks.			
Harris, Ron	100	Co	ver
Specto Ltd		***	706
	27 34	-	1000

Bucks. Southern Film Services Ltd.	690
Cambs. University Cameras	825
Ches. Egginton, A. G. & Son. Ltd Home Cinema Service Mid-Ches. Film Library Stockport Camera Exchange	821 814 822 816
Bruce, Chas. W	827
Glos. Salanson Ltd	818
Hants. Moxham, E. T., Ltd Rowland, Morton & Co. Ltd. Wellstead & Son	831 816 700
Herts. Abacus Film Service Ltd Townsend & Crowther Ltd.	821 802
Kent Associated Cine Equipments 700	. 814
Brun Educational Films Cinephoto Ltd Deepdale Radio & Cine	831 823
Service Gorse, E. Holdings Fidelity Films Howarth Cine Service	824 821 714 820
Jones, Allen Jones, F. E. Kaytee Plastic Products Ltd. Kirkham Film Service	829 823 712 823
National Film Agency Premier Film Service 827 Proffitt, R. W. Ltd Radelagh Cine Service Zell-Em Ltd	833
Leics. Jessop, Frank E. Midland Camera Co. Ltd	806 UOZ
Lincs. Lock, Gordon (Grimsby) Ltd. Lock, Gordon (Louth) Ltd. G. Mastin	830 827 821

IDENO	
Middx. Laurel Cine Exchange Howells Cine Service	
Sangamo Weston Ltd	797
Norfolk Norwich Cine Service Ltd	710
Northumberland Turner's (Newcastle upon	
Turner's (Newcastle upon Tyne) Ltd	705
Notes. Boneham & Turner Ltd	798
Briggs, D	
Heathcote	820
Sameras	
Gray's Camera Shop Howe, Cyril Ltd.	831
Staffs.	
Bowen & Verney Co Centurion Film Service	823 823
Pearson, J.	833
Surrey &	
Balchin, J. H.	832
Croydon Cine Service	818
Richard Maurice Equip. Co	823
Pyke, T	707
Walton Films	827
Sussex-	***
Boyd, G 717	712
Westminster Photographic	
	, 813
Warwickshire	
Birmingham Commercial Films	690
Braithwaite, M., Ltd.,	827
Cine Equip., Ltd	822 820
Frost, J., Ltd	620
Yorks	-
Baker & Hyman Ltd	798 806
Childe, Geo., Ltd	710
Crookes Film Library	821
G. Gill	822
Royal Sutcliffe Cine Equip. Ltd	1.704
Saville, John & Sons 690 Sheffield Photo Co. Ltd. 690	699
Simmonds	821
Sound-Film Services	823
	443
Scott, R	823

R. G. LEWIS LTD 202 HIGH HOLBORN, W.C.I

If it's CINE and GOOD - it's at '202'

CHANCERY 5208





We are convinced that no cine projector represents better value for money than the new Specto Dual 9.5 and 16mm. model. By a simple interchange of parts, both sizes can be projected with equal efficiency, and the projector retains all the noted Specto virtues that have contributed to the growth of its envisible reputation: these include the unique optical and shutter systems that give such brilliant and flicker-free pictures, and the oilbath gearbox.

SPECTO "DUAL" PROJECTOR £43 10 0

Here are other Specto models that we strongly recommend to the man who wants to be sure that the maximum of solid value is packed into each penny of his purchase:

penny of his

ECTO	"STANDARD " 8mm., I" lens	436		
	,. 9.5mm., 1 j° lens	636		
9.0	16mm., 2" lens	636		
20 -	"EDUCATIONAL " 9.5mm., 11" lens	648	10	
0.0	16mm., 2" lens Dual 9.5 & 16 mm.	684	10	
8.0	"ANALYZER", I6mm., 2" lens	447	10	
0.0	(illustrated brochure on request)	-		

VERSATILITY — PLUS

"Multum-in-parvo" was surely never more accurately applied to anything in the cine sphere than to the Vebo Combination Titler which, as our illustration shows, packs into pocketable compass. Small though it is when collapsed, the Vebo is nevertheless superbly efficient, and as a matte box for 'professional' effects, is as effective as in its main role. No cine man, least of all the one who "titles as he goes", should be without the

VEBO COMBINATION TITLER ...

18 4 Super quality leather case



DEKKO'S THREE ACES - EFFICIENCY, LOOKS, PRICE

DEKKO 8mm. PROJECTOR Model 118A. A solid engineering job with high performance: smooth running and with 500 watt lamp. Built-in resistance with variable positions for all voltages AC/DC from 200 to 250. Side cover completely encloses lens, gate and sprocket mechanism. Takes 400' spools, allowing thirty minutes' projection time without changing reels. Fitted with I' projection lens, giving 3' picture at 18' and \{\frac{1}{2}'\ \text{lens} \text{ (price (5)(10)-) also available.}\} Separate switches for motor, lamp and room-light Price £39 18 0



DEKKO 16mm. PROJECTOR Model 126A. This model basically resembles the 118A, but is fitted with special optical framing device. Lens fitted is 2° f/1.6, coated. 400' spool arms are standard, but 800' can be supplied to order. Price 648 8 8

DEKKO 8mm, CINE CAMERA. Takes standard double-8 films, monochrome or colour. Variable speeds, 8 to 32

with f/1.9 Dallmeyer focusing

PLEASE WRITE FOR DETAILS OF OUR H.P. TERMS



Published by Link House Publications, Ltd., 24, Store Street, London, W.C.1. Tel.: Museum 9792. Printed by Arthura Press Ltd., Woodchester, Stroud, Glos. Agents for Australia and New Zealand: Gordon & Gotch, Ltd. Agents for South Africa: Central News Agency, Ltd. (London Agents: Gordon & Cotch, Ltd.) Registered for transmission to Canada and Newfoundland by magazine post. Printed in England.

THE CINE-MAN'S MECCA-202 HIGH HOLBORN, W.C.I

CHRISTMAS FUN ASSURED

We always get a kick out of using for domestic and other purposes gear that we've bought basically for our photographic pleasure: like timing eggs or the pressure cooker by our darkroom alarm-clock, for example. (One always feels that on those occasions Madame looks with less distarour on masculine "extravagance".) So it is with the Scophony Baird Home Recorder, which is as fascinating a toy at party time as it is delightful an accessory for home movies, to which it provides music and commentaries that far surpass in attraction even the most elaborate and ingenious of titles.

attraction even the most elaborate and ingenious of titles.

The reproduction quality on playback must be heard to be believed, and we offer you a pressing invitation to come along to our cine theatre for a demonstration by our experts in this up-and-coming branch of home entertainment. We shall be glad to send, post free and by return, full description and illus-

trations of the

S.B. MAGNETIC TAPE HOME RECORDER 645 0 8 (complete with microphone and tape). (H.P. terms can be quoted on application.)



CINE-LAND'S MONARCH AND HIS COURT

The Paillard-Bolex H.16 holds undisputed sway among s.s. cine users as the King of Cameras, and we are happy to announce that fresh supplies are now coming through. The latest model incorporates a new finder, adjustable for lenses of all focal lengths from 15mm. to 15cm. In addition to the H.16, which costs £182/15/8 with f/1.5 Pizar and the new finder, we have available the

L8 Bolex 8mm. princeling, which costs 459 17/6 with 1/2.8 Yvar. Another outstanding Bolexity that bears our absolute recommendation, and which we can supply from stock, is the M8R 8mm. Projector, priced at 468 -/-.

Here are four accessories for the HI6 which match its quality,

design, and finish.

Special Camera Foot. Allows use of camera on flat surfaces without tripod, and improves working conditions when a tripod is used. (Camera must be sent for fitting.) Price £3 15 6.

Motor Drive. Mains or 12v. types available. Single speed models give 16 or 24 f.p.s. and the two-speed models 16 and 24 or 24 and 64 f.p.s. Single speed motor £32 0 0; Dual speed (16 & 24) £36 0 0; Dual speed (24 & 64) £43 0 0.

araliax Compensator. For use either on table-top or tripod. Price £14.

Parallax Compensator. For use either on table-top or tripod. Price £14.

"Professional" Viewfinder. This is of the type used by T.V. cameramen, and was originally designed for aircrew use. Somewhat larger than standfinder. Eyepiece lenses are interchangeable, so that the view seen through the finder is always critically sharp. Supplied for any three-lens combination. Price £32.

PROJECTION QUALITY

Few people seem to realise how very important a matter is the choosing of a cine screen when maximum projection quality is required. We stock every make that deserves our recommendation, and will gladly demonstrate any that might interest you, projecting your films on to them in our specially equipped cine theatre.

To give you an initial idea of the various types available, we shall, on receipt of your enquiry, be happy to send you, post-free and by return, fully-illustrated "literature" on the subject.

Incidentally, we can also offer a number of used screens, and if you will give us details of your approximate requirements, we will write by return, quoting for any screens that we might have available suitable for your purposes.

TASTEFUL TITLING

No more attractive yet practical titling outfit than the "Zellem" has ever been offered us, and we heartily recommend it. The outfit comprises 166 characters in upper case and numerals. 136



